

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
CLAIM VERIFICATION EXAM SHEET

(use in place of the CVR for small Domestic/Stock exams)

1. ☒ No Change NAME  
NEW OWNER: \_\_\_\_\_  
☒ No Change ADDRESS  
NEW ADDRESS: \_\_\_\_\_
2. ☒ No Change - DATE OF PRIORITY: Completed - No Field Verification Needed.  
☐ Incomplete - Claim shows no priority date, claimant should be asked during the exam when was water first used.  
Priority date, per claimant, is \_\_\_\_\_  
(if the priority date, based on your exam, seems questionable, explain in remarks.)
3. ☒ No Change - SOURCE  
☐ Source is different than that claimed:  
Source found: \_\_\_\_\_
4. ☒ No Change - POINT OF DIVERSION *Clarify to GQA*  
☐ Point of diversion is different than the claim  
New P/D: Twp. 01S, Rge. 03W, Sec. 13, SW 1/4 SE 1/4 NE 1/4
5. ☒ No Change - DESCRIPTION OF DIVERTING WORKS  
☐ Incomplete desc., complete items missing, IF KNOWN.  
☐ Additional comments in remarks.  
*Reliability* HP of pump 3 Pump Ser. # unknown Pumping water level ?  
Well depth 567' Motor Ser. # unknown Static water level 23' (well log)  
Casing size 8" Method of irr. \_\_\_\_\_
6. ☒ No Change - WATER USES  
☐ Different uses, (list uses found). *Limit to Dom .02 cfs } per license*  
*Omit irrigation*  
Use Dom. From 1/1 To 12/31 Amount .02 cfs \_\_\_\_\_ af  
Use Stockwater From 1/1 To 12/31 Amount .21 cfs \_\_\_\_\_ af
7. ☒ No Change - TOTAL VOLUME  
☐ Incomplete on claim, the total is, -- -- .21 cfs 14.0 af  
☐ Change found, the new total is, -- -- -- .02 cfs \_\_\_\_\_ af
8. N/A
9. ☒ No Change - NON-IRRIGATION USES: Completed on claim  
☐ Incomplete on claim - Exam found:

Domestic - No. of homes 1 Stockwater - No. of head 5/1000 *dominal*  
Other: \_\_\_\_\_  
*v. 5/3000 head*

*Volume* 0/1 *int* = .6  
5/1000 =  $(1000)(.0134) = 13.4$  *v.  $(.21)(365)(1.4875) = 152$*   
*Total* = 14.0 *Diversion volume*  
*Cons. use vol.* = 0

MICROFILMED

OCT 07 1992

# SYSTEM DESCRIPTION ATTACHMENT TO CLAIM VERIFICATION REPORT

CLAIM NO. A57-07245

IRRIG. EXPANSION ALLOWED?

- Continued -

| 3) COMPARE:            | max cfs                                                                   | div. volume | consumptive volume |
|------------------------|---------------------------------------------------------------------------|-------------|--------------------|
| LICENSE - 3000 h.f.    | .21                                                                       | 40.2        | 0                  |
| claim - 1000 h.f.      | .23                                                                       | 13.4        | 0                  |
| Difference - 2000 h.f. | Limit to .21 per<br>License<br>(Although 5/2000<br>could receive .44 cfs) | 26.8        | 0                  |

cfs to produce 13.4 cfs for 5/1000 claim at .02  
 $(.02)(365)(1.9835) = 14.5$  cfs, thus there is "room  
 available" in .21 cfs stockwater to convert some H<sub>2</sub>O to irrig.  
 by reducing stock from 3000 to 1000 h.f.

Div. volume - 26.8 cfs available in difference between  
 3000 & 1000 h.f.

CONS. use volume - since stockwater use is traditionally  
 considered as non-consumptive, there is no  
 water available to transfer from stock  
 for irrigation.


Therefore, cannot recommend any irrig. in  
A57-07245.

New water right needed for the ± 39 acres in  
 SENG is N<sup>1</sup>/<sub>2</sub> SE<sup>1</sup>/<sub>4</sub> located south of ditch.

MICROFILMED  
 OCT 07 1992

(3)

10. Other water rights on these lands none
11. Other water right diverted from same p.d. none
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☐ Photo of Diversion & System Attached

☒ Aerial Photo of Place of Use Attached  
or Map of Irrigated Acreage Attached

14. Remarks No irrigation use found. 1 Trailer is used for domestic during the feeding operation. Total capacity of feed yard when full is 3000 head range. Trailer is usually stationed in SE NE Sec 13 T15 R3W.

15. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ None

☒ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

16. Examiner's/Consultant's Signature Gabe H. Meyer Date 10/25/95

Consultant's License Number \_\_\_\_\_

IDWR Director's Authorization to Conduct

Beneficial Use Examination \_\_\_\_\_

Date

CONSULTANT SEAL

MICROFILMED

OCT 07 1992

1

A57-07245



**MICROFILMED**  
**OCT 07 1992**

10. Place of Use:

| Township | Range | Section | 1/4 of | 1/4 | Lot | Use           | Acres |
|----------|-------|---------|--------|-----|-----|---------------|-------|
| 01S      | 03W   | 13      | SE     | NE  |     | IRR           | 25.0  |
|          |       |         | SE     | NE  |     | STOCK         |       |
|          |       |         | NW     | SE  |     | IRR           | 25.0  |
|          |       |         |        |     |     | Section Acres | 50.0  |
|          |       |         |        |     |     | Total Acres   | 50.0  |

11. Place of use in counties: OWYHEE

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:  
REYNOLDS IRRIGATION DISTRICT.

14. Remarks:  
A57-10500 ORIGINALLY FILED FOR THE STOCKWATER PORTION INCLUDED  
IN A57-07245. CLAIMANT HAS WITHDRAWN HIS CLAIM #A57-10500 ON  
01/25/89.  
ORIGINAL EXTENSION OF TIME LOCATED IN THIS FILE. ELR.

15. Basis of Claim: PERMIT

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do \_\_\_\_\_ do not \_\_\_\_\_ wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: \_\_\_\_\_

For Individuals:

I/We do solemnly swear or affirm that the statements contained in the foregoing document are true and correct.

Signature of Claimant(s): Sam E. Pitman Date: 1/25/89  
\_\_\_\_\_  
Date: \_\_\_\_\_

State of Idaho )  
County of Ada ) SS.

Subscribed and sworn (or affirmed) before me this 25 day  
of Jan 19 89

Elder J. Foush  
Notary Public

Seal

Residing at Base  
My Commission Expires 09/08/1997

| OWNER<br>CODE | NAME & ADDRESS   | PRIORITY<br>DATE | WATER USE  | USE PERIOD<br>FROM TO | DIVERSION<br>RATE | DIVERSION<br>VOLUME |
|---------------|------------------|------------------|------------|-----------------------|-------------------|---------------------|
| C             | SAM C PITMAN     | 06/27/1979       | STOCKWATER | 01-01 12-31           | 0.21 CFS          |                     |
| C             | ROSALYN A PITMAN |                  | DOMESTIC   | 01-01 12-31           | 0.02 CFS          |                     |
|               | HC 79 BOX 55     |                  |            |                       |                   |                     |
|               | MELBA ID 83641   |                  |            |                       |                   |                     |
|               | (208) 495-2277   |                  |            |                       |                   |                     |
|               |                  |                  |            | TOTAL DIVERSION:      | 0.21 CFS          |                     |

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion:

T01S R03W S13

SWSENE

OWYHEE County

Place of use Legal Description for: STOCKWATER

|     | NE  | NW | SW | SE |
|-----|-----|----|----|----|
| T   | R   | S  |    |    |
|     |     |    |    |    |
| 01S | 03W | 13 |    |    |

Place of use Legal Description for: DOMESTIC

|     | NE  | NW | SW | SE |
|-----|-----|----|----|----|
| T   | R   | S  |    |    |
|     |     |    |    |    |
| 01S | 03W | 13 |    |    |

Other Rights: REYNOLDS IRRIGATION DISTRICT.

Non-Irrigation Use: DOMESTIC, 1 HOME; STOCKWATER, 3000 HEAD

Conditions of Approval:

W09 - USE OF WATER UNDER THIS RIGHT IS COMBINED WITH WATER FROM  
- WEST REYNOLDS IRRIGATION DISTRICT.

Dates: Exam Made Date: 11-2-90

Verified Date: VERIFIED BY RMF 12-11-91

Misc: Water District Number:

Field Inspection Flag:  
Presumption Flag:

MICROFILMED  
OCT 07 1992

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
CLAIM VERIFICATION EXAM SHEET

(use in place of the CVR for small Domestic/Stock exams)

1. ☒ No Change NAME  
NEW OWNER: \_\_\_\_\_  
☒ No Change ADDRESS  
NEW ADDRESS: \_\_\_\_\_

See 3 pgs. of  
"System Description"  
for irrigated use  
claimed

2. ☒ No Change - DATE OF PRIORITY: Completed - No Field Verification Needed.

☐ Incomplete - Claim shows no priority date, claimant should be asked during the exam when was water first used.

Priority date, per claimant, is \_\_\_\_\_  
(if the priority date, based on your exam, seems questionable, explain in remarks.)

3. ☒ No Change - SOURCE  
☐ Source is different than that claimed:  
Source found: \_\_\_\_\_

4. ☐ No Change - POINT OF DIVERSION *Clarify to Q&A*  
☒ Point of diversion is different than the claim  
New P/D: Twp. 01S, Rge. 03W, Sec. 13, SW 1/4 SE 1/4 NE 1/4

5. ☒ No Change - DESCRIPTION OF DIVERTING WORKS  
☐ Incomplete desc., complete items missing, IF KNOWN.  
☐ Additional comments in remarks.

*Red jacket* HP of pump 3 Pump Ser. # unknown Pumping water level ?  
Well depth 567' Motor Ser. # unknown Static water level 23' (well log)  
Casing size 8" Method of irr. \_\_\_\_\_

6. ☐ No Change - WATER USES  
☒ Different uses, (list uses found). *Limit to 0.02 cfs stock .21 cfs } per license*

*Omit irrigation*  
Use Domestic From 1/1 To 12/31 Amount .02 cfs \_\_\_\_\_ af

Use Stockwater From 1/1 To 12/31 Amount .21 cfs \_\_\_\_\_ af

7. ☐ No Change - TOTAL VOLUME

☒ Incomplete on claim, the total is, -- -- .21 cfs 14.0 af  
☐ Change found, the new total is, -- -- -- cfs \_\_\_\_\_ af

8. N/A

9. ☒ No Change - NON-IRRIGATION USES: Completed on claim  
☐ Incomplete on claim - Exam found:

Domestic - No. of homes 1 Stockwater - No. of head 5/1000 *domestic*  
*v. 5/3000 head*

Other: \_\_\_\_\_

*Volume* 0/1 int = .6  
5/1000 =  $(1000)(.0134) = 13.4$  *v. (21)(265)(.9875) = 152*  
TOTAL = 14.0 *diversion volume*  
CONS. use vol. = 0

MICROFILMED

OCT 07 1992

10. ☐ No Change - PLACE OF USE: (If changed, list below.)

| Use      | Twp. | Rge. | Sec. | 1/4,            | 1/4,             |
|----------|------|------|------|-----------------|------------------|
| Domestic | 015  | 03W  | 13   | SE              | NE               |
| Stocking | 015  | 03W  | 13   | S 1/2<br>NW 1/2 | NE 1/4<br>SE 1/4 |

NESE → beam area on  
ASCS photo &  
ortho photo.  
→ feedlot + beam area on  
ASCS photo & orthophoto

Remarks: (Comments pertinent to field examination)

P/u clarified - lic. exam stated <sup>S 1/2 NE 1/4 + NWSE</sup> SEAS, SPAD exam found dom.  
DOM } e beam area which occupies SE NE + NESE  
state } lic. exam stated S 1/2 NE 1/4 + NWSE, SPAD exam  
found these + NESE (remainder of beam area).  
Plu recommended is a clarification instead of a change so  
no additional info needed from clarifant.

Domestic is for 1 home  
Stock is for 1000 hd. cattle

#### ATTACHMENTS:

Attached to  
This Form.

Attachments are  
in Permit File.

PHOTOS (optional) ☐  
MAP ☐  
SYSTEM DIAGRAM ☐

☐  
☐  
☐

See A57-01011

☐ Changes found during exam or additional information in the permit file, see permit file.

DATE EXAM CONDUCTED:

11-2-90

FIELD EXAMINER:

Steve Lester

Signature

*[Signature]*

See attached pg. about  
irrig. expansion

SYSTEM DESCRIPTION ATTACHMENT TO CLAIM VERIFICATION REPORT

CLAIM NO. A57-07245

8", 567' deep well with subm. 3 hp. Redjacket  
pump & 2" discharge line. Three pressure tanks  
provide stockwater to feedlot & domestic water to  
2 sites: barn SE of well & trailer used parts  
of the year near well.

Also - open discharge into ditch where coning with  
ditch water (ditch just N. of well). Water is then  
pumped into wheel lines to irrigate field S. of  
ditch (S & E of well & feedlot).

NO irrig. w.r. found - see expansion in claim.

Stockwater - OK per license

Domestic - OK per license

Irrigation - not part of license. Recommended Fike new  
appl. rather than pursue expansion or  
channel. Open discharge into ditch & then pump coning  
H<sub>2</sub>O to wheel lines south of ditch in SENE + N<sup>1</sup>/<sub>2</sub> SE<sup>1</sup>/<sub>4</sub>.  
See 11/15/90 letter. (very small piece in  
NWSE)

WRQ1 9/4/91 - no new gear appl. for irrig.  
Found. - JL

MICROFILMED

OCT 07 1997

①

SYSTEM DESCRIPTION ATTACHMENT TO CLAIM VERIFICATION REPORT

CLAIM NO. A57-07245

IRRIGATION EXPANSION ALLOWED?

LICENSE

D.O.P. 6/27/1979

D/I int. use .02 cfs .6 afa

S/3000 .21 cfs 40.2 afa

TOTAL .21 40.8

1985 FIELD EXAM FOUND NO IRRIGATION FROM WALL.

SRBA claim

D .08 cfs

S/1000 .23 cfs

Irrig SV ac. 1.00 cfs

TOTAL 1.00

1990 FIELD EXAM FOUND

D/I int. use ~ Barn area (trail)

S/1000 per claim ~ footlot

irrigation ~ 39.3 acres (SENE 3.4 NENE 38.5  
NWSE 0.4)

ANALYSIS

1) AT FIRST GLANCE, THOUGHT SHOULD DISALLOW IRRIG. EXPANSION  
SINCE VIOLATES 1963 STATUTE.

2) HOWEVER, IF LICENSE INCREASED S/3000 BUT CLAIM IS FOR  
S/1000, THEN IT'S POSSIBLE TO CONCLUDE THAT A LAW CHANGE IN  
USE MAY HAVE OCCURRED TO CONVERT SOME STOCKWATER INTO  
IRRIGATION WATER. (between 1985 & 11/87)

MICROFILMED

Cont. Next OCT 07 1992 (2)

SYSTEM DESCRIPTION ATTACHMENT TO CLAIM VERIFICATION REPORT

CLAIM NO. A57-07245 IRRIG. EXPANSION ALLOWED?  
- Continued -

| 3) COMPARE:           | max cfs                                                                   | div. volume | consumptive volume |
|-----------------------|---------------------------------------------------------------------------|-------------|--------------------|
| LICENSE - 3000 Ld     | .21                                                                       | 40.2        | 0                  |
| claim - 1000 Ld.      | .23                                                                       | 13.4        | 0                  |
| Difference - 2000 Ld. | Limit to .21 per<br>License<br>(although 5/2000<br>could receive .44 cfs) | 26.8        | 0                  |

elements to be retained in a change in use transfer

cts to produce 13.4 cfs for 5/1000 claimed  $\approx$  .02  
 $(.02)(365)(1.9835) = 14.5$  ac-ft, thus there is "room  
 available" in .21 cfs stockwater to convert some H<sub>2</sub>O to irrig.  
 by reducing stock from 3000 to 1000 Ld.

Div. volume - 26.8 ac-ft available in difference between  
 3000 & 1000 Ld.

CONS. use volume - since stockwater use is traditionally  
 considered as non-consumptive, there is no  
 water available to transfer from stock  
 for irrigation.

Therefore, cannot recommend any irrig. in  
 A57-07245.

New water right needed for the  $\approx$  39 acres in  
 SENE & N $\frac{1}{2}$  SE $\frac{1}{4}$  located south of ditch.

MICROFILMED  
 OCT 07 1992

(3)

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# A57-07245

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP\_\_\_\_, Rge\_\_\_\_, Sec.\_\_\_\_, \_\_\_\_1/4\_\_\_\_1/4  
or Lot\_\_\_\_\_.

2. Owner: \_\_\_\_\_

Address\_\_\_\_\_, City\_\_\_\_\_, St\_\_\_\_\_

3. Casing  $\geq$  12 inches above ground: Yes ☒ No\_\_\_\_\_

4. Access Port: Yes ☒ No\_\_\_\_ Static Water Level: 23' (well log)  
Pressure Gauge: Yes\_\_\_\_ No ☒ Casing Diameter: 8"  
Flowing: Yes\_\_\_\_ No ☒ Temperature: Cold

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes ☒ No\_\_\_\_\_

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: 567' well per well log.

Opening for electrical wires needs to be  
sealed to prevent contamination

MICROFILMED

OCT 07 1992

USE TYPEWRITER OR  
BALL-POINT PEN

State of Idaho  
Department of Water Administration

## WELL DRILLER'S REPORT

State law requires that this report be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

## 1. WELL OWNER

Name Sam E. Bergman  
Address Melby Lake Rd #1  
Owner's Permit No. \_\_\_\_\_

## 7. WATER LEVEL.

Static water level 25 feet below land surface  
Flowing? ☐ Yes ☐ No G.P.M. flow \_\_\_\_\_  
Temperature \_\_\_\_\_ ° F. Quality \_\_\_\_\_  
Artesian closed-in pressure \_\_\_\_\_ p.s.i.  
Controlled by ☐ Valve ☐ Cap ☐ Plug

## 2. NATURE OF WORK

☒ New well      ☐ Deepened      ☐ Replacement  
☐ Abandoned (describe method of abandoning) \_\_\_\_\_

## 8. WELL TEST DATA

☐ Pump      ☒ Bailer      ☐ Other

| Discharge G.P.M. | Draw Down | Hours Pumped |
|------------------|-----------|--------------|
|------------------|-----------|--------------|

313

### 3. PROPOSED USE

☐ Domestic      ☐ Irrigation      ☐ Test  
☐ Municipal      ☐ Industrial      ☒ Stock

## 9. LITHOLÒGIC LOG

[illegible]

#### 4. METHOD DRILLED

☒ Cable    ☐ Rotory    ☐ Dug    ☐ Other

## 5. WELL CONSTRUCTION

Diameter of hole 12 inches      Total depth 160 feet  
Casing schedule: ☐ Steel      ☐ Concrete

| Thickness   |        | Diameter    |        | From       | To   |
|-------------|--------|-------------|--------|------------|------|
| <u>1.50</u> | inches | <u>1.18</u> | inches | <u>0.4</u> | feet |
| _____       | inches | _____       | inches | _____      | feet |
| _____       | inches | _____       | inches | _____      | feet |
| _____       | inches | _____       | inches | _____      | feet |
| _____       | inches | _____       | inches | _____      | feet |

Was a packer or seal used? ☐ Yes ☐ No  
Perforated? ☐ Yes ☐ No  
How perforated? ☐ Factory ☐ Knife ☐ Torch  
Size of perforation \_\_\_\_\_ inches by \_\_\_\_\_ inches

Number From To

2 perforations 10000 feet 10000 feet

0 perforations 57 feet from top feet

0 perforations 57 feet from top feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name \_\_\_\_\_  
Type \_\_\_\_\_ Model No. \_\_\_\_\_

Diameter \_\_\_\_\_ Slot size \_\_\_\_\_ Set from \_\_\_\_\_ feet to \_\_\_\_\_ feet  
Diameter \_\_\_\_\_ Slot size \_\_\_\_\_ Set from \_\_\_\_\_ feet to \_\_\_\_\_ feet

Gravel packed? ☐ Yes ☐ No Size of gravel \_\_\_\_\_  
Placed from \_\_\_\_\_ feet to \_\_\_\_\_ feet

Surface seal? ☒ Yes ☐ No To what depth 2.5 feet

Material used in seal ☐ Cement grout ☐ Puddling clay

### LOCATION OF WELL

Sketch map location must agree with written location



County Alameda

6 1/4 SE 1/4 Sec. T. N/S. R. E/W

## 10.

Work started Aug 2/93 finished Sept 17/93

### 11. DRILLER'S CERTIFICATION

This well was drilled under my supervision and this report is true to the best of my knowledge.

Driller's or Firm's Name Bob Phillips Number 213

Box 561 Miami, Fla.

Address

100-443887-100

State of Idaho  
Department of Water Administration

State law requires that this report be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

Address 1111 1st St. N. W. 10001 Date 10-10-61

## WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Administration within 30 days after the completion or abandonment of the well.

## 1. WELL OWNER

Name SAM PITHAN  
Address MELBA TIAHO  
Owner's Permit No. \_\_\_\_\_

## 7. WATER LEVEL

Static water level 23 feet below land surface  
Flowing? ☐ Yes ☐ No G.P.M. flow \_\_\_\_\_  
Temperature \_\_\_\_\_ ° F. Quality POOR  
Artesian closed-in pressure \_\_\_\_\_ p.s.i.  
Controlled by ☐ Valve ☐ Cap ☐ Plug

## 2. NATURE OF WORK

☐ New well ☒ Deepened ☐ Replacement  
☐ Abandoned (describe method of abandoning)

## 8. WELL TEST DATA

☒ Pump ☐ Bailor ☐ Other

| Discharge G.P.M. | Draw Down | Hours Pump |
|------------------|-----------|------------|
| <u>20</u>        | <u>42</u> | <u>5</u>   |
|                  |           |            |
|                  |           |            |

## 3. PROPOSED USE

☐ Domestic ☐ Irrigation ☐ Test  
☐ Municipal ☐ Industrial ☒ Stock

## 4. METHOD DRILLED

☒ Cable ☐ Rotary ☐ Dug ☐ Other

## 5. WELL CONSTRUCTION (Existing well - 8" to 16")

Diameter of hole 6 inches Total depth 567 feetCasing schedule: ☐ Steel ☐ Concrete

| Thickness    | Diameter     | From       | To         |
|--------------|--------------|------------|------------|
| _____ inches | _____ inches | _____ feet | _____ feet |
| _____ inches | _____ inches | _____ feet | _____ feet |
| _____ inches | _____ inches | _____ feet | _____ feet |
| _____ inches | _____ inches | _____ feet | _____ feet |
| _____ inches | _____ inches | _____ feet | _____ feet |

Was a packer or seal used? ☐ Yes ☒ NoPerforated? ☐ Yes ☒ NoHow perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation \_\_\_\_\_ inches by \_\_\_\_\_ inches

| Number             | From       | To         |
|--------------------|------------|------------|
| _____ perforations | _____ feet | _____ feet |
| _____ perforations | _____ feet | _____ feet |
| _____ perforations | _____ feet | _____ feet |

Well screen installed? ☐ Yes ☒ No

Manufacturer's name \_\_\_\_\_

Type \_\_\_\_\_ Model No. \_\_\_\_\_

Diameter \_\_\_\_\_ Slot size \_\_\_\_\_ Set from \_\_\_\_\_ feet to \_\_\_\_\_ feet

Diameter \_\_\_\_\_ Slot size \_\_\_\_\_ Set from \_\_\_\_\_ feet to \_\_\_\_\_ feet


Gravel packed? ☐ Yes ☒ No Size of gravel \_\_\_\_\_

Placed from \_\_\_\_\_ feet to \_\_\_\_\_ feet

Surface seal? ☐ Yes ☐ No To what depth 18 feetMaterial used in seal ☐ Cement grout ☒ Puddling clay

## 6. LOCATION OF WELL

Sketch map location must agree with written location:

County Ordway HGR  
SE NE  
NW 1/4 Sec. 13, T. 1 N/S, R. 2 E/W

## 10.

Work started SEPT-3-73 finished SEPT-14

## 11. DRILLER'S CERTIFICATION

This well was drilled under my supervision and this report is true to the best of my knowledge.

HETTER WELL DRILLING  
Driller's or Firm's Name

Number

Box 511 Haverhill Co. IOWA  
AddressKenneth J. Hetter  
Signed By

Date

RECEIVED  
MAR 25 1988

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
LICENSING REPORT

RECEIVED  
OCT 28 1985

57-7245  
Permit No.

Department of Water Resources

Department of Water Resources

1. Measurement Calculations

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

$$3 \text{ HP} \times 8.8 \times .85 = 22.44$$

$$60' \text{ lift} \div 4.3 \text{ f/200psi} (46.5') = 106.5 \text{ f/22.44} = .21 \text{ cfs}$$

3000 gal/range to 1 domestic

b) Volume Calculations for Irrigation:

$$V_{i,r} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}}$$

$$V_{o,r} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$$

$$V = \text{Smaller of } V_{i,r} \text{ and } V_{o,r} = \underline{\hspace{2cm}}$$

c) Volume Calculations for Other Uses:

$$\frac{3000 \text{ gal/range} \times 12 = 36000 \text{ GP}}{2 \text{ to periods} = 54000} = .67 \text{ cfs} \text{ recommend } .21 \text{ cfs}$$

$$36000 \times .001118 = 40.25 \text{ AFA} \quad 1 \text{ domestic no outside use}$$

$$= .02 \text{ cfs} \times .6 \text{ AFA}$$

2. Overlap Review

a) Other water rights with same place of use: none

b) Other water rights with same point of diversion: none

c) Analysis:

MICROFILMED

001-07-1952

## RECOMMENDED AMOUNTS

- | 3. | Permit No. | Priority | Amount | App. Date | Date Proof Submitted | System Capacity |
|----|------------|----------|--------|-----------|----------------------|-----------------|
|    | 57-7245    |          | .21    |           |                      | .21 GSS         |

4. Permit Holder: Sam C & Co Brooklyn B. Pitman  
Address: 27th Route Melba, Idaho 83641

5. Source: Groundwater tributary to \_\_\_\_\_

- [illegible]

|                   |            |              |            |              |
|-------------------|------------|--------------|------------|--------------|
| <i>Domestic</i>   | <i>1/1</i> | <i>12/31</i> | <i>.02</i> | <i>.6</i>    |
| <i>Stockwater</i> | <i>1/1</i> | <i>12/31</i> | <i>.21</i> | <i>40.85</i> |
|                   |            |              | <i>.21</i> | <i>40.85</i> |
|                   |            |              | <i>.21</i> | <i>40.85</i> |

- 7. Point(s) of Diversion:**

[illegible]

- 8. Place(s) of Use**

[illegible]

9. Recommended Conditions/Remarks: Dementia - in home was only.

Stockwater - 3000 bbl/range

- ## 10. Recommended Amendments

☐ Change P.D. as reflected above    ☐ Add P.D. as reflected above    ☐ None☒ Change P.U. as reflected above    ☐ Add P.U. as reflected above    ☐ Other

11. Examiner's Signature John K. Meyer Date 10/25/85

Checked in Regional Office by 6hs

Approved in State Office by \_\_\_\_\_

Date 10/25/85

Date 3/19/86

Date \_\_\_\_\_

**MICROFILMED**

OCT 07 1992

## Permitted Municipal Water Resources

Phone No. 495. 22 77

EXAM. DATE: 10/24/85

EXAM. DATE: 10/24/85

\*Code with points of diversion, system diagram & photos on reverse side. Disregard if only one.

Passes directly into digestive system for  
rest of corals. Figure 2.0 PSI for a.

7. Measurements ☐ Additional data/computation sheets attached

7. Measurements ☐ Additional data/computation sheets attached

$$3 \text{ HP} \times 8.8 \times .85 = 22.41$$

$$60' \text{ lift} + .4 \sqrt{70 \text{ psi}} (46.51) = 106.5 \sqrt{22.44} = \underline{121.655}$$

$$5000 \text{ Gallons range} \times 12 = 34,000 = .67955 \dots$$

$$\begin{array}{r} 7 \text{ hp per second} \\ 54000 \end{array} \quad 34000 \times .00118 = 40.35 \text{ HPA}$$


| 8. Point(s) of Diversion: | Indicate Method of Determination |
|---------------------------|----------------------------------|
|                           |                                  |

| 9. | Place(s) of Use: | Irrigation - give acres served by system at time of exam.<br>Indicate Method of Determination |
|----|------------------|-----------------------------------------------------------------------------------------------|
|    |                  |                                                                                               |

**Total Acres**

OCT 07 1992

10. Other water rights on these lands none
11. Other water right diverted from same p.d. none
12. Diversion and Delivery System Diagram. Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☐ Photo of Diversion & System Attached

☒ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks No irrigation use found. 1 Trailer is used for domestic during the feeding operation. Total capacity of feed yard when full is 3000 chd/range. Trailer is usually stationed in SENE Sec 13 T13 R2N.

15. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ None

☒ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

16. Examiner's/Consultant's Signature Gabe A. Meyer Date 10/25/95

Consultant's License Number \_\_\_\_\_

IDWR Director's Authorization to Conduct

Beneficial Use Examination \_\_\_\_\_

Date

CONSULTANT SEAL

MICROFILMED



State of Idaho  
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705 - (208) 334-2190

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

November 15, 1990

Sam and Rosalyn Pitman  
HC 79, Box 55  
Melba, ID. 83641

RE: Snake River Basin Adjudication Claims

Dear Sam and Rosalyn:

Enclosed are a copy of the well log for the 567' well in Section 13, an Application for Permit, and a copy of receipt W002082 dated 1/25/89. You may want to file an application to obtain a valid irrigation water right from the well.

First, a word about filing fees that you paid. The correct fee for claim A57-01011 for your home and part of the dairy herd is \$25 although you paid \$61. I forwarded a refund request to the Adjudication Section in the State Office. You should receive a \$36 refund within several weeks from the Auditor's office.

Note that claim A57-07245 for domestic, stock, and 50 irrigated acres included a \$75 fee: \$50 for the claim and \$25 for 25 acres in S. 13 NWSE. The other 25 acres claimed, those in S. 13 SENE, were paid for in claim A57-02006A. Claim A57-07245 is based on license 57-07245. The license includes .02 cfs domestic and .21 cfs stockwater with a total .21 cfs flow. However, claim A57-07245 describes an expanded use of the license (.08 cfs domestic, .23 cfs stock, 1.00 cfs irrigation 50 acres, total 1.00 cfs).

Idaho Code 42-1416 allows expansion of water rights in the current adjudication within defined limits. The uses in A57-07245 exceeding license 57-07245 are not within the limits that allow expansion of the license as outlined in the claim. Claim A57-07245 will be recommended to the court to include only the uses and amounts of water in the license. However, you are certainly welcome to disagree and pursue the additional elements in A57-07245. If so, an additional claim must be filed to include the parts of A57-07245 not found in 57-07245 (additional = .06 cfs domestic, .02 cfs stockwater, 1.00 cfs irrigation 50 acres). The added claim would require a \$50 fee (no acreage charge because acre fee already paid in A57-07245 and A57-02006A; no late fee will be charged). Although you may claim anything that you desire, it appears highly unlikely that the expanded uses and amounts of water will be recognized in the adjudication process. If you do not want to pursue an additional claim but think that a refund is due for the irrigation claimed in A57-07245, please provide documentation that you were advised to file for expanded uses in A57-07245. I reviewed all of your claims and cannot see anything to suggest that A57-07245 was filed based on a recommendation by department staff.

Assuming that the irrigation claimed in A57-07245 will not be recognized as a valid right under the expanded claim, a new application for permit may be obtained. If approved, the permit can be licensed at a later date. This alternative provides a more immediate irrigation right that will be confirmed

WRA 1 9/4/91 - no new appl. found for MICROFILMED

07 07 1992

via the permit and license process. Enclosed is a completed application that only needs your signature and a \$30 application fee. Note that the application includes .20 cfs or 10" for 39.3 acres. The .20 cfs rate derives from the .21 cfs license and theoretical capacity of the three horsepower pump (reduced .21 to .20 cfs to save money; see application). The acres were calculated from the ASCS aerial photo and represent the best estimate.

Please let me know if other information or help is needed in these or other water right issues.

Sincerely,



Steve Lester  
Sr. Water Resource Agent

Enclosures

MICROFILMED

OCT 07 1992

Form 42-1409(10)-1  
5/88  
**RECEIVED**

JAN 13 1989

Date Received

**RECEIVED**

JAN 12 1989

State of Idaho  
Department of Water Resources

Department of Water Resources  
Western Regional Office

REQUEST FOR EXTENSION OF TIME  
TO FILE ADJUDICATION CLAIM(S)

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a request that the claimant be granted an additional period of time in which to file claim(s) beyond the 90 days allowed by Section 42-1409(10), Idaho Code.

SAM C. ROSALYN A. PITMAN  
Name of Claimant

HC 79 BOX 55  
Post Office Address

MELBA, ID 83641  
City, State, Zip Code

OWYHEE - OWYHEE  
County(s) where Place of Use is located

JAN 19 - 1989  
Date Claim Originally Due

all rights for Pitman  
Identify water right(s) for which extension is requested

State reason(s) why an extension of time is requested:

Appointment made & kept 10/11/89 w/agent @ western region. Claims will not be finished prior to deadline. This extension filed @ request of agent Eldon Boush

Claimant requests an extension to \_\_\_\_\_, 19\_\_.

SAM C. PITMAN  
Signature

Owner  
Title

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

The above request for extension of time is hereby

X granted \_\_\_\_\_ denied, \_\_\_\_\_  
and the filing deadline extended to 2/28, 19 89.

Signed this 12 day of January, 19 89.

Director or his designated agent

DAVID B. SHAW

MICROFILMED

OCT 07 1992

1  
A57-07295



IDAHO DEPARTMENT OF WATER RESOURCES  
RECOMMENDED WATER RIGHTS ACQUIRED UNDER STATE LAW

DATE: NOV-04-1996

PAGE: A-1

-----  
RIGHTS FROM: SOURCE: GROUNDWATER  
-----

RIGHT NUMBER: 57-07245

NAME AND ADDRESS: SAM C PITMAN  
ROSALYN A PITMAN  
HC 79 BOX 55  
MELBA ID 83641

SOURCE: GROUNDWATER

QUANTITY: 0.21 CFS  
40.8 AFY

THE QUANTITY FOR NON-IRRIGATION USE IS LIMITED TO THE AMOUNT BENEFICIALLY  
USED FOR DOMESTIC, 1 HOME, STOCKWATER, 3000 HEAD

PRIORITY DATE: 06/27/1979

POINT OF DIVERSION: T01S R03W S13 SWSENE Within Owyhee County

## PURPOSE AND

| PERIOD OF USE: | PURPOSE OF USE         | PERIOD OF USE | QUANTITY               |
|----------------|------------------------|---------------|------------------------|
|                | STOCKWATER             | 01-01 12-31   | 0.21 CFS               |
|                |                        |               | <u>40.2</u> <u>AFY</u> |
|                | <u>DOMESTIC 1 HOME</u> | 01-01 12-31   | 0.02 CFS               |
|                | <del>DOMESTIC</del>    |               | <u>0.6</u> <u>AFY</u>  |

|               |               |                      |
|---------------|---------------|----------------------|
| PLACE OF USE: | STOCKWATER    | Within Owyhee County |
|               | T01S R03W S13 | SWSENE SENE NWSE     |
|               | DOMESTIC      | Within Owyhee County |
|               | T01S R03W S13 | SENE                 |

OTHER PROVISIONS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:

THE QUANTITY OF WATER DECREED FOR THIS WATER RIGHT IS NOT A  
DETERMINATION OF HISTORICAL BENEFICIAL USE.

EXPLANATORY MATERIAL: BASIS OF CLAIM - LICENSE  
USE OF THIS RIGHT IS COMBINED WITH WATER FROM  
WEST REYNOLDS IRRIGATION DISTRICT.  
STOCKWATER, 3000 RANGEMICROFILMED  
JUN 06 1997

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE  
STATE OF IDAHO, IN AND FOR THE COUNTY OF TWIN FALLS

In Re SRBA )  
Case No. 39576 )  
\_\_\_\_\_ )

PARTIAL DECREE PURSUANT TO  
I.R.C.P. 54(b) FOR  
Water Right 57-07245

NAME & ADDRESS: SAM C PITMAN  
ROSALYN A PITMAN  
HC 79 BOX 55  
MELBA ID 83641

SOURCE: GROUNDWATER

QUANTITY: 0.21 CFS

PRIORITY DATE: 06/27/1979

POINT OF DIVERSION: T01S R03W S13 SWSENE Within OWYHEE County

PURPOSE AND

PERIOD OF USE:

PURPOSE OF USE  
STOCKWATER  
DOMESTIC 1 HOME

PERIOD OF USE  
01-01 12-31  
01-01 12-31

QUANTITY  
0.21 CFS - 40.2  
0.02 CFS - 0.6

PLACE OF USE: STOCKWATER Within OWYHEE County  
T01S R03W S13 SENE

NWSE

DOMESTIC Within OWYHEE County  
T01S R03W S13 SENE

*add vol.*  
40.8

OTHER PROVISIONS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:

THE QUANTITY OF WATER DECREED FOR THIS WATER RIGHT IS NOT A  
DETERMINATION OF HISTORICAL BENEFICIAL USE.

DATED:

DANIEL C. HURLBUTT  
PRESIDING JUDGE  
Snake River Basin Adjudication

RULE 54(b) CERTIFICATE

With respect to the issues determined by the above judgment or order, it is hereby CERTIFIED, in accordance with Rule 54(b), I.R.C.P., that the court has determined that there is no just reason for delay of the entry of a final judgment and that the court has and does hereby direct that the above judgment or order shall be a final judgment upon which execution may issue and an appeal may be taken as provided by the Idaho Appellate Rules.

DATED:

DANIEL C. HURLBUTT  
PRESIDING JUDGE  
Snake River Basin Adjudication

**MICROFILMED**  
**JUN 06 1997**

PARTIAL DECREE PURSUANT TO I.R.C.P. 54(b)  
Water Right 57-07245

PAGE 1  
OCT-25-1996

WR5809NP  
No. 57-07245

IDAHO DEPARTMENT OF WATER RESOURCES  
WATER RIGHT PROFILE REPORT

DATE: 11/04/96  
PAGE: 4

| OWNER<br>CODE    | NAME & ADDRESS    | PRIORITY<br>DATE | WATER USE  | USE PERIOD<br>FROM TO | DIVERSION<br>RATE | DIVERSION<br>VOLUME |
|------------------|-------------------|------------------|------------|-----------------------|-------------------|---------------------|
| C                | SAM C. PITMAN     | 06/27/1979       | STOCKWATER | 01/01 12/31           | 0.210 CFS         | 40.20 AFA           |
| C                | ROSALYN A. PITMAN |                  | DOMESTIC   | 01/01 12/31           | 0.020 CFS         | 0.60 AFA            |
|                  | STAR RT. 55       |                  |            |                       |                   |                     |
|                  | MELBA ID 83641    |                  |            |                       |                   |                     |
| TOTAL DIVERSION: |                   |                  |            |                       | 0.210 CFS         | 40.80 AFA           |

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.210 CFS

Point(s) of Diversion: T01S R03W S13 SENE

OWYHEE County

Place of use Legal Description for: STOCKWATER

|            | NE   |      |      |      | NW   |      |      |      | SW   |      |      |      | SE   |      |      |      |
|------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|            | NENE | NWNE | SWNE | SENE | NENW | NWNW | SWNW | SENW | NESW | NWSW | SWSW | SESW | NESE | NWSE | SWSE | SESE |
| T R S      | : Lt | Ac   | Lt   | Ac   | Lt   | Ac   | Lt   | Ac   | Lt   | Ac   | Lt   | Ac   | Lt   | Ac   | Lt   | Ac   |
| 01S 03W 13 | :    |      | S    | S    | :    |      |      |      | :    |      |      |      | :    | S    |      | :    |

Place of use location for DOMESTIC is the same location as described for: STOCKWATER

Pou County: OWYHEE

Remarks: Stockwater use is for 3000 head.

|        |                 |            |                    |            |
|--------|-----------------|------------|--------------------|------------|
| Dates: | App. Received:  | 06/27/1979 | Priority Date:     | 06/27/1979 |
|        | Proof Due Date: | 08/01/1984 | Proof Made Date:   | 06/15/1984 |
|        | Exam Made Date: | 10/24/1985 | Exam Sent to S.O.: |            |
|        | Licensed Date:  | 04/02/1990 |                    |            |

Misc: Water District Number: Field Exam Fee:

Audit: 09/22/87 05/01/88 CONVERT 05/31/88 CURTIS 03/21/90 CURTIS

MICROFILMED  
JUN 06 1997

IDAHO DEPARTMENT OF WATER RESOURCES  
RECOMMENDED WATER RIGHTS ACQUIRED UNDER STATE LAWDATE: OCT-10-1996  
PAGE: A-1

RIGHTS FROM: SOURCE: GROUNDWATER

RIGHT NUMBER: 57-07245

NAME AND ADDRESS: SAM C PITMAN  
ROSALYN A PITMAN  
HC 79 BOX 55  
MELBA ID 83641

SOURCE: GROUNDWATER

QUANTITY: 0.21 CFS

THE QUANTITY FOR NON-IRRIGATION USE IS LIMITED TO THE AMOUNT BENEFICIARILY  
USED FOR: DOMESTIC, 1 HOME, STOCKWATER, 3000 HEAD

PRIORITY DATE: 06/27/1979

POINT OF DIVERSION: T01S R03W S13 SWSENE Within Owyhee County

## PURPOSE AND

| PERIOD OF USE: | PURPOSE OF USE  | PERIOD OF USE | QUANTITY |
|----------------|-----------------|---------------|----------|
|                | STOCKWATER      | 01-01 12-31   | 0.21 CFS |
|                | DOMESTIC 1 HOME | 01-01 12-31   | 0.02 CFS |

|               |               |                      |
|---------------|---------------|----------------------|
| PLACE OF USE: | STOCKWATER    | Within Owyhee County |
|               | T01S R03W S13 | SWNE SENE NWSE       |
|               | DOMESTIC      | Within Owyhee County |
|               | T01S R03W S13 | SENE                 |

OTHER PROVISIONS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:

THE QUANTITY OF WATER DECREED FOR THIS WATER RIGHT IS NOT A  
DETERMINATION OF HISTORICAL BENEFICIAL USE.

EXPLANATORY MATERIAL: BASIS OF CLAIM - LICENSE  
USE OF THIS RIGHT IS COMBINED WITH WATER FROM  
WEST REYNOLDS IRRIGATION DISTRICT.  
STOCKWATER, 3000 RANGE

MICROFILMED  
JUN 06 1997

AJ5856NP

IDAHO DEPARTMENT OF WATER RESOURCES  
RECOMMENDED WATER RIGHTS ACQUIRED UNDER STATE LAW

DATE: OCT-1-1996  
PAGE: A-329

RIGHTS FROM: SOURCE: GROUNDWATER

RIGHT NUMBER: 57-07245

NAME & ADDRESS: SAM C PITMAN  
ROSALYN A PITMAN  
HC 79 BOX 55  
MELBA ID 83641

SOURCE: GROUNDWATER

QUANTITY: 0.21 CFS

PRIORITY DATE: 06/27/1979

POINT OF DIVERSION: T01S R03W S13 SWSENE Within Owyhee County

PURPOSE AND

| PERIOD OF USE: | PURPOSE OF USE                                              | PERIOD OF USE | QUANTITY |
|----------------|-------------------------------------------------------------|---------------|----------|
|                | STOCKWATER                                                  | 01-01 12-31   | 0.21 CFS |
|                | <del>DOMESTIC DOMESTIC, 1 HOME;</del> STOCKWATER <b>EXP</b> | 01-01 12-31   | 0.02 CFS |

|               |               |                      |      |      |
|---------------|---------------|----------------------|------|------|
| PLACE OF USE: | STOCKWATER    | Within Owyhee County |      |      |
|               | T01S R03W S13 | SWNE                 | SENE | NWSE |
|               | DOMESTIC      | Within Owyhee County |      |      |
|               | T01S R03W S13 | SENE                 |      |      |

EXPLANATORY MATERIAL: BASIS OF CLAIM - LICENSE  
USE OF THIS RIGHT IS COMBINED WITH WATER FROM  
WEST REYNOLDS IRRIGATION DISTRICT.

NO N13

fee?  
W002082  
\$75.00

MICROFILMED  
JUN 06 1997