



Idaho Department of Water Resources

1987 Napp Photo

Claim Number: 57-07271
Legal: T03N, R06W, S14
Reviewed By:

-  Point of Diversion
-  Place of Use
-  Section Lines
-  Quarter Quarter Lines
-  Township/Range Lines



OCT 07 1992



none
paw

MICROFILMED
DEC 17 1992

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: A57-07271
Date Received: 8/20/1991
Receipt No: W013602
Received By: DE-KW

**NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW**

1. Name: ERNEST C. JOHNSON 208-337-4128
Address: RT. 2 BOX 90
HOMEDALE, ID 83628

AND/OR

Name: BETTE J. JOHNSON 208-337-4128
Address: RT. 2 BOX 90
HOMEDALE, ID 83628

2. Date of Priority: MAR 12, 1981

3. Source: SUCCOR CREEK Trib. to: SNAKE RIVER

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4	Lot	County
03N	06W	14	SE	NW	NW	1	OWYHEE

5. Description of diverting works:
PUMPING STATION.

6. Water is used for the following purposes:

Purpose	From	To	C.F.S.	(or)	A.F.A.
IRRIGATION	03/15	11/15	0.800		

7. Total Quantity Appropriated is:
0.800 C.F.S. (and/or) A.F.A.

8. Total consumptive use is Acre Feet Per Annum.

9. Non-irrigation uses:

10. Place of Use:

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
03N	06W	14	NE	NW		IRR	30.0

MICROFILMED
OCT 07 1992

10. Place of Use: Continued

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
03N	06W	14	NW	NW	1	IRR	10.0
Section Acres							40.0
Total Acres							40.0

11. Place of use in counties: OWYHEE

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:
A57-00004

14. Remarks:
CLAIM CREATED 3/13/91 WITH RECOMMENDATIONS FROM FIELD EXAM
CONDUCTED ON 7/18/90. KW

15. Basis of Claim: PERMIT

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do _____ do not _____ wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: _____

For Individuals:

I/We do solemnly swear or affirm that the statements contained in the foregoing document are true and correct.

Signature of Claimant(s): _____ Date: _____
_____ Date: _____

State of Idaho)
) SS.
County of _____)

Subscribed and sworn (or affirmed) before me this _____ day
of _____ 19 _____

Notary Public

Seal

Residing at _____

My Commission Expires _____

IDWR - WESTERN REGION

CONTRACTOR: Karan Waters

CLAIM/ID: 57-07271

Date: 2-26-03

	TNS	RNG	SEC	NE				NW				SW				SE				Sum
				NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
Claim	3N	6W	14		9			24	-1	7										40
GIS					26			25	9.1											60.1
Claim																				
GIS																				
Claim																				
GIS																				
Claim																				
GIS																				

Number of POD's 1

Total Claimed Acres: 40

Overlapping FOU Claim #'s:

Total GIS Acres: 60.1

57-00003, 57-00004

COMMENTS:

Per county data & claim map. I cannot tell where
the nine acres are in the NWNE.

Idaho Department of Water Resources



Claim Number: 57-07271

Legal: T03N, R06W, S14

Reviewed By:

1987 Napp Photo

- Point of Diversion
- Place of Use
- Section Lines
- Quarter Quarter Lines
- Township/Range Lines



0 0.25 0.5 Miles

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE
STATE OF IDAHO, IN AND FOR THE COUNTY OF TWIN FALLS

In Re SRBA)
Case No. 39576)
_____)

PARTIAL DECREE PURSUANT TO
I.R.C.P. 54(b) FOR
Water Right 57-07271

1997 DEC 15 AM 10:58

DISTRICT COURT - SRBA
TWIN FALLS CO., IDAHO

FILED _____

NAME & ADDRESS: ERNEST C JOHNSON
BETTE J JOHNSON
RT 2 BOX 90
HOMEDALE ID 83628

SOURCE: SUCCOR CREEK TRIBUTARY: SNAKE RIVER

QUANTITY: 0.8 CFS
180.0 AFY

USE OF THIS RIGHT WITH RIGHTS LISTED BELOW IS LIMITED TO A
TOTAL COMBINED DIVERSION RATE OF 1.14 CFS. COMBINED RIGHT NOS.:
57-00003 & 57-00004

PRIORITY DATE: 11/26/1981

POINT OF DIVERSION: T03N R06W S14 SENENW Within Owyhee County


PURPOSE AND PERIOD OF USE:	PURPOSE OF USE	PERIOD OF USE	QUANTITY
IRRIGATION		Irrigation Season	0.8 CFS 180.0 AFY

PLACE OF USE: IRRIGATION Within Owyhee County
T03N R06W S14 NWNE 9 NENW 24 Lot 1 (NWNW) 7
40 ACRES TOTAL

USE OF THIS RIGHT WITH RIGHTS LISTED ABOVE IS LIMITED TO THE
IRRIGATION OF A COMBINED TOTAL OF 57 ACRES IN A SINGLE IRRIGATION
SEASON.

RULE 54(b) CERTIFICATE

With respect to the issues determined by the above judgment or order, it is hereby CERTIFIED, in accordance with Rule 54(b), I.R.C.P., that the court has determined that there is no just reason for delay of the entry of a final judgment and that the court has and does hereby direct that the above judgment or order shall be a final judgment upon which execution may issue and an appeal may be taken as provided by the Idaho Appellate Rules.



DANIEL C. HURLBUT, JR.
PRESIDING JUDGE
Snake River Basin Adjudication

IDAHO DEPARTMENT OF WATER RESOURCES
RECOMMENDED WATER RIGHTS ACQUIRED UNDER STATE LAW

DATE: NOV-06-1997

PAGE: A-1

RIGHTS FROM: SOURCE: SUCCOR CREEK TRIBUTARY: SNAKE RIVER

RIGHT NUMBER: 57-07271

NAME AND ADDRESS: ERNEST C JOHNSON
BETTE J JOHNSON
RT 2 BOX 90
HOMEDALE ID 83628

SOURCE: SUCCOR CREEK TRIBUTARY: SNAKE RIVER

QUANTITY: 0.8 CFS
180.0 AFY

USE OF THIS RIGHT WITH RIGHTS LISTED BELOW IS LIMITED TO A
TOTAL COMBINED DIVERSION RATE OF 1.14 CFS. COMBINED RIGHT NOS.:
57-00003 & 57-00004

PRIORITY DATE: 11/26/1981

POINT OF DIVERSION: T03N R06W S14 SENENW Within Owyhee County

PURPOSE AND

PERIOD OF USE:	PURPOSE OF USE	PERIOD OF USE	QUANTITY
	IRRIGATION	<u>Irrigation Season</u>	0.8 CFS
		<u>03/13 11/13</u>	180.0 AFY

PLACE OF USE: IRRIGATION Within Owyhee County
T03N R06W S14 NWNW 9 NENW 24 Lot 1 (NWNW) 7
40 ACRES TOTAL

USE OF THIS RIGHT WITH RIGHTS LISTED ABOVE IS LIMITED TO THE
IRRIGATION OF A COMBINED TOTAL OF 57 ACRES IN A SINGLE IRRIGATION
SEASON.

OTHER PROVISIONS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:

USE OF THIS RIGHT WITH RIGHT NOS. 57/00003 AND 57/00004 IS
LIMITED TO A TOTAL COMBINED DIVERSION RATE OF 1.14 CFS; A TOTAL
COMBINED ANNUAL CONSUMPTIVE USE VOLUME OF 199.3 AF; AND TO THE
IRRIGATION OF 57 ACRES IN A SINGLE IRRIGATION SEASON.

EXPLANATORY MATERIAL: BASIS OF CLAIM - LICENSE

AJ0749NP
No. R57-07271

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT
(REGIONAL)

DATE: 11/06/97
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	ERNEST C JOHNSON	11/26/1981	IRRIGATION	03-15 11-15	0.80 CFS	180.00 AFA
C	BETTE J JOHNSON					
	RT 2 BOX 90					
	HOMEDALE ID 83628					
	(208) 337-4128					
				TOTAL DIVERSION:	0.80 CFS	180.00 AFA

Water Source: SUCCOR CREEK

Tributary to: SNAKE RIVER

Stage: LICENSE

Point(s) of Diversion:

T03N R06W S14

SENEW

OWYHEE County

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE					
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM
03N	06W	14	:			09				24	01-07									:	40.0
																				TOTAL ACRES	40.0

POU County: OWYHEE

Other Rights: 57-00004, 57-00003

Remarks: QNT USE OF THIS RIGHT WITH RIGHTS LISTED BELOW IS LIMITED TO A
TOTAL COMBINED DIVERSION RATE OF 1.14 CFS. COMBINED RIGHT NOS.:
57-00003 & 57-00004

POU1 USE OF THIS RIGHT WITH RIGHTS LISTED ABOVE IS LIMITED TO THE
IRRIGATION OF A COMBINED TOTAL OF 57 ACRES IN A SINGLE IRRIGATION
SEASON.

Dates: Exam Made Date: Verified Date: 11/06/1997 Objection Filed Date:

Misc: Water District Number: Field Inspection Flag:
Presumption Flag:

Comments: Date: 09/16/1991 User-ID: WALKER Subject: COPIED FROM REMARKS
CLAIM CREATED 3/13/91 WITH RECOMMENDATIONS FROM FIELD EXAM
CONDUCTED ON 7/18/90. KW

Audit: 11/06/97 KWALKER

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	ERNEST C JOHNSON	11/26/1981	IRRIGATION	03-15 11-15	0.80 CFS	180.0 AFA
C	BETTE J JOHNSON					
	RT 2 BOX 90					
	HOMEDALE ID 83628					
	(208) 337-4128					
				TOTAL DIVERSION:	0.80 CFS	180.0 AFA

Water Source: SUCCOR CREEK

Tributary to: SNAKE RIVER

Stage: LICENSE

Point(s) of Diversion:

T03N R06W S14

SENEW

OWYHEE County

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE					
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM
03N	06W	14	:					09						24	01-07					:	40.0
																			TOTAL ACRES	40.0	

POU County: OWYHEE

Other Rights: 57-00004, 57-00003

Remarks: USE OF THIS RIGHT WITH RIGHT NOS. 57-00003 AND 57-00004 IS LIMITED TO A TOTAL COMBINED DIVERSION RATE OF 1.14 CFS, A TOTAL COMBINED ANNUAL CONSUMPTIVE USE VOLUME OF 199.5 AF, AND TO THE IRRIGATION OF 57 ACRES IN A SINGLE IRRIGATION SEASON.

Dates: Exam Made Date: 08/20/1991 Verified Date: 07/14/1992

Misc: Water District Number: Field Inspection Flag:
Presumption Flag:

Comments: Date: 09/16/1991 User-ID: WALKER Subject: COPIED FROM REMARKS
CLAIM CREATED 3/13/91 WITH RECOMMENDATIONS FROM FIELD EXAM
CONDUCTED ON 7/18/90. KW

Audit: 09/16/91 WALKER 10/23/91 WALKER 03/02/92 WALKER 05/18/92 WALKER
07/14/92 WALKER 07/29/92 PR-PRODM

MICROFILMED
OCT 07 1992

ADJUDICATION CLAIM CHECKLIST

NOTICE OF CLAIM NO.

A57-07271

WR ELEMENT	FIELD EXAM Y/N-IF NO, DO OFFICE VERIFICATION	FIELD EXAM OR IN-OFFICE VERIFICATION WHOM/DATE	CLAIM VERIFIED BY CODE (SEE BELOW)	CHANGE CLAIM Y/N	CLAIMANT CONTACT NEEDED - Y/N**	REVIEW COMPLETED WHOM/DATE	"R" RECORD
PRIORITY*	<u>Y</u>	<u>BS 7-18-90</u> <u>KW 8-20-91</u>	<u>5</u>			<u>KW</u> <u>9-16-91</u>	
PT. OF DIV.							
SOURCE							
PL. OF USE							
DIV. AMOUNT CFS/AF							
CONSUMPTIVE USE							
NATURE OF USE							
PERIOD OF USE							
BASIS OF CLAIM	<u>Permit</u>						
REMARKS							

DATA ENTRY COMPLETED
BY _____ DATE _____FINAL RECOMMENDATION
BY KW DATE 7-20-92

OCT 7 1992

MICROFILMED

VERIFICATION CODES

TOPO MAP/ORTHOPHOTO = 1
 ASCS MAP = 2
 WATERMASTER RECORDS = 3
 NAPP PHOTOS = 4
 FIELD EXAM = 5
 OTHER (SEE COMMENTS) = 6

N/A
 *IF REQUIRED HAS EVIDENCE OF PRIORITY BEEN
 SUBMITTED - YES _____ NO _____

**IF CLAIMANT CONTACT IS NEEDED, COMPLETE
 CLAIMANT CONTACT CHECKLIST AND ATTACH.

COMMENTS: Exam completed by Bruce Shuld in July, 1990. No
claim on record. Review of exam; found it was
not correct; Re-exam by myself & Roxanne
McCarthy & submittal of claim 8/20/91. See
overlap analysis in Files A57-00003 & A57-00004.

D. RATE/VOLUME CALCULATIONS: (IRRIGATION)

1a. IRRIGATION RATE
ACRES 40 x 0.02 CFS/ACRE = 0.80 CFS
(Taken from p/u review)

1b. CALCULATIONS

DOES AMOUNT CLAIMED EXCEED 0.02 CFS/ACRE? Y() N(✓)

*** IF YES ADDITIONAL WATER USE FORM FILED AND ATTACHED? Y() N() ***

2. IRRIGATION CONSUMPTIVE USE

CLAIMED CONSUMPTIVE USE = AF/A
ACRES 40 x CONSUMPTIVE VOL. AF/A FOR AREA 3.5 =
TOTAL CONSUMPTIVE USE 140.0 AF/A

3. IRRIGATION DIVERSION VOLUME

CLAIMED DIVERSION VOLUME = AF/A
ACRES 40 x DIVERSION VOL. AF/A FOR AREA 4.5 =
TOTAL DIVERSION VOLUME 180.0 AF/A

4. CALCULATIONS FOR USES OTHER THAN IRRIGATION:

SEE ATTACHED SHEET? Y() N(✓)

REMARKS: (Include limitations on CONSUMPTIVE USE for combined rights.)

Field headgate volume on license in error.
Recommend 4.5 AF/AC to go along with
new Dept. standards.

MICROFILMED
OCT 07 1992

State of Idaho
Department of Water Resources

APR 29 1982

WATER RIGHT LICENSE

WATER RIGHT NO. 57-07271

Department of Water Resources
Western Regional Office

Priority: November 26, 1981

Maximum Diversion Rate: 0.80 CFS
Maximum Diversion Volume: 200.0 AF

This is to certify, that ERNEST C JOHNSON
BETTE J JOHNSON

RT 2 BOX 90
HOMEDALE ID 83628 has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated March 12, 1981; and
has submitted Proof of Beneficial Use on March 28, 1986. An examination indicates
that the works have a diversion capacity of 2.060 cfs of water from:

SUCCOR CREEK tributary to SNAKE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.80 CFS	200.0 AF

LOCATION OF POINT(S) OF DIVERSION:

NENW , Sec. 14, Township 03N, Range 06W
OWYHEE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	06W	14	NWNE 9	NENW 24	Lot 1(NWNW) 7	40

Total number of acres irrigated: 40

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 5.0 afa per acre for the lands above.

MICROFILMED

OCT 07 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 57-07271

CONDITIONS/REMARKS:

6. The Director retains jurisdiction of this right to require the installation and maintenance of a measuring device if regulation of the diversion is necessary in the future.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 1ST day of April, 1992.


R. Keith Higginson, Director

MICROFILMED

OCT 07 1992

RECEIVED
FEB 25 1992

State of Idaho
Department of Water Resources

Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 57-07271

Date of Priority: November 26, 1981

Maximum Diversion Rate: 0.80 CFS
Maximum Diversion Volume: 200.0 AF

Comes now

ERNEST C JOHNSON
BETTE J JOHNSON

RT 2 BOX 90
HOMEDALE ID 83628

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 57-07271, and requests that the permit be changed as follows:

Source: SUCCOR CREEK

tributary to SNAKE RIVER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.80 CFS	200.0 AF

LOCATION OF POINT(S) OF DIVERSION:

NENW, Sec. 14, Township 03N, Range 06W
OWYHEE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	06W	14	NWNE 9	NENW 24	Lot 1(NWNW) 7	40

Total number of acres irrigated: 40

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Boise, this 25th day of February, 19 92.

Bette J. Johnson
(Signature)

MICROFILMED

OCT 07 1992

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 57-07271

FOR DEPARTMENT USE ONLY

#C023341

Preliminary check by SA Fee = \$20.00

Received by [Signature] Date 2-25-92

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 57-07271 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 5.0 afa per acre for the lands above.
6. In the event that water used under this right should be discharged into a natural channel, settling ponds will be required which are capable of reducing the silt load to such a level that the quality of the water would not be impaired for other beneficial uses.

Witness my hand this 1st day of April, 1992.

[Signature]
R. Keith Higginson, Director

MICROFILMED
OCT 07 1992

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT
NO. 57-07271 IN THE NAME OF
ERNEST C. &/OR BETTE J. JOHNSON

ORDER OF REINSTATEMENT

This matter having come before the Department of Water Resources (Department) as a result of preparing Permit No. 57-07271 for issuance of a license, the Department finds, concludes and orders:

FINDINGS OF FACT

1. The Department approved Application for Permit No. 57-07271 to appropriate the public waters of the State of Idaho with a proposed priority of MARCH 12, 1981.
2. On APRIL 03, 1987 the Department advised the permit holder that a license examination fee was required before an examination could be conducted to confirm the extent of use developed under the permit. The examination fee was due on JUNE 02, 1987.
3. The license examination fee was not paid within one year of the date, and the permit lapsed for failure to pay the license examination fee.

MICROFILME

OCT 07 1992

4. The license examination fee was received on
FEBRUARY 16, 1988, 259 day(s) late.

CONCLUSIONS OF LAW

1. The Director may advance the priority date of the permit
one day for each day the license examination fee is late, pursuant
to the provisions of Section 42-217, Idaho Code.


2. The date of priority of Permit No. 57-07271 should be
advanced 259 day(s).

ORDER

IT IS HEREBY ORDERED that Permit to Appropriate Water No.
57-07271 is reinstated.

IT IS FURTHER ORDERED that the date of priority of Permit
No. 57-07271 is advanced to NOVEMBER 26, 1981.

Dated this 18th day of February, 1992.


Chief, Water Allocation Bureau

MICROFILMED
OCT 07 1992

FILE THIS IN A57-07271

Form 219-S.A.
Supplement
6-9-90

57-07271
Permit No.

ATTACHMENT A

SRBA CLAIM CHECK PER BENEFICIAL USE EXAM

EXAMINER JS DATE SUBMITTED 9/24/91
ADJUDICATION AGENT — RESPONSE DUE DATE —
COUNTY Owyhee OWNER'S NAME —
PERMIT DATA T R S Q/Q T R S Q/Q

P/D —
P/U —

PROOF SUBMITTED DATE 3/26/86

ADJUDICATION DATA RELATING TO THIS PERMIT NUMBER

A. Check Permit Number for Adjudication Claim Filing:

- ☐ Claim required for permit but not filed
(examiner needs to notify permit holder during exam)
☒ Claim filed for permit and copy attached * Filed 8/20/91
☐ Claim filed although not required (proof filed after 11-19-87)
☐ No claim filed or required.

B. Check Adjudication Claims Relating to the Permit Holder but are Different Claims (new number - different right)

- N/A ☐ Name index search
☐ Legal description search
☐ Non-data entry claims search
☐ Claim found but large system no exam required *

Claims found requiring exam	Date field exam conducted	Exam data is in, Permit file	Attached	Exam not Conducted
A57-07271 Adj No.	8/20/91	☒	☐	☐
Adj No.		☐	☐	☐
Adj No.		☐	☐	☐

☐ Exam completed date(s) data entered JS 9-25-91 (initial & date)

* copies included only if pertinent to permit field exam

MICROFILMED

OCT 07 1992



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705 - (208) 334-2190

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

August 27, 1991

RE: Notice of Claim to a Water Right No. A57-07271

Ernest C. &/or Bette J. Johnson
Rt. 2, Box 90
Homedale, ID 83628

Dear Mr. and Mrs. Johnson:

Enclosed for your records is a copy of Notice of Claim to a Water Right No. A57-07271 which we received when we were out to your house last Tuesday. Also enclosed is Departmental Receipt No. W013602 in the amount of \$50.00.

If you have any questions in regard to this matter, please feel free to contact me at 334-2190.

Sincerely,

A handwritten signature in cursive script that reads "Kay Walker".

KAY WALKER
Sr. Water Resource Agent
Adjudication Bureau

KW:k
Enclosures

MICROFILMED

OCT 07 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


Permit No. 57-07271
1. Owner: Ernest C. & for Bette J. Johnson Phone No. 337-4128
Current Address: Rt. 2, Box 90, Homedale, ID 83628
2. Accompanied by: Bette J. Johnson EXAM. DATE: 8-20-91
Address: same as above Phone No. 337-4128
Relationship to Permit Holder: same
3. Source: Succor Creek tributary to Snake River

B. OVERLAP REVIEW

1. Other water rights with same place of use: #57-00004, #57-00003
☒ Copies Attached
2. Other water rights with same point of diversion: NONE
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 660'

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

MICROFILMED

OCT 07 1992

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

At the time of exam, Succor Ck. was too low to pump from as other rights were being delivered. However, the improved pasture and delivery system were examined and a theoretical calculation done.

HP at PTO = 53 hp as per manufacturer.

Length of pipe from creek = 40'. Vertical lift = 20'.

8 risers with rainbird sprinklers. Mining use was not developed.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
<i>Tractor</i>	<i>Case 800C</i>	<i>53</i>		<i>Berkley</i>	<i>3x4 Discharge & Butterfly valve & prime.</i>

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		<i>SE</i>	<i>NE</i>	<i>NW</i>	<i>14</i>	<i>3N</i>	<i>6W</i>	<i>Owyhee</i>	<i>Field Examination</i>

6. Place(s) of Use:

Indicate Method of Determination _____

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
<i>3N</i>	<i>6W</i>	<i>14</i>		<i>9</i>			<i>24</i>	<i>7</i>											<i>40</i>
							<i>BLI</i>												

Do not use this space

D. FLOW MEASUREMENTS

N/A

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

System was not operating at time of exam.
Measurement not possible. Request removal of
measuring device requirement.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$\frac{(53 \text{ hp})(8.8)(.70 \text{ eff.})}{(60 \text{ psi} \times 2.31) + 20'} = \frac{326.48}{158.6} = 2.06 \text{ cfs}$$

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: 60 psi $\times 2.31 = 138.6$ ft (1); Dynamic pumping level: 20 ft (2)

Total Head: (1) + (2) = 158.6 (3) ; Flow rate: _____ cfs (4)

Water HP: (3) $\times$ (4) $\div 8.8 =$ _____ (5)

Meter Input KW: $3.6 \times$ _____ KH $\times$ _____ CTR or _____ MULT $\times$ _____ PTR $\times$ _____ N/ _____ T = _____ (6)

Meter Input HP: (6) $\times 1.34 =$ _____ (7)

Panel Input KW: _____ Ave PF $\times$ _____ Ave Volts $\times$ _____ Ave Amps $\times .001732 =$ _____ (6)

Panel Input HP: (6) $\times 1.34 =$ _____ (7) Efficiency: (5)/(7) $\times 100 =$ _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 40 \text{ ac.} \times 5.0 = 200.0 \text{ AFA}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .80 \times 1.9835 \times 246 = 390.4 \text{ AFA}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 200.0 \text{ AFA}$$

2. Volume Calculations for Other Uses:

MICROFILMED

OCT 07 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Exam fee of \$100. paid 2-16-88. Proof made 3-28-86.
Mining use was never developed. Request
removal of measuring device requirement - no
way to attach to this system.

Recommend "R33"

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3-15	11-15	~~0.80 cfs~~ 0.80 cfs	200.0 AFA
Totals:			0.80 cfs	

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION


Field Examiner's Name Kay Walker
Signature Kay Walker
Certification Date _____
Field Report Preparation Date 9-16-1991


CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED
OCT 07 1992

OCT 07 1992





MICROFILMED

OCT 07 1992

57-07271

FIELD EXAM
TELEPHONE CONVERSATION MEMORANDUM

NAME OF CONTACT Bette Johnson
PHONE NUMBER 337-4128 ADJ. AGENT Ray
DATE SET FOR EXAM 8/20 at 8:30
LOCATION/DIRECTIONS Nwy. 19 towards Adrian Oregon
2 miles past Ore-Ida (left) to South side Rd.
turn left ~~go~~ Sage Rd. 1/2 mile to
1 lane bridge turn right 1/8 mile in - white
Diverting at full rates? gates-open & close
Type of measuring devices? bring boots.
Places to make measurements? _____
Type of System? (pipelines, ditches) _____

How many laterals are used? _____
Length and size of mainline? _____
Size of motor used for each P/D? _____
Estimate of depth to water? _____
Pressure at well? _____
Pressure at sprinkler heads? _____
COMMENTS Verification of p/d & p/u-

MICROFILMED

OCT 07 1992

Re-exam by Kay Walker
& Roxanne McCarthy 8/20/91 -
for pbl & plu clarification -

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


Permit No. 57-07271
Phone No. 337-4128
1. Owner: Ernest and/or Bette J. Johnson
Current Address: Rt 2 Box 90 Homedale, Idaho 83628
2. Accompanied by: Bette J. Johnson EXAM. DATE: 7/18/90 & 8/20/91
Address: same as above Phone No. _____
Relationship to Permit Holder: same
3. Source: Succor Creek tributary to Snake River

B. OVERLAP REVIEW

1. Other water rights with same place of use: A67-0004 ☒ Copies Attached
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



See exam write-up of 8/9/10/91
kw

Scale: 1" = 660'

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☐ Aerial Photo Attached
Showing location(s) of point(s) of diversion and place(s) of use (required). (required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

MICROFILMED

OCT 07 1992

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

At the time of examination, Succor Creek was too low to pump from as other rights were being delivered. However the improved pasture land delivery system was examined and theoreticals done.

Hp at PTD = 53 hp as per Manufacturer.
Examined lift = 40' Per re-exam vertical lift = 20' per
8 risers with rainbird sprinklers
The mining use was not developed

☒ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Tractor	Case 800C	53		Berkley	3x4 Discharge & Butterfly valve & Prime

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		~~SE~~	~~NE~~	~~SW~~	~~14~~	~~3N~~	~~6W~~	~~Owyhee~~	Field Examination
		SE	NE	NW	14	3N	6W	Owyhee	Re-exam 8/20/91 -

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3N	6W	14					30	70											40

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
N/A						

2. Measurements:

N/A.

System was not in operation at time of re-exam.
Measurement not possible. Request removal
of measuring device requirement.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$\text{using } 20' \text{ lift} \rightarrow \frac{(53)(8.8)(.70)}{(60 \times 2.31) + 20'} = \frac{326.48}{158.6} = 2.06 \text{ cfs}$$

2. Alternate Method for Checking Purposes:

$$\text{using } 40' \text{ lift} \rightarrow \frac{(53)(8.8)(.70)}{158.6} = 1.82 \text{ cfs}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: 60 psi $\times 2.31 = 138.6$ ft (1); Dynamic pumping level: 40 ft (2)

Total Head: (1) + (2) = 178.6 (3)

: Flow rate: _____ cfs (4)

Water HP: (3) $\times$ (4) $\div 8.8 =$ _____ (5)

Meter Input KW: $3.6 \times$ _____ KH $\times$ _____ CTR or _____ MULT $\times$ _____ PTR $\times$ _____ N/ _____ T = _____ (6)

Meter Input HP: (6) $\times 1.34 =$ _____ (7)

Panel Input KW: _____ Ave PF $\times$ _____ Ave Volts $\times$ _____ Ave Amps $\times .001732 =$ _____ (6)

Panel Input HP: (6) $\times 1.34 =$ _____ (7) Efficiency: (5)/(7) $\times 100 =$ _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 4.0 \times 40 = 160$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (.80)(240)(1.9835) = 380$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 160 \text{ AF.}$$

2. Volume Calculations for Other Uses:

MICROFILMED

OCT 07 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Recommend disallowance of mining use as that ^{was} ~~set~~ was never developed.
 Recommend acreage as claimed
 Recommend maximum consumptive use of 3.5 AFA per acre and diversion of 1" per acre when used in conjunction with decreed water 57-00004 (457-00004 attached)

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3/15	11/15	0.80	160 AFA
Totals:			0.80	

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name Bruce A. Schold
 Signature Bruce A. Schold
 Certification Date _____
 Field Report Preparation Date 8/17/90

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: A57-07271

Date Received: 8/20/91

Receipt No: W013602

Received By: CW 8/20/91

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name: ERNEST C. JOHNSON 208-337-4128
Address: RT. 2 BOX 90
HOMEDALE, ID 83628

AND/OR

Name: BETTE J. JOHNSON 208-337-4128
Address: RT. 2 BOX 90
HOMEDALE, ID 83628

2. Date of Priority: MAR 12, 1981

3. Source: SUCCOR CREEK Trib. to: SNAKE RIVER

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4	Lot	County
03N	06W	14	SE	NW	NW	1	OWYHEE

5. Description of diverting works:
PUMPING STATION.

6. Water is used for the following purposes:

Purpose	From	To	C.F.S	(or)	A.F.A.
IRRIGATION	03/15	11/15	0.800		

7. Total Quantity Appropriated is:

~~1.000~~ C.F.S. (and/or) A.F.A.
0.800

8. Total consumptive use is Acre Feet Per Annum.

9. Non-irrigation uses:

10. Place of Use:

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
03N	06W	14	NE	NW		IRR	30.0

10. Place of Use: Continued

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
03N	06W	14	NW	NW	1	IRR	10.0
Section Acres							40.0
Total Acres							40.0

11. Place of use in counties: OWYHEE

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:
A57-00004

14. Remarks:
CLAIM CREATED 3/13/91 WITH RECOMMENDATIONS FROM FIELD EXAM
CONDUCTED ON 7/18/90. KW

15. Basis of Claim: PERMIT

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do _____ do not _____ wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: _____

For Individuals:

I/We do solemnly swear or affirm that the statements contained in the foregoing document are true and correct.

Signature of Claimant(s): X *Bill J. Johnson* Date: Aug 20, 1991

Date: _____

State of Idaho)
County of Owyhee) SS.

Subscribed and sworn (or affirmed) before me this 20th day
of August 19 91

Kathleen A. Walker
Notary Public

Seal

Residing at Boise, Idaho
My Commission Expires 2-14-1993