

RECEIVED

AUG 08 2005

Department of Water Resources
Adjudication Bureau

Homestead Entry Survey No. 61

75-10785

117

Obs. Tract A

Survey commenced Sept. 4, 1910, and executed with an Ainsworth transit No. 2030, reading to 30" on both vertical and horizontal circles direct, fitted with plate levels, sensitive to 30", and with a special level on standards, sensitive to 20". Graduations are on solid silver.

The instrument is in perfect adjustment.

As an observation on Polaris was impossible on account of cloudy weather, I determine a meridian by direct solar observation, as herein after described.

Sept. 4 1910.

Beginning at Cor. No. 1 at base of hill, identical with Cor. No. 1, Hughes Creek Placer, Min. Sur. No. 1450, and identical with Cor. H/10 of Listing Survey, which is a porphyry stone, 5 x 12 x 18 ins., set in a mound of stone marked and witnessed as described by the Surveyor General.

No larger stone of suitable dimensions being available, I mark the same stone H E S 1/61 A on S. face, for Cor. No. 1 of this survey; from which

A pine, 20 ins. diam., bears S 34° 21' W., 68 links dist.

A fir, 36 ins. diam., bears N. 41° 42' E., 95 links dist.

Each blazed and marked BT1/1450 and RT1-HES-61A.

U.S.L.M. No. 8, Dahlenega Mining District, which is a porphyry rock 6x10x16 ft. above ground, marked and witnessed as described by the Surveyor General, bears N. 61° 36' E., 4.21 chs. dist.

Thence S. 2° 25' E.

Along line 1-2 Hughes Creek Placer.

Over level cultivated bottom land.

3.97 Mrs. Eldridge's stable on line.

6.00 Road, bears NW and SE.

6.64 Fence, bears NW and SE, enter cultivated land.

15.80 North Fork of the Salmon River, 30 links wide; course S 2° W.

21.11 to Cor. No. 2, identical with Cor. H/11 of Listing Survey.

Obs.

and Cor. 2, Hughes Creek Placer, which is a post, 6 ins. sq. firmly set, marked and witnessed as described by the Surveyor General.

There being no stone of suitable size available for Cor. monument, I mark the same post 2-HES-61A on SE face, for Cor. 2 of this survey; from which

A cottonwood, 14 ins. diam., bears S $22^{\circ}59'E$, 18 link dist.

A cottonwood, 8 ins. diam. bears N $8^{\circ}17'E$, 19 lks. dist.

Each blazed and marked 2-1480 and 2 HES 61 A BT.

Thence N. $70^{\circ}15'W$.

Along line 2-3, Hughes Creek Placer.

Over level, cultivated bottom land,

1.49 To Cor. No. 3, identical with Cor. H/12 of Listing Survey, and Cor. 2, Stein Placer, Min. Sur. No. 1480, a post 6 ins. sq., set firmly, marked and witnessed as described by the Surveyor Gen'l.

No stone of suitable size being available for Cor. monument, I mark the same post 3-HES-61 A on SE face, for Cor. No. 3 of this survey; from which

A cottonwood, 6 ins. diam., bears S $81^{\circ}21'W$, 31 lks. dist.

A cottonwood, 5 ins. diam., bears S $4^{\circ}24'E$, 29 lks. dist.

Each blazed and marked BT 2-1480 and 3 HES-61-A-BT.

Thence S. $22^{\circ}32'W$.

Along line 2-3, Stein Placer.

Over level bottom land.

27.28 To Cor. No. 4, identical with Cor. H/13 Listing Survey, and Cor. 2 Homestead Entry Survey No. 55, a quartzite stone $5\frac{1}{2} \times 26$ ins., set 18 ins. in the ground, marked 2-HES 55 on SE face, with cross on top.

I mark 4-HES-61 A on NE face of stone, for Cor. 4 this survey.

No bearing objects available.

Cor. 3, Stein Placer, a stone $8\frac{1}{2} \times 24$ ins. flush with

Obs. surface of ground marked 3/1480, bears S $22^{\circ}32'W$, 2.02 Obs. dist.

Thence S $80^{\circ}09'E$.

Along line 2-1 HES No. 55,

Over cultivated land, ascend gentle slope.

1.68 To Cor. No. 5 (in fence corner), identical with Cor. H/1 of Listing Survey, and Cor. 1 Homestead Entry Survey No. 55 a conglomerate boulder, showing $6\frac{1}{2} \times 24$ ins. above ground, marked 1-HES-55 on SW face, with a cross(x) on top. I mark 5 HES 61 A on NW face, for Cor. 5 of this survey; from which

A pine, 12 ins. diam., bears N $87^{\circ}2'E$, 52 lks. dist.

A pine, 7 ins. diam., bears N. $6^{\circ}4'W$, 19 lks. dist.

Each blazed and marked 1-HES-55 BT and 5-HES-61 A BT.

Thence N. $30^{\circ}23'E$.

Along fence at base of ridge, and northerly side of County road from Salmon to Gibbonsville.

10.64 To Cor. No. 6, identical with Cor. H/2 of Listing Survey, which is a post, marked and witnessed as described by the Surveyor Gen'l.

In place of which I set a quartzite stone, $6\frac{1}{2} \times 24$ ins., 12 ins. in ground, for Cor. 6, marked 6 HES 61 A on NW face, with a cross(x) on top; from which

An aspen, 10 ins. diam., bears S $56^{\circ}45'W$, 25 lks. dist.

A black pine, 12 ins. diam., bears N $43^{\circ}39'E$, 73 lks. dist.

Each blazed and marked (x) 6 HES 61 A BT

Thence N. $46^{\circ}29'E$.

Along fence at base of ridge and northerly side of county road from Salmon to Gibbonsville.

5.62 To Cor. No. 7, identical with Cor H/3 of Listing Survey, which is a post marked and witnessed as described by the Surveyor General.

In place of which I set a quartzite stone, $5\frac{1}{2} \times 16$ ins.

12 ins. in the ground, for Cor. 7, marked 7 HES 61 A on the NW face, with cross(x) on top; from which

Chs.

A black pine, 18 ins. diam. bears N 62°35'E., 111 lks. dist.

A black pine, 30 ins. diam., bears S. 12°23'E., 70 lks. dist.

Both blazed and marked (x) 7 HES 61 A BT.

No stone of larger size available for Cor. monument.

Thence N. 57°22'E.

Along fence at base of ridge and northerly side of County road.

14.82 I cross fence, which bears N. 60° E.

Leave road and base of ridge.

Over rolling land.

16.82 To Cor. No. 8, in fence line, identical with Cor. H/4 of Listing Survey, a post marked and witnessed as described by the Surveyor General.

In same place set a quartzite stone, 6x8x24 ins., 12 ins. in the ground, for Cor. 8, marked S HES 61 A on NW face, with a cross(x) on top; from which

A cottonwood, 6 ins. diam., bears N. 73° W., 17 lks. dist. marked S HES 61 A BT.

A granite boulder, 4x3x21/2 ft. above ground, bears S. 12°15'W., 40 lks. dist., marked S HES 61 A BT.

Thence N 43°39'E.

Along base of ridge and NW edge of county road. Line runs outside of fence.

6.39 Cross the county road, course N 20° E.

6.89 To Cor No. 9, identical with Cor. H/5 Listing Survey, and Cor. 5, Bonanza Placer, Min. Sur. No. 1498, a granite boulder, 2x3x3 ft. above ground, marked and witnessed as described by the Surveyor General.

I mark the boulder 9 HES 61 A on W. face, for Cor. 9; from which

A pine, 18 ins. diam., bears N. 37°50'E., 131 lks. dist. Marked (x) 9 HES 61 A-BT.

Chs.

Thence N 34°33'W.

Along line 5-1 Mineral Sur. 1498

Over level bottom land.

0.25 County Road, Salmon to Gibbonsville, bears N 40° E, and S 20° W

2.25 Fence bears NW and SE. Enter field.

8.56 North Fork of the Salmon River, 30 lks. wide, course SW.

10.40 To Cor. No. 10, identical with Cor. H/6 of Listing Survey and Cor. 1, Min. Sur. No. 1498, Bonanza Placer, a cottonwood tree, 14 ins. diam., marked and witnessed as described by the Surveyor General.

I mark 10 HES 61 A on W. side of tree, for Cor. No. 10, from which

A cottonwood, 10 ins. diam., bears S 26° W., 8 lks. dist.

A cottonwood, 12 ins. diam., bears N 48° W., 8 lks. dist.

Both blazed and marked 10 HES 61 A BT.

Thence N. 55°53'E.

Along line 1-2, Min. Sur. No. 1498, over level bottom land

10.50 North Fork of the Salmon River, 30 lks wide, course SW.

11.01 To point for Cor. No. 11, which falls on the edge of the left bank of North Fork of the Salmon River. Therefore at a point S 35°2'E., 13 links dist., I set a quartzite stone, 3x12x24 ins., 12 ins. in ground, surrounded by mound of stone, for witness Cor. No. 11, marked WC 11 HES 61 A on NW face, with a cross(x) on top, from which

A cottonwood, 24 ins. diam., bears S 79°10'E., 10 lks. dist.

A cottonwood, 12 ins. diam., bears S 2°10'E., 27 lks. dist.

Both blazed and marked WC 11 HES 61 A BT.

From true point for Cor. 11, Cor. No. 2 Min. Sur. 1498 which is an aspen tree, marked and witnessed as described by the Surveyor General, bears N 55°53'E., 29.58 chs dist.

Cor. H/7 of Listing Survey has been destroyed by fire.

From true point for Cor. No. 11, I run

N. 35° 2' W.

chs.

0.25 North Fork of the Salmon River, 30 lks. wide, course SW.
Ascend over rolling land.

1.50 Fence, bears N 20° W. and S 20° E., enter field.

4.30 Claimant's irrigation ditch, 4 lks. wide, course S 72° W.

4.60 Fence, bears S 72° W., and N 72° E., leave field.

4.65 To Cor. No. 12, identical with Cor. R/5 Listing Survey, a post in mound of rock, marked and witnessed as described by the Surveyor General.

In place of which I set a quartzite stone, 4x6x24 ins. 12 ins. in the ground, for Cor. No. 12, marked 12 HES 71 A on SW face, with cross (x) on top; from which

A cottonwood, 6 ins. diam., bears S 4° 34' E., 139 lks. dist.

A cottonwood, 8 ins. diam., bears S 19° 5' W., 163 lks. dist.

Both blazed and marked 12 HES 61 A BT.

Sept. 11 1910.

~~Sept. 5 1910~~

Thence S 72° 3' W.

Over rolling land, ~~over~~ base of ridge.

20.40 To Cor. No. 13, identical with Cor. H/9 of Listing Survey a quartzite boulder, 6x8x36 ins., set in a mound of stone, 24 ins. in ground, marked and witnessed as described by the Surveyor General.

I mark the same stone 13 HES 61 A on SW face, and cut a cross (x) on top, for Cor. No. 13.

No bearing objects available.

From this corner, the NW corner of Claimant's residence, a log house, 31x26 ft. with an L. 12x39 ft. on N. Cor., bears S 2° W 3.38 chs. dist.

The NW cor. of her stable, 40x50 ft., bears N 45° 15' W., 1.90 chs. dist.

The NW Cor. of her cellar, 18x20 ft., bears N. 60° W., 18 links dist. (Long side of cellar N10W.0

chs.

Thence N 27° 59' W.

Along base of ridge, over rolling land, rocky soil.

5.22 To Cor. No. 1, the place of beginning.

Magnetic Declination 20° 30' E.

Homestead Entry Survey, No. 61, Tract B.

Beginning at Cor. No. 1, identical with Cor. H/16 of Listing Survey, which is a pine stump, marked and witnessed as described by the Surveyor General.

At edge of tree stump, set a quartzite stone, 4x12x18 ins., 12 ins. in the ground, for Cor. No. 1, marked 1-HES-61 R. on the S. face and cross (x) on top; from which

A pine, 6 ins. diam., bears S 16° W., 10 lks. dist.

A pine, 6 ins. diam., bears N 69° E., 11 lks. dist.

Both blazed and marked 1-HES-61-R-BT.

U.S. Location Monument No. 8, Dahlenega Mining District, heretofore described, bears N 52° 55' E., 16.22 chs. dist.

Thence S 20° 57' W.

Over rolling land, along base of ridge.

9.45 To Cor. No. 2, identical with Cor. H/17 of Listing Survey, a stone, 36x14x6 ins. above ground, marked and witnessed as described by the Surveyor General.

I mark 2-HES-61-R on E. face of stone, and cut a cross (x) on top for Cor. No. 2, from which

A pine, 8 ins. diam., bears N. 17° 15' W., 73 lks. dist.

A pine, 24 ins. diam., bears N 36° 35' W., 109 lks. dist.

Both blazed and marked (x) HES-61 B BT.

Thence S 36° 7' W.

Over rolling land, along base of ridge.

10.95 To Cor. No. 3, identical with Cor. H/18 of Listing Survey, and Cor. No. 6 of Homestead Entry Survey No. 55, a

124
8. Homestead Entry Survey No. 61, Tract B.

Obs. quartzite stone, 8x14x24 ins., set in a mound of stone, marked 6-HES-55 on SE face, with a cross(x) on top. I mark 3-HES-61 B on NE face of stone, for Cor. No. 3 of this survey; from which

A fir, 48 ins. diam., bears North 2 lks. dist., marked 6-HES-55-BT and 3-HES-61 B-BT.

No other bearing objects available.

Thence S 49° 26' E.

Along line 6-5 HES-55, over rolling land, descend gentle slope through scattering undergrowth

10.87 To Cor. No. 4, identical with Cor. H/19 of Listing Survey and Cor. 5-HES-55, a quartzite stone, 5x10x18 ins., set 12 ins. in ground, and marked 5-HES-55 on SW face, with cross(x) on top.

I mark the stone 4-HES-61 B on N face, for Cor. No. 4 of this survey.

No bearing objects available, and no stone of larger size available.

This Cor. is on line 4-1, Stein Placer, Mineral Survey No. 1450, N 22° 32' E., 6.86 chs. dist. from Cor. No. 4 of said survey, identical with Cor. 4, HES-No. 55, a quartzite stone, 5x5x24 ins., set 18 ins. in the ground and marked 4-HES-55 and 4-1450

Thence N 22° 32' E.

Along line 4-1, Stein Placer, over level bottom land, through scattering undergrowth

22.44 To Cor. No. 5, identical with Cor. H/14 of Listing Survey and Cor. 1 of Stein Placer, a pine post 4x6 ins., 24 ins. above ground, firmly set, marked 1-1450 on SE face, with a nail on top.

No stone of suitable size being available.

I mark post 5-HES-61 B on SW face, for Cor. 5 of this survey; from which

A pine, 20 ins. diam., bears N. 12° 36' E., 183 lks. dist., marked 1-1450 BT and 5-HES-61 B-BT.

Homestead Entry Survey No. 61, Tract B.

9.125

Obs. No other bearing objects available.

U.S. Location Monument No. 8, Dahlonga Mining District, heretofore described, bears N 27° 40' E., 22.90 chs. dist.

This Cor. is on line 2-3 Hughes Creek Placer, Min. Survey No. 1450, N 70° 15' W., 8.31 chs. dist. from Cor. 2 of said survey, identical with Cor. 2, Tract A of this survey, heretofore described.

Thence N 70° 15' W.

Along line 2-3 Hughes Creek Placer, over level meadow.

1.51 To Cor. No. 6, identical with Cor. H/15 of Listing Survey and Cor. 3 Hughes Creek Placer, a pine post, decayed and broken off at ground, in place of which set a quartzite stone, 8x16x24 ins., flush with natural surface of the ground (in edge of meadow) for Cor. No. 6 of this survey and Cor. 3 of Hughes Creek Placer, marked 3-1450 on NE face, 6-HES-61B on SW face, with cross(x) on top.

No bearing objects available.

Thence S 5° 3' W.

Ascend gentle slope over cultivated land.

3.38 Claimant's irrigation ditch, from Hughes Creek, 6 lks. wide course SW.

6.00 Leave cultivated land, bears NE and SW, enter scattering pine timber.

10.03 To Cor. No. 1, the place of beginning.

Sept. 5, 1910, and Sept. 15, 1911.

Magnetic declination . 20° 30' E.

AREA

Tract A. 55.15 acres.

Tract B. 18.99 "

Total Area 74.14 acres.

~~Homestead Entry Survey No. 64~~

Nearly all the land embraced in this survey is cultivated. The soil is a sandy loam, with more or less of small rocks as you approach the ridges.

Ditches from Hughes Creek and North Fork of the Salmon River supply ample ^{water} for irrigating the land.

Along the streams are willows, aspen and cotton wood,
and on the ridges scattering fir and pine.

Claimants buildings consist of a dwelling house, barn and cellar, heretofore described.

This claim is located approximately in unsurveyed
T. 25 N., R 21 E.B.M.

All lines and connecting lines of this survey were run directly on the ground.

James M. Cooper

U.S. Deputy Surveyor.

[illegible]

TABLES AND CALCULATIONS OF *Elizabeth M. Eldridge, Homestead Entry*. SURVEY No. 61, ~~1888~~ 1889.

4-609

2. In calculations of Δ multiple paths must be summed. In calculations of $\bar{N}$, $\bar{S}$, and $\bar{S}_m$ routes are all $\bar{N}$ routes from $\bar{N}$ to $\bar{S}$ and $\bar{S}_m$ routes from $\bar{N}$ to $\bar{S}_m$ but put below them the corrected $\bar{N}$ routes in red ink.

[Signature]

28 July 2005

State of Idaho
Idaho Department of Water Resources
PO Box 83720
Boise, ID 83707

Dear Sir or Madam:

In response to you letter of June 29 with regard to my water right number 75-10785 I am submitting the following information to support the claim and to aid in converting to claim to an actual water right.

Please note beforehand that there is an error in the 75-10785 claim. I am working with Bob Foster in the Salmon office to correct the error which states that I have a total of 42.6 acres of irrigated land. In fact I purchased only 5 acres and it is on just those five acres that I claim the water right. The 5 acres I own are Lot 2, Block 1 of River Run Estates. This property is in both the Stein Placer Survey Number 1480 and the HES Number 61 - Tract B.

For evidence of claim I am providing the original HES 61 Survey of E. M. Eldridge which started in 1910 and whose completion in 1912 resulted in the 12/26/1912 claim. Please direct your attention to page 10 of the HES survey titled General Description which says:

Nearly all the land embraced in this survey is cultivated. The soil is a sandy loam, with more or less of small rocks as you approach the ridges.

And

Ditches from Hughes Creek and the North Fork of the Salmon River supply ample water for irrigating the land.

I assume this will establish the start date for water usage and that the agricultural use has continued to the current date. The previous owner used the water and it has continued with our purchase in July 1999.

RECORDED
I have a well that was drilled in October 1999 by JAFCO firm number 504. The well tag number is 0000391. It is 125 feet deep and now produces 15gpm at 110 feet for 3 hours. The well report is on file with the IDWR to the best of my knowledge. A copy is enclosed.

Enclosed is a copy of the HES 61 Survey and the claim you sent to me with my handwritten note indicating that the correct acreage is 5 - not 42.6.

Thank you,

Gary C Gapp

Gary Gapp
PO Box 836
North Fork, ID 83466

Received 12 July 05

Page 868

IDAHO DEPARTMENT OF WATER RESOURCES

Adjudication Claim Report 75-10785

WATER RIGHT NUMBER: 75-10785

Owner Type
Original Owner
Name and Address
HAROLD W TAYLOR
PO BOX 804
PARK CITY, UT 84060
(801)649-8496
Current Owner
GARY GAPP
PO BOX 56
NORTH FORK, ID 83466
(208)865-2663
Current Owner
DIXIE GAPP
PO BOX 56
NORTH FORK, ID 83466

Priority Date: 12/26/1912

Basis: Beneficial Use

Status: Active

Source
NORTH FORK SALMON RIVER
Tributary
SALMON RIVER

Beneficial Use
IRRIGATION
From To Diversion Rate Annual Volume
4/01 to 10/31 1.700 CFS
Total Diversion: 1.700 CFS

Location of Point(s) of Diversion
NORTH FORK SALMON RIVER
LEMHI County NW1/4NW1/4 Sec. 22, Twp 25N, Rge 21E, B.M.
NORTH FORK SALMON RIVER
LEMHI County SE1/4NE1/4 Sec. 21, Twp 25N, Rge 21E, B.M.

Place of Use
IRRIGATION Within LEMHI County
T25N R21E S21 SWNE 25.8 T25N R21E S21 SENE 16.8
Total Acres: 42.6 5

Conditions of Approval:

1. THIS CLAIM COMBINES CLAIMS 75-04056 AND 75-04057.
SEE ENCLOSED MAP FROM ORIGINAL FILING.
OWNERSHIP CHANGED PER REQUEST/JC/7-27-00

Remarks: