

05/16/2005

**NOTICE OF ERROR
REPLY**

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS:

Water right number: 21-7305

PATRICIA MILLER
210 N CENTER-PARKER
ST ANTHONY ID 83445
Telephone Number: (208)624-7478

~~PATRICIA MILLER~~
JELL MILLER
1721 E 500 N
ST ANTHONY ID 83445
Telephone Number: (208)624-7548

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):
2. Describe the changes you wish to make in the proposed recommendation:
3. Give a brief explanation as to why you disagree with these portions:

 I AGREE with this proposed recommendation: no changes need to be made.

DATE: 9/14/05 SIGNATURE: Jell Miller

Please print your name: JELL MILLER

IDWR Regional Office, 900 N Skyline Dr Ste A, Idaho Falls, ID 83402, 2085257161

RECEIVED

SEP 27 2005

Department of Water Resources
Eastern Region

Kmt
9/27