



WATER RIGHT LICENSE

THIS IS TO CERTIFY, that BONNIE LAURA SUBDIVISION
of Emmett, Idaho, has complied with the terms and conditions of Permit
No. 55-7143 issued pursuant to Application for Permit dated June 22, 1970,
and has submitted proof to the Department of Water Resources on October 9, 1980,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of .75 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Subject, however, to the condition that no more than .75 cfs of water be diverted at any one time, and that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed 30 acre feet per year, said waters to be diverted within the NW 1/4 Sec. 1, Twp. 6N, Rge. 2W, B.M. in the County of Gem

[illegible]

Total number of acres irrigated

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 24 day of May, 19 81.

Director

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORTBonnie Lewis Subd.
P/D: SESES.1, T6N
R2W

65-7143

Permit No.

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☒ Appointment letter mailed:	10/28/80	h/h	no apt. made
☐ Telephone call made: (List Telephone No. used)			
☐ Appointment scheduled for: (Date, time, location)	4/8/81	R/K/N	appt. 9 AM

EXAMINATION

Date 4/8/81 Accompanied by James Bekov Total Q measured .75
If source is surface water, estimate total flow of source capacity
Methods of measurement anometer Meets Permit requirements?

Measurement calculations:

6" steel pipeline - measurement $5.6 = 335 \text{ GPM} \times .002284 = .75$
 $V = 25 \times 1.2 \text{ AF} = 30 \text{ AFM}$ *Allow .23 AS per domestic Table .65
 $.23 \times 1.9835 \times 325 = 146.5$ $V = 25 \text{ units} \times 1.2 = 30.0$ ✓

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
8	25					Probe # 1911134	meter # 45806	

System Description 8" casing - 115' deep. 2500 gal storage tank - piped to
25 homes. 18" well also can be used as a back up well.
another (25 HP motor)

*Code with map on reverse side. Disregard code if only one.

$$25 \text{ HP} (-0) (8.8) / 115' + 30 (2.3) = \frac{116}{184} = .63 \text{ cfs}$$

RECOMMENDED AMOUNTS

USE	Irrigation requirement =		AFA/Acre	
	Q (cfs)	V (afa)	FROM	TO
Domestic	$.75 \times .23 = .17$ ✓	30 ✓	1/1	12/31
Total	$.23$ ✓ $.75$	30 ✓	1/1	12/31


Remarks

Bonnie Lewis Subdivision

* Note: .75 cfs is the amount put on the license instead of .23 cfs because the criteria used to determine domestic use presently was not in affect when permit was issued. Also water may be used for lawns which current domestic Table used Jan 5/29/81 does not include

See my memo dated 6/4/81 DWT

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion:

NW SE Sec 1 T6N R2W

Place(s) of Use

TWP.	RGE.	SEC.	NE%				NW%				SW%				SE%				TOTALS
			NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	
✓ 6N	2W	1														X			

Recommended Amendments:

☒ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

Examiner's Signature

John H. Hayes

Date

4/2/91

Checked by

Roby

Date

4/9/91

Approved by

Date

4/14/91

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: A65-07143
Date Received: 2-2-90
Receipt No: X9-9
Received By:

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name: BONNIE LAURA SUBDIVISION
Address: C/O CHARLES REKOW
1029 LILAC LN.
EMMETT, ID

83617

2. Date of Priority: JUN 26, 1970

3. Source: GROUNDWATER Trib. to:

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4	Lot	County
06N	02W	1		NW	SE		GEM
				SE	SE		GEM

5. Description of diverting works:

6. Water is used for the following purposes:

Purpose	From	To	C.F.S	(or)	A.F.A.
DOMESTIC	01/01	12/31	0.750		30.00

7. Total Quantity Appropriated is:
0.750 C.F.S. (and/or) 30.00 A.F.A.

8. Total consumptive use is Acre Feet Per Annum.

9. Non-irrigation uses:
D/25 HOMES.

10. Place of Use:

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
06N	02W	1	NW	SE		DOMEST	

A65-07143

Page 1

Date: 01/19/90

MICROFILMED
SEP 23 1992

11. Place of use in counties: GEM

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:

14. Remarks:

SOURCES FOR THIS RT. ARE 2 WELLS.

15. Basis of Claim: LICENSE

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do do not wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments:

For Individuals:

I/We do solemnly swear or affirm that the statements contained in the foregoing document are true and correct.

Signature of Claimant(s): Charles J. Rekow Date: 1-22-90
Delma C. Rekow Date: 1/22/90

State of Idaho

County of Gene) SS.

Subscribed and sworn (or affirmed) before me this 22 day

of January 19 90

Seal

Edith J. Hawley
Notary Public

Residing at Emmett, Idaho

My Commission Expires 4-12-95

AJ0749NP
No. R65-07143

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT
(REGIONAL)

DATE: 06/16/00
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	BONNIE LAURA SUBDIVISION C/O CHARLES REKOW 1029 LILAC LN EMMETT ID 83617	06/26/1970	DOMESTIC	01-01 12-31	0.750 CFS	30.00 AFA
TOTAL DIVERSION:					0.750 CFS	30.00 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion: T06N R02W S01 NWSE

GEM County

Place of use Legal Description for: DOMESTIC

				NE				NW				SW				SE				
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:
06N	02W	1	:																	:

POU County: GEM

Conditions of Approval:

N11 - THE QUANTITY OF WATER DECREED FOR THIS WATER RIGHT IS NOT A
- DETERMINATION OF HISTORICAL BENEFICIAL USE.

Remarks: POD 2 POINTS OF DIVERSION LOCATED IN T06N, R02W, S01, NWSE.

USE DOMESTIC USE IS FOR 25 HOMES. *no more uses*

EXP PROPERTY IS ALSO KNOWN AS BONNIE LAURA SUBDIVISION.

Dates: Exam Made Date: Verified Date: 06/16/2000 Objection Filed Date:

Misc: Water District Number: 65 Field Inspection Flag:
Presumption Flag:

Comments: Date: 06/16/2000 User-ID: RHOWERTO Subject: DATA BASE ENTRY ERROR
POD LEGAL LISTED IN TWO TRACTS IN DATA BASE, FIELD NOTES IN FILE
AND LICENSE SHOW ONE TRACT.

Audit: 06/16/00 RHOWERTO

C18

rdh
6-16-00

WR5809NP
No. 65-07143

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 06/16/00
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	BONNIE LAURA SUBDIVISION C/O CHARLES REKOW 1029 LILAC LN. EMMETT ID 83617	06/26/1970	DOMESTIC	01/01 12/31	0.750 CFS	30.00 AFA
TOTAL DIVERSION:					0.750 CFS	30.00 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion: T06N R02W S01

NWSE

SESE

GEM County

Place of use Legal Description for: DOMESTIC

NE				NW				SW				SE												
T	R	S	:	NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:	
				Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac		Lt	Ac	Lt	Ac		Lt	Ac	Lt	Ac	
06N	02W	1	:					:					:					:					:	

Pou County: GEM

Remarks: GEN SOURCES FOR THIS RT. ARE 2 WELLS.

POD F02

Dates:	App. Received:	Priority Date:	06/26/1970	(Priority Date Advanced.)
	Proof Due Date:	Proof Made Date:	01/01/1900	(Proof Received Late.)
	Exam Made Date:	Exam Sent to S.O.:		
	Licensed Date:	05/08/1981		

Misc: Water District Number: 65 Field Exam Fee:

Audit: 09/26/86 04/30/88 CONVERT

USE REMARK:

DOMESTIC USE IS FOR 25 HOMES

N11

NO N13 NOT DIMINISH

Exp. J01

1 MILE

116.30'

07220 4661
gm

43°52'30"

ΣΗΛΟ-59

48 59000m.N.

did I do
it?

105 m27 N91

T9N
T7N

WATER RIGHT LICENSE

THIS IS TO CERTIFY, that BONNIE LAURA SUBDIVISION

Beneficial Use _____ Period of Use _____ Rate of Diversion _____ Annual Volume _____

Domestic (25 units) from January 1 to December 31 at 75 cfs and 30 acre feet

from _____ cfs and _____

from _____ at _____ cfs and _____

(both dates inclusive)

Description and location of place of use:

[illegible]

Total number of acres irrigated _____

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 2nd day of May, 19 81.

Director

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>BONNIE LAURA SUBDIVISION</u> Address <u>1029 LILAC LANE EMMETT, ID.</u> Owner's Permit No. <u>65-88-Z-06</u>	7. WATER LEVEL Static water level _____ feet below land surface Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ °F. Quality _____ <i>Describe artesian or temperature zones below.</i>																																
2. NATURE OF WORK <u>65-88-Z-06</u> ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)	8. WELL TEST DATA ☐ Pump ☐ Bailer ☒ Air ☐ Other <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped																													
Discharge G.P.M.	Pumping Level	Hours Pumped																															
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☒ Other <u>SUBDIVISION</u> (specify type)	9. LITHOLOGIC LOG <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Bore Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th rowspan="2">Water Yes No</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>18</td> <td>0</td> <td>5</td> <td>Sandy Loame</td> <td>x</td> </tr> <tr> <td>18</td> <td>5</td> <td>20</td> <td>Gravel</td> <td>x</td> </tr> <tr> <td>16</td> <td>20</td> <td>126</td> <td>Sand & Gravel With some Clay</td> <td>x</td> </tr> <tr> <td> </td> <td>126</td> <td>140</td> <td>Coarse Sand w/ some Gravel</td> <td>x</td> </tr> </tbody> </table>	Bore Diam.	Depth		Material	Water Yes No	From	To	18	0	5	Sandy Loame	x	18	5	20	Gravel	x	16	20	126	Sand & Gravel With some Clay	x		126	140	Coarse Sand w/ some Gravel	x					
Bore Diam.	Depth		Material	Water Yes No																													
	From	To																															
18	0	5	Sandy Loame	x																													
18	5	20	Gravel	x																													
16	20	126	Sand & Gravel With some Clay	x																													
	126	140	Coarse Sand w/ some Gravel	x																													
4. METHOD DRILLED ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other	10. Work started <u>12-22-87</u> finished <u>1-7-88</u>																																
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>3.75</u> inches</td> <td><u>16</u> inches</td> <td><u>2</u> feet</td> <td><u>60</u> feet</td> </tr> <tr> <td><u>2.00</u> inches</td> <td><u>8</u> inches</td> <td><u>2</u> feet</td> <td><u>140</u> feet</td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☒ Yes ☐ No Perforated? ☐ Yes ☐ No How perforated? ☒ Factory ☐ Knife ☐ Torch Size of perforation <u>1/4</u> inches by <u>3</u> inches <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>2240</u> perforations</td> <td><u>60</u> feet</td> <td><u>130</u> feet</td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table> Well screen installed? ☐ Yes ☐ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☒ Yes ☐ No ☐ Size of gravel <u>3/8</u> Placed from <u>Surface</u> feet to <u>140</u> feet Surface seal depth <u>10</u> feet Material used in seal: ☐ Cement grout ☒ Bentonite ☒ Puddling clay ☐ _____ Sealing procedure used: ☒ Slurry pit ☐ Temp. surface casing ☐ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port _____	Thickness	Diameter	From	To	<u>3.75</u> inches	<u>16</u> inches	<u>2</u> feet	<u>60</u> feet	<u>2.00</u> inches	<u>8</u> inches	<u>2</u> feet	<u>140</u> feet									Number	From	To	<u>2240</u> perforations	<u>60</u> feet	<u>130</u> feet							11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Bill Doty Drilling Firm Name <u>Company, Inc.</u> Firm No. <u>42</u> Address <u>Route 7 Box 311 Caldwell, Idaho 83605</u> Date <u>1/5/88</u> Signed by (Firm Official) <u>[Signature]</u> and (Operator) <u>[Signature]</u>
Thickness	Diameter	From	To																														
<u>3.75</u> inches	<u>16</u> inches	<u>2</u> feet	<u>60</u> feet																														
<u>2.00</u> inches	<u>8</u> inches	<u>2</u> feet	<u>140</u> feet																														
Number	From	To																															
<u>2240</u> perforations	<u>60</u> feet	<u>130</u> feet																															
6. LOCATION OF WELL Sketch map location must agree with written location. N W E S Subdivision Name _____ Lot No. _____ Block No. _____ County <u>CEM</u> <u>1</u> T. <u>6</u> S. R. <u>2</u> E/W																																	

USE ADDITIONAL SHEETS IF NECESSARY — FORWARD THE WHITE COPY TO THE DEPARTMENT

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORTBonnie Laura Subd.
P/D: 56565.1, T6N
R2W

65-7143

Permit No.

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☒ Appointment letter mailed:	10/28/80	hlh	no appt. made
☐ Telephone call made: (List Telephone No. used)			
☐ Appointment scheduled for: (Date, time, location)	4/8/81	RKN	appt. 9 AM

EXAMINATION

Date 4/8/81 Accompanied by James Bekov Total Q measured .75
If source is surface water, estimate total flow of source capacity
Methods of measurement g-number Meets Permit requirements?

Measurement calculations:

6" steel pipeline - measurement $5.6 = 335 \text{ GPM} \times .00228 = .75$
 $V = 25 \times 1.2 \text{ AF} = 30 \text{ AFH}$ *Allow .23 AS per domestic Table .65
 $.23 \times 1.9835 \times 325 = 146.5$ $V = 25 \text{ units} \times 1.2 = 30.0$ ✓

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
8	25					Pump # 1911134	meter # 45806	

System Description Missing - 115' deep 2500 gal storage tank - piped to
25 homes. 18" well also can be used as a back up well.
1 meter (2.5 HP motor)

*Code with map on reverse side. Disregard code if only one.

$$25 \text{ HP} (-8)(8.8) / 115' + 30(23) = \frac{116}{184} = .63 \text{ cfs}$$

RECOMMENDED AMOUNTS

USE	Irrigation requirement =		AFA/Acre	
	Q (cfs)	V (afa)	FROM	TO
<u>Domestic</u>	<u>.75</u> * <u>.23</u> ✓	<u>30</u> ✓	<u>1/1</u>	<u>12/31</u>
Total	<u>.75</u> * <u>.23</u> ✓	<u>30</u> ✓	<u>1/1</u>	<u>12/31</u>


Remarks

Bonnie Laura Subdivision

* Note: .75 cfs is the amount put on the license instead of .23 cfs because the criteria used to determine domestic use presently was not in effect when permit was issued. Also water may be used for lawns which current domestic Table used Jan 5/8/81 does not include

See my memo dated 6/4/81 Det

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: NW SE Sec 1 T 6 N R 2 W

Place(s) of Use

TWP.	RGE.	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
✓ 6 N	2 W	1																	

Recommended Amendments:

☒ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

Examiner's Signature

John H. Meyer

Date

4/8/91

Checked by

[Signature]

Date

4/9/91

Approved by

[Signature]

Date

4/14/91