





t Service

,000-scale

icks: Idaho coordinate
(ator)
ercator grid,
um

ing techniques
atched images;
or map point

NORTH





Copies Of These Maps Can Be Obtained
At Bonneville Blue Print, Boise Idaho

UNPROFILMED

SEP 24 1992

IDAHO DEPARTMENT OF WATER RESOURCES

T06N, R02E, S2 & S3



1987 NAPP PHOTO

- POINT OF DIVERSION
- PLACE OF USE
- 1/4 1/4 LINES
- SECTION LINES

6 ACRES
6 SECTION NUMBERS

CLAIM(S): 65-09543B

OWNER(S): VAN SCYOC, JOHN &
MICHAELE


DATE: AUGUST 4, 2000

By: Mel Schulte

0 0.25 0.5 0.75 Miles

IDAHO DEPARTMENT OF WATER RESOURCES

T06N, R02E, S2 & S3



1987 NAPP PHOTO

● POINT OF DIVERSION

▭ PLACE OF USE

▭ 1/4 1/4 LINES

▭ SECTION LINES

6 ACRES

6 SECTION NUMBERS

CLAIM(S): 65-09543B


OWNER(S): VAN SCYOC, JOHN &
MICHAELE

DATE: AUGUST 4, 2000

By: Mel Schulte

0 0.25 0.5 0.75 Miles





3 2
10 11

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: A65-09543B
Date Received: 3-14-89
Receipt No: X999999
Received By: Rch

No Ver.
Department of
Water Resources

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name: JOHN VAN SCYOC 208-793-2389
Address: RT. 1, BOX 47-B
HORSESHOE BEND, ID 83629
OR
Name: MICHAEL M. SCYOC 208-793-2389
Address: RT. 1, BOX 47-B
HORSESHOE BEND, ID 83629

2. Date of Priority: JUL 11, 1901

3. Source: SHAFER CREEK Trib. to: PAYETTE RIVER

4. Point of Diversion:

Township	Range	Section	1/4 of 1/4 of 1/4	Lot	County
06N	02E	3	NE NE		BOISE

5. Description of diverting works:

CONCRETE HEADGATE IN CREEK, 3 HP PUMP INTO DITCH TO PLACE OF USE

6. Water is used for the following purposes:

Purpose	From	To	C.F.S	(or)	A.F.A.
IRRIGATION	04/01	11/01	0.720		
STOCKWATER	01/01	12/31	0.027		

7. Total Quantity Appropriated is:
0.747 C.F.S. (and/or)

A.F.A.

8. Total consumptive use is Acre Feet Per Annum.

9. Non-irrigation uses:

UP TO 10 HORSES AND UP TO 30 HD RANGE CATTLE

A65-09543B

Page 1

Date: 03/10/89

MICROFILMED

SEP 24 1992

10. Place of Use:

Township	Range	Section	1/4	of	1/4	Lot	Use	Acres
06N	02E	2	SW		NW		STOCK	
			SW		NW		IRR	7.0
			SE		NW		IRR	1.0
			SE		NW		STOCK	
			Section Acres					8.0
		3	NE		NE		IRR	1.0
			NE		NE		STOCK	
			SE		NE		IRR	27.0
			SE		NE		STOCK	
			Section Acres					28.0
			Total Acres					36.0

11. Place of use in counties: BOISE

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:
A65-10600

14. Remarks:
THIS CLAIM REFLECTS THE REMAINDER OF THE LAND AND WATER APPROPRIATED FROM SPLIT RIGHT A65-09543. THE ORIGINAL RIGHT COVERED 40 ACRES, MR. HISAW'S A'S PORTION COVERS 4 ACRES AND MR. SCYOC'S 'B' PORTION COVERS THE REMAINING 36 ACRES.

15. Basis of Claim: DECREED
Case Number:
Court :
Decree date:

Decree Plaintiff

vs

Decree Defendant

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do _____ do not X wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: _____

For Individuals:

I/We do solemnly swear or affirm that the statements contained in the foregoing document are true and correct.

Signature of Claimant(s): X John Tan Layan Date: X 3-13-89

Date: _____

State of Idaho)
County of Baile) ss.


Subscribed and sworn (or affirmed) before me this 13 day

of March 19 89

Seal

Sandra Seibel
Notary Public

Residing at Horseshoe Bend
My Commission Expires 2/10/92




st Service

,000-scale

icks: Idaho coordinate
ator)
ercator grid,
um

ing techniques
atched image
or map point

NORTH



Copies Of These Maps Can Be Obtained
At Bonneville Blue Print, Boise Idaho

UNPROFILMED

SEP 24 1992

THE LAND REFERRED TO IN THIS COMMITMENT IS LOCATED IN THE COUNTY OF BOISE
STATE OF IDAHO AND DESCRIBED AS FOLLOWS:

John & MICHAEL SCYOC
793-2389

PARCEL A

A part of the Southeast quarter of the Northeast quarter and part of Government Lot 1, Section 3, Township 6 North, Range 2 East of the Boise Meridian, more particularly described, to-wit:

COMMENCING at the brass monument at the Northeast corner of Section 3, Township 6 North, Range 2 East of the Boise Meridian; thence

South $1^{\circ}18'30''$ West, 1339.00 feet (formerly of record South $1^{\circ}20'30''$ West 1342.4 feet) along the East line of said Section 3 to the brass monument at the Southeast corner of said Government Lot 1; thence

North $89^{\circ}31'$ West (formerly of record North $89^{\circ}29'$ West) 248.33 feet along the South line of said Government Lot 1 to a chiseled "X" in a rock, the point of intersection with the Southerly right of way line of an existing County road known as Harris Creek Road, the INITIAL POINT of this description which bears South $89^{\circ}31'$ East, 35.33 feet from a half inch iron rod on the said South line of said Government Lot 1, and also bears South $89^{\circ}31'$ East 1046.57 feet (formerly of record 1048.07 feet) from an iron pipe recognized and marked as the Southeast corner of Government Lot 2 of said Section 3, said pipe being also the Southwest corner of said Government Lot 1; thence meandering along said Southerly right of way line

South $29^{\circ}01'30''$ East 149.71 feet to the beginning point of a curve; thence curving to the left along a curve having a radius of 355 feet, a central angle of $32^{\circ}15'$, a tangent length of 102.63 feet, an arc length of 199.82 feet, a chord bearing South $45^{\circ}09'$ East, 197.19 feet to the end point of said curve; thence

South $61^{\circ}16'30''$ East, 33.52 feet to a point on the said East line (which bears South $1^{\circ}18'30''$ West, 284.06 feet from the said Southeast corner of Government Lot 1); thence

South $1^{\circ}18'30''$ West, 878.81 feet (formerly of record South $1^{\circ}20'30''$ West 880.04 feet) along the said East line to the Northeast corner of the South 5 acres of the said Southeast quarter of the Northeast quarter, (which bears North $1^{\circ}18'30''$ East, 166.13 feet from the brass monument at the Southeast corner of the said Southeast quarter of the Northeast quarter); thence

South $89^{\circ}38'10''$ West (formerly of record South $89^{\circ}32'05''$ West) 846.56 feet, along the North line of the said South 5 acres of the said Southeast quarter of the Northeast quarter to a point on the Easterly right of way line of an existing road sometimes known as Clarkson Road, the INITIAL POINT of the description of the said Clarkson Road; thence continuing

South $89^{\circ}38'10''$ West, 51.54 feet to a point on the Westerly right of way line of the said Clarkson Road; thence continuing

South $89^{\circ}38'10''$ West, 413.16 feet to an iron rod, recognized as the Northwest corner of the said South 5 acres of the said Southeast quarter of the Northeast quarter [which bears North $2^{\circ}04'50''$ East, 168.95 feet (formerly of record North $2^{\circ}02'$ East, 169.56 feet) from the Southwest corner of the said Southeast quarter of the Northeast quarter]; thence

North $2^{\circ}04'50''$ East (formerly of record North $2^{\circ}02'$ East) 687.59 feet along the West line of the said Southeast quarter of the Northeast quarter, to a point on the Westerly right of way line of the said Clarkson Road; thence continue

North $2^{\circ}04'50''$ East, 42.21 feet to a point on the Easterly right of way line of an existing road, sometimes known as Hisaw Road [which point bears South $2^{\circ}04'50''$ West 452.80 feet (formerly of record as South $2^{\circ}02'$ West 457.12 feet) from the said iron pipe at the Southwest corner of said Government Lot 1]; thence meandering along the Easterly line of said Hisaw Road

North $51^{\circ}02'$ East, 6.51 feet; thence

North $21^{\circ}15'$ East 20.39 feet to a point on the said Easterly right of way line of Clarkson Road; thence continue

MICROFILMED

SEP 24 1992

North 21°15' East, 146.41 feet to a point of curve; thence curving to the right 94.66 feet along a curve having a radius of 120.00 feet, a central angle of 45°11'40", a tangent length of 49.94 feet and a long chord bearing North 43°50'50" East, 92.22 feet to the end point of said curve; thence

North 66°26'40" East, 129.49 feet to a point of curve; thence curving to the left 121.90 feet along a curve having a radius of 355.00 feet, a central angle of 19°40'30", a tangent length of 61.56 feet and a long chord bearing North 56°36'25" East, 121.31 feet, to the end point of said curve; thence

North 46°46'10" East, 79.32 feet to a point of curve; thence curving to the left 58.62 feet along a curve having a radius of 100.00 feet, a central angle of 33°35'05", a tangent length of 30.18 feet, and a long chord bearing North 29°58'35" East, 57.78 feet to the INITIAL POINT of the description of said Hisaw Road, a point on the said South line of said Government Lot 1 [which point bears South 89°31' East, 419.62 feet from said iron pipe at the Southwest corner of said Government Lot 1, (said point also bears North 89°31' West 24.16 feet from a 5/8 inch iron rod on the said South line of said Government Lot 1, which 5/8 inch iron rod is the point of intersection of the tangents extended from the curve just previously described and the next curve to be described in said Government Lot 1), said point also bears North 89°31' West, 626.95 feet (formerly of record 628.45 feet) from the said "X" chiseled in a rock on the said South line of said Government Lot 1]; thence continue curving to the left 67.21 feet on a curve having a radius of 100 feet, a central angle of 38°30'30", a tangent length 34.93 feet and a long chord bearing North 6°04'10" West, 65.95 feet to the end point of said curve; thence

North 25°19'25" West, 28.87 feet, to a point of curve; thence curving to the right 69.01 feet along a curve having a radius of 30.00 feet, a central angle of 131°47'55", a tangent length of 67.06 feet and a long chord bearing North 40°34'35" East, 54.77 feet to the end point of said curve, said point being also a point of curve in the said Southerly right of way line of said Harris Creek Road; thence leaving the said Easterly right of way line of Hisaw Road, and meandering along the said Southerly right of way line of Harris Creek Road, and curving to the left 258.80 feet along a curve having a radius of 956.67 feet, a central angle of 15°30', a tangent length of 130.20 feet and a long chord bearing South 81°16'30" East 258.02 feet to the end point of said curve; thence

South 89°01'30" East, 222.50 feet, to a point of curve; thence curving to the right 146.61 feet, along a curve having a radius of 140.00 feet, a central angle of 60°00'00", a tangent length of 80.83 feet and a long chord bearing South 59°01'30" East, 140.00 feet to the end point of said curve; thence

South 29°01'30" East, 26.98 feet to said chiseled "X" in a rock, the INITIAL POINT of this description.

TOGETHER WITH AN EASEMENT FOR INGRESS AND EGRESS described as follows:

COMMENCING at the said INITIAL POINT of Hisaw Road; thence meandering along the Easterly right of way line of said Hisaw Road and curving to the left 67.21 feet, along a curve having a radius of 100.00 feet, a central angle of 38°30'30", a tangent length of 34.93 feet and a long chord bearing North 6°04'10" West, 65.95 feet to the end point of said curve; thence

North 25°19'25" West, 28.87 feet to the point of curve; thence curving to the right 69.01 feet along a curve having a radius of 30.00 feet, a central angle of 131°47'55", a tangent length of 67.06 feet, and a long chord bearing North 40°34'35" East, 54.77 feet to the end point of said curve

MICROFILMED

SEP 24 1992

in the southerly right of way line of Harris Creek Road, thence leaving
 the said Easterly right of way line of Hisaw Road, North 73°31'30"
 West, 152.02 feet along the said Southerly right of way line of said
 Harris Creek Road to a point on the Westerly right of way line of said
 Hisaw Road, the beginning point of a curve; thence meandering along the
 said Westerly right of way line of said Hisaw Road and curving to the
 right 33.65 feet on a curve having a radius of 40 feet, a central angle
 of 48°12'05", a tangent length of 17.89 feet and a long chord bearing
 South 49°25'30" East, 32.67 feet to the end point of said curve; thence
 South 25°19'25" East, 122.75 feet to a point of curve; thence curving to the
 right 45.29 feet along a curve having a radius of 50.00 feet, a central
 angle of 51°53'35", a tangent length of 24.33 feet, and a chord bearing
 South 0°37'20" West, 43.75 feet to a point on the South line of said
 Government Lot 1 (said point bearing South 89°31' East, 366.98 feet from
 the said iron pipe at the said Southwest corner of said Government Lot
 1); thence continue curving to the right 17.63 feet on a curve having a
 radius of 50.00 feet, a central angle of 20°12'00", a tangent length of
 8.91 feet, and a chord bearing South 36°40'10" West, 17.54 feet to the
 end point of said curve; thence
 South 46°46'10" West, 79.32 feet to a point of curve; thence curving to
 the right 104.74 feet on a curve having a radius of 305.00 feet, a
 central angle of 19°40'30", a tangent length of 52.89 feet, and a long
 chord bearing South 56°36'25" West, 104.22 feet to the end point of said
 curve; thence
 South 66°26'40" West, 129.49 feet to a point of curve; thence curving left
 134.09 feet along a curve having a radius of 170.00 feet, a central
 angle of 45°11'40", a tangent length of 70.75 feet, and a long chord
 bearing South 43°50'50" West, 130.65 feet to the end point of said curve;
 thence
 South 21°15' West, 37.94 feet to a point on the West line of the said Southeast
 quarter of the Northeast quarter of said Section 3; thence leaving the
 said Westerly right of way line of said Hisaw Road South 2°04'50" West,
 142.41 feet along the said West line of the Southeast quarter of the
 Northeast quarter to a point on the said Easterly right of way line of
 said Hisaw Road; thence meandering along the said Easterly right of way
 line of Hisaw Road North 51°02' East, 6.51 feet; thence
 North 21°15' East, 20.39 feet to a point on the said Easterly right of way
 line of said Clarkson Road; thence continue
 North 21°15' East, 146.41 feet to a point of curve; thence curving to the
 right 94.66 feet along a curve having a radius of 120.00 feet, a central
 angle of 45°11'40", a tangent length of 49.94 feet and a long chord
 bearing North 43°50'50" East, 92.22 feet to the end point of said curve;
 thence
 North 66°26'40" East, 129.49 feet to a point of curve; thence curving to the
 left 121.90 feet along a curve having a radius of 355.00 feet, a central
 angle of 19°40'30", a tangent length of 61.56 feet and a long chord
 bearing North 56°36'25" East, 121.31 feet to the end point of said curve;
 thence
 North 46°46'10" East, 79.32 feet to a point of curve; thence curving to
 the left 58.62 feet along a curve having a radius of 100.00 feet, a
 central angle of 33°35'05", a tangent length of 30.18 feet, and a long
 chord bearing North 29°58'35" East, 57.78 feet, to the INITIAL POINT of
 this description of said Hisaw Road.

PARCEL B

That portion of the South half of the Northwest quarter of Section 2, Township
 6 North, Range 2 East, lying Southerly of Shaffer Creek.

MICROFILMED

SEP 24 1992

PARCEL C

A PORTION OF THE SOUTHWEST QUARTER OF THE NORTHEAST QUARTER OF SECTION 3, TOWNSHIP 6 NORTH, RANGE 2 EAST OF THE BOISE-MERIDIAN, ALL IN BOISE COUNTY, IDAHO, MORE PARTICULARLY DESCRIBED TO WIT:

COMMENCING AT A 5/8 INCH IRON ROD AT THE SOUTHEAST CORNER OF THE SAID SOUTHWEST QUARTER OF THE NORTHEAST QUARTER OF SECTION 3, TOWNSHIP 6 NORTH, RANGE 2 EAST OF THE BOISE-MERIDIAN; THENCE NORTH 2°04'50" EAST 168.95 FEET (FORMERLY OF RECORD NORTH 2°02' EAST 169.56 FEET) ALONG THE EAST LINE OF THE SAID SOUTHWEST QUARTER OF THE NORTHEAST QUARTER, TO A FOUND 1 INCH ROD AT THE NORTHWEST CORNER OF THE SOUTH 5 ACRES OF THE SOUTHEAST QUARTER OF THE NORTHEAST QUARTER OF SAID SECTION 3, THE INITIAL POINT OF THIS DESCRIPTION; THENCE SOUTH 89°38'10" WEST 10 FEET; THENCE NORTH 0°12'20" WEST 697.83 FEET, TO A POINT IN THE SOUTHEASTERLY RIGHT-OF-WAY LINE OF A ROAD SOMETIMES KNOWN AS HISAW ROAD; THENCE NORTH 51°02' EAST 23.87 FEET ALONG THE SAID RIGHT-OF-WAY LINE OF THE HISAW ROAD, TO A POINT IN THE SOUTHWESTERLY RIGHT-OF-WAY LINE OF A ROAD SOMETIMES KNOWN AS CLARKSON ROAD; THENCE SOUTH 36°24' EAST 31.87 FEET ALONG THE SAID RIGHT-OF-WAY LINE OF CLARKSON ROAD, TO A POINT ON THE SAID EAST LINE; THENCE SOUTH 2°04'50" WEST (FORMERLY OF RECORD SOUTH 2°02' WEST) 687.59 FEET ALONG THE SAID EAST LINE TO THE INITIAL POINT OF THIS DESCRIPTION.

MICROFILMED

SEP 24 1992

Water Right Number - 65-09543

Adj. Flag Translation: Standard Water Right Number

Old (D) Number -

+ - - - - Last Name - - - - + + - First Name - - + + - - - - - Address - - - - - +

*** C - CURRENT OWNER ***

HISAW

ROBERT

1 -

2 -

3 -

City- HORSESHOE BEND

State- ID Zip- 83629

Phone -

HISAW

HESTER L.

1 -

2 -

3 -

City- HORSESHOE BEND

State- ID Zip- 83629

Phone -

+ - - Priority Date - - + + - - - Region - - - + + - - - Stage - - - + + - - - Status - - - +
07/11/1901 14 D - DECREED+ - - - - Source - - - - + + - - - - - Tributary - - - - - +
SHAFER CREEK PAYETTE RIVER

TwN	Rng	Sec	Tract	Lot	RFlg	County
06N	02E	2	SW NW		(15)	BOISE
06N	02E	3		1	(15)	BOISE

Code	Description	Period From	Period To	Diversion Rate	Diversion Volume
01 - IRRIGATION		04/01	11/01	0.800	
04 - STOCKWATER		01/01	12/31	0.030	0.76

+ - Total Div. Rate - + + - Total Div. Volume - + + - Total Div. Capacity - +
0.830 0.76

TwN	Rng	Sec	Tract	Lot	Acres	Code	Description	County
06N	02E	2	SW NW		7.0	01	IRRIGATION	(15) BOISE
06N	02E	2	SE NW		1.0	01	IRRIGATION	(15) BOISE
06N	02E	3	NE NE	1	1.0	01	IRRIGATION	(15) BOISE
06N	02E	3	NW NE	2	1.0	01	IRRIGATION	(15) BOISE
06N	02E	3	SE NE		28.0	01	IRRIGATION	(15) BOISE

Total Acres:

40.0

36 ACRES

+ - - Diversion Means -
+ - - Non-Irrigation Use -
+ - - Other Rights for Same Use -

THIS IS MINUS
THE A PORTION
THAT MR. HISAW
STILL OWNS.
THE REMAINDER
OF THE WATER
RIGHT (B) GOES
TO MR SCYOC

MICROFILMED

SEP 24 1992

Proof Due Date	- 00/00/0000	Field Exam Made	- 00/00/0000	Field Exam Fee	-
Approved/Denied	- 00/00/0000	Protested Date	- 00/00/0000	Swan Falls	-
Proof Made Date	- 00/00/0000	Hearing Date	- 00/00/0000	Temporary Right	- P
Start Work Date	- 00/00/0000	Verified Date	- 00/00/0000	DLE/Carey Act	-
Order Show Cause	- 00/00/0000	Receipt Number	-	Water District	- 65
Licensed Date	- 00/00/0000	Appl Received	- 00/00/0000	Transfer/Amended	-
Decree Date	- 01/21/1986				

MICROFILMED
SEP 24 1992

11/09/2000

IDAHO DEPARTMENT OF WATER RESOURCES
PRELIMINARY RECOMMENDATION OF WATER RIGHTS ACQUIRED UNDER STATE LAW

RIGHT NUMBER: 65-9543B

NAME AND ADDRESS: JOHN VAN SCYOC
MICHAELE M VAN SCYOC
RT 1 BOX 47-B
HORSESHOE BEND, ID 83629

SOURCE: SHAFER CREEK TRIBUTARY: PAYETTE RIVER

QUANTITY: 0.747 CFS

THE QUANTITY OF WATER UNDER THIS RIGHT FOR
STOCKWATER USE SHALL NOT EXCEED 13,000 GALLONS PER
DAY

PRIORITY DATE: 07/11/1901

POINT OF	T06N R02E S3	LOT	NENE	Within BOISE County
DIVERSION:		1		
	T06N R02E S3		SWNW	Within BOISE County

PURPOSE AND
PERIOD OF USE:

<u>PURPOSE OF USE</u>	<u>PERIOD OF USE</u>	<u>QUANTITY</u>
IRRIGATION	04-01 11-01	0.72 CFS
STOCKWATER	01-01 12-31	0.03 CFS

PLACE OF USE:

IRRIGATION Within BOISE
County

T06N R02E	SWNW	10	T06N R02E	SENW	1
S2			S2		
T06N R02E	NENE	2	T06N R02E	SENE	23
S3			S3		

STOCKWATER Within BOISE
County

T06N R02E	SWNW	T06N R02E	SENW
S2		S2	
T06N R02E	NENE	T06N R02E	SENE
S3		S3	

36 ACRES TOTAL

OTHER PROVISIONS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:

THIS PARTIAL DECREE IS SUBJECT TO SUCH GENERAL
PROVISIONS NECESSARY FOR THE DEFINITION OF THE
RIGHTS OR FOR THE EFFICIENT ADMINISTRATION OF THE
WATER RIGHTS AS MAY BE ULTIMATELY DETERMINED BY
THE COURT AT A POINT IN TIME NO LATER THAN THE
ENTRY OF A FINAL UNIFIED DECREE. SECTION 42-
1412(6), IDAHO CODE.

THE QUANTITY OF WATER DECREED FOR THIS WATER
RIGHT FOR STOCKWATER USE IS NOT A DETERMINATION OF
HISTORICAL BENEFICIAL USE.

EXPLANATORY MATERIAL: BASIS OF CLAIM - Decreed



STOCKWATER, 30 RANGE CATTLE AND 10 HORSES

DATE: 08/03/00
PAGE: 2

C18 + NO5 + NO8

IDAHO DEPARTMENT OF WATER RESOURCES

T06N, R02E, S2 & S3



1987 NAPP PHOTO

● POINT OF DIVERSION

▬ PLACE OF USE

▬ 1/4 1/4 LINES

▬ SECTION LINES

6 ACRES

6 SECTION NUMBERS

CLAIM(S): 65-09543B

OWNER(S): VAN SCYOC, JOHN &
MICHAELE

DATE: AUGUST 4, 2000


By: Mel Schulte

0 0.25 0.5 0.75 Miles



IDAHO DEPARTMENT OF WATER RESOURCES

T06N, R02E, S2 & S3



1987 NAPP PHOTO

● POINT OF DIVERSION

▬ PLACE OF USE

▬ 1/4 1/4 LINES

▬ SECTION LINES

6 ACRES

6 SECTION NUMBERS

CLAIM(S): 65-09543B

OWNER(S): VAN SCYOC, JOHN &
MICHAELE

DATE: AUGUST 4, 2000

By: Mel Schulte

0 0.25 0.5 0.75 Miles

WR5809NP
No. 65-09543

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 08/03/00
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	ROBERT HISAW	07/11/1901	IRRIGATION	04/01 11/01	0.800 CFS	
C	HESTER L. HISAW		STOCKWATER	01/01 12/31	0.030 CFS	0.76 AFA
	HORSESHOE BEND ID 83629					
TOTAL DIVERSION:					0.830 CFS	0.76 AFA

Water Source: SHAFER CREEK

Tributary to: PAYETTE RIVER

Stage: DECREED

Point(s) of Diversion: T06N R02E S02 S03 Lot 01()

BOISE County
BOISE County

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE					
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM
06N	02E	2	:									07	01							:	8.0
06N	02E	3	:	01-03	02-01			28												:	32.0
																				TOTAL ACRES	40.0

Place of use location for STOCKWATER is the same location as described for: IRRIGATION

Pou County: BOISE

Other Water Rights with Same Point(s) of Diversion with Stage (Includes All Sources):
65-10658

Other Water Rights Listing Overlapping Place(s) of use:
65-02138 65-03789 65-05111 65-07604 65-10611 65-10612 65-11393

Dates: App. Received: Priority Date: 07/11/1901
Proof Due Date: Proof Made Date:
Exam Made Date: Exam Sent to S.O.:
Licensed Date:

Misc: Water District Number: 65 Field Exam Fee:

Audit: 04/02/86 04/30/88 CONVERT

MAR 02, 1979

PROPOSED FINDING OF WATER RIGHTS - PAYETTE RIVER DRAINAGE

PAGE 227

INDICATES TOTAL

SOURCE: SHAFER CREEK

TRIBUTARY TO: PAYETTE RIVER

RIGHT NUMBER	NAME AND ADDRESS	PRIORITY DATE	USE	USE PERIOD FROM TO	MAX AMOUNT MAX RATE	DIVERSION POINT	PLACE OF USE AND ACREAGE	BASIS FOR RIGHT
65-1317	DOUBLE DIAMOND INC. C/O DON RUMSEY, HORSESHOE BEND, IDAHO 83629 REMARKS: THIS RIGHT WHEN COMBINED WITH RIGHTS 65-2869 & 65-10748 SHALL PROVIDE NO MORE THAN .02 CFS/ACRE.	1/ 1/1870	IRRIGATION	4/ 1 11/ 1	--- AFA 1.31 CFS	NWSE S 2 T 6N R 2E	NESE(10) LOT 1(11) S34 T 7N R 2E NWSW(10) LOT 2(19) S35 T 7N R 2E *50*	BENEFICIAL USE
65-4015X	DODSON, BENJAMIN FREEMAN P. O. BOX 125, HORSESHOE BEND, IDAHO 83629	7/ 7/1882	IRRIGATION	3/15 11/15	--- AFA 1.53 CFS	SWSW S25 T 6N R 2E NWSW S25 T 6N R 2E SWNW S25 T 6N R 2E NWNW S25 T 6N R 2E NWSW S24 T 6N R 2E SWNW S24 T 6N R 2E NWNW S36 T 6N R 2E	SWNW(2) NWSW(9) SWSW(13) S24 T 6N R 2E NWNW(6) SWNW(5) NWSW(12) SWSW(3) S25 T 6N R 2E *50*	BENEFICIAL USE
			STOCKWATER	1/ 1 12/31	6.75 AFA .12 CFS *---*AFA *1.53*CFS		SAME AS OTHER USE	
65-9584	CLARKSON, SAM HORSESHOE BEND, IDAHO 83629	4/28/1891	IRRIGATION	4/ 1 11/ 1	--- AFA .04 CFS	NWSE S 2 T 6N R 2E	NESW(2) S 2 T 6N R 2E *2*	BENEFICIAL USE
65-3789	CLARKSON, SAM & CLARKSON, JAMES HORSESHOE BEND, IDAHO 83629	11/18/1899	IRRIGATION	4/ 1 11/ 1	--- AFA .97 CFS	NWSE S 2 T 6N R 2E	NWSW(7) S 2 T 6N R 2E SENE(5) NESE(18) S 3 T 6N R 2E *30*	BENEFICIAL USE
			STOCKWATER	1/ 1 12/31	2.70 AFA .08 CFS *---*AFA *1.05*CFS		SAME AS OTHER USE	
65-9543	HISAW, ROBERT E. HISAW, HESTER L. HORSESHOE BEND, IDAHO 83629	7/11/1901	IRRIGATION	4/ 1 11/ 1	--- AFA .80 CFS	SWNW S 2 T 6N R 2E LOT 1 S 3 T 6N R 2E	SWNW(7) SENW(1) S 2 T 6N R 2E SENE(28) LOT 1(3) LOT 2(1) S 3 T 6N R 2E *40*	BENEFICIAL USE
			STOCKWATER	1/ 1 12/31	.76 AFA .03 CFS *---*AFA *.93*CFS		SAME AS OTHER USE	

