

T17N R04E
S34

Idaho Department of Water Resources

Claim: 65-12309
Prepared by:
RON HOWERTON
Modified 5-4-01

 Place of use

 POD


 SECTION

 1/4 1/4

1.7 Acres



1987 NAPP



T17N R04E
S34

Idaho Department of Water Resources

Claim: 65-12309
Prepared by:
RON HOWERTON
Modified 5-4-01

 Place of use


 POD


 SECTION

 1/4 1/4



1987 NAPP







Mapped, edited, and published by the Geological Survey
in cooperation with the U. S. Forest Service

Control by USGS, NOS/NOAA, and USFS

Topography by photogrammetric methods from aerial
photographs taken 1965 and 1972. Field checked 1973


Projection and 10,000-foot grid ticks: Idaho coordinate
system, west zone (transverse Mercator)




CONTOUR INTERVAL 40 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929

65-12309-34

CASCADE 1:62 500
2773 II



Checkdam on Camp
Creek. Approx. $\frac{1}{2}$
mile SW of Paddy
Flat Forest Service
Station. Portable pump
used here.



Looking East from
checkdam. House,
trailer, and pasture
are seen
(Trailer among
trees to
right of pickup).

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM

CIVIL CASE NUMBER: 39576

Ident. Number 65-12309
Date Received: 2-21-01
Receipt No: W027384
Received By: *[Signature]*

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name of Claimant(s)

1/0r
GENE MEADOWS
815 WILLIAMS RD
EMMETT ID USA 83617

Phone: (208)365-5152

2/0r
LORRAINE MEADOWS
815 WILLIAMS RD
EMMETT ID USA 83617

Phone: (208)365-5152

3/0r
MIKE MEADOWS
815 WILLIAMS RD
EMMETT ID USA 83617

Phone: (208)365-5152

2. Date of Priority: 03/14/1980

3. Source: CAMP CREEK Trib. to: RAPID CREEK

4. Point of Diversion:

Township	Range	Section	1/4 of 1/4 of 1/4 Lot	County
17N	04E	34	SE NW	VALLEY

5. Description of diverting works:

6. Water is used for the following purposes:

Purpose	From	To	C.F.S.	(or) A.F.A
IRRIGATION	4/15	10/15	0.04	5.1
DOMESTIC	1/01	12/31	0.04	1.2

7. Total Quantity Appropriated is:
0.04 C.F.S. and/or 6.3 A.F.A.

8. Total consumptive use:

9. Non-irrigation uses:

10. Place of use:

Township	Range	Section	1/4 of 1/4	Lot	Use	Acres
17N	04E	34	SE	NW	IRRIGATION	1.7
					Section Acres	1.7
					Total Acres	1.7

11. Place of use in counties: VALLEY

12. Do you own the property listed above as place of use? ~~no~~ yes

13. Other Water Rights Used:

14. Remarks:

15. Basis of Claim: License

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication."
(b.) I/We do _____ do not ~~X~~ wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: 0

For Individuals:

I/We do solemnly swear or affirm that the statements contained in the foregoing document are true and correct.

Signature of Claimant(s): Baranne Meadows Date: 2-21-01
_____ Date: _____

State of Idaho)
County of Ada) SS.

Subscribed and sworn (or affirmed) before me this

of February 21 2001 Lori Harris

Notary Public

Residing at Boise, Idaho

My commission Expires 12-8-06



05/04/2001

IDAHO DEPARTMENT OF WATER RESOURCES
PRELIMINARY RECOMMENDATION OF WATER RIGHTS ACQUIRED UNDER STATE LAW

RIGHT NUMBER: 65-12309

NAME AND ADDRESS: GENE MEADOWS
LORRAINE MEADOWS
MIKE MEADOWS
815 WILLIAMS RD
EMMETT, ID 83617

SOURCE: CAMP CREEK TRIBUTARY: RAPID CREEK

QUANTITY: 0.04 CFS
6.3 AFY

THE QUANTITY OF WATER UNDER THIS RIGHT FOR DOMESTIC USE
SHALL NOT EXCEED 13,000 GALLONS PER DAY.

PRIORITY DATE: 03/14/1980

POINT OF DIVERSION: T17N R04E S34 SENW Within VALLEY County

PURPOSE AND
PERIOD OF USE:

<u>PURPOSE OF USE</u>	<u>PERIOD OF USE</u>	<u>QUANTITY</u>
IRRIGATION	4-15 10-15	0.04 CFS
		5.10 AFY
DOMESTIC 2 HOMES	1-01 12-31	0.04 CFS
		1.20 AFY

PLACE OF USE:

IRRIGATION Within VALLEY County
T17N R04E S34 SENW 1.7
DOMESTIC Use same as IRRIGATION
1.7 ACRES TOTAL

OTHER PROVISIONS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:

THE QUANTITY OF WATER DECREED FOR THIS WATER RIGHT FOR
DOMESTIC USE IS NOT A DETERMINATION OF HISTORICAL BENEFICIAL
USE.

THIS PARTIAL DECREE IS SUBJECT TO SUCH GENERAL PROVISIONS
NECESSARY FOR THE DEFINITION OF THE RIGHTS OR FOR THE
EFFICIENT ADMINISTRATION OF THE WATER RIGHTS AS MAY BE
ULTIMATELY DETERMINED BY THE COURT AT A POINT IN TIME NO LATER
THAN THE ENTRY OF A FINAL UNIFIED DECREE. SECTION 42-1412(6),
IDAHO CODE.

EXPLANATORY MATERIAL: BASIS OF CLAIM - License

CLAIM NO. 65 - 12309

**IDWR SUPPLEMENTAL CLAIM VERIFICATION REPORT
FOR DOCUMENTING CHANGES TO CVR**

1. ☒ NAME - No change
☐ NEW OWNER: _____
 (SUPPORTING DOCUMENTATION REQUIRED - ATTACH COPY)
☒ ADDRESS - No change
☐ NEW ADDRESS: _____

2. ☒ SOURCE - No change
☐ CHANGE - New source and/or tributary is: _____

3. ☒ QUANTITY - No change
☐ CHANGE - New amounts: _____ CFS and/or _____ AFY

4. ☒ PRIORITY DATE - No change
☐ CHANGE - Priority date to: _____
 (EVIDENCE OF PRIORITY REQUIRED - ATTACH COPY)

5. ☒ POINT OF DIVERSION - No Change
☐ CHANGE - New point of diversion is: T _____, R _____, S _____, _____ 1/4, _____ 1/4, _____ 1/4
 T _____, R _____, S _____, _____ 1/4, _____ 1/4, _____ 1/4
 (LOCATION OF POD(S) SHOULD BE SHOWN ON MAP)

6. ☒ PURPOSE AND PERIOD OF USE - No change
☐ CHANGE New purpose of use _____ New period of use _____ New amount(s) _____
 _____ from _____ to _____ cfs _____ af
 _____ from _____ to _____ cfs _____ af
 _____ from _____ to _____ cfs _____ af

7. ☒ PLACE OF USE - No change
☐ CHANGE New place(s) of use: (LOCATION(S) AND ACRES SHOULD ALSO BE SHOWN ON MAP)

T	R	S	N E				N W				S W				S E				TOTAL
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	

REMARKS DOMESTIC - 2 HOMES

CONDITIONS C18 E N10 - N12
Ron Howerton

Reviewer Sr Water Agent Date 5-4-01

WR5809NP
No. 65-12309

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 05/04/01
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	MIKE MEADOWS	03/14/1980	IRRIGATION	04/15 10/15	0.040 CFS	5.10 AFA
C	GENE MEADOWS		DOMESTIC	01/01 12/31	0.040 CFS	1.20 AFA
C	LORRAINE MEADOWS					
	815 WILLIAMS RD			TOTAL DIVERSION:	0.040 CFS	6.30 AFA
	EMMETT ID 83617					
	(208) 365-5152					

Water Source: CAMP CREEK

Tributary to: RAPID CREEK

Stage: LICENSE

Point(s) of Diversion Capacity: 0.070 CFS

Point(s) of Diversion: T17N R04E S34 SENW VALLEY County

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE					
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM
---	---	---	:	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	:	---
17N	04E	34	:																	:	1.7
																				TOTAL ACRES	1.7

Place of use location for DOMESTIC is the same location as described for: IRRIGATION

Pou County: VALLEY

Conditions of Approval:

- R04 - Use of water under this water right will be regulated by the
- watermaster of State Water District No. 65.

Remarks: GEN Domestic use is for 2 homes.

Dates: App. Received: 03/11/1980 Priority Date: 03/14/1980 (Priority Date Advanced.)
Proof Due Date: 06/01/1985 Proof Made Date: 06/04/1985 (Proof Received Late.)
Exam Made Date: 09/01/1987 Exam Sent to S.O.:
Licensed Date: 02/17/1989

Misc: Water District Number: 65 Field Exam Fee: N (Not Required)

Audit: 11/07/88 CURTIS 12/06/88 CURTIS 11/20/00 KTOWNSEN

C18

**T17N R04E
S34**

Idaho Department of Water Resources

**Claim: 65-12309
Prepared by:
RON HOWERTON
Modified 5-4-01**


 **Place of use**

 **POD**


 **SECTION**

 **1/4 1/4**

1.7 Acres



1987 NAPP



**T17N R04E
S34**

Idaho Department of Water Resources


**Claim: 65-12309
Prepared by:
RON HOWERTON
Modified 5-4-01**

 **Place of use**


 **POD**

 **SECTION**


 **1/4 1/4**



1987 NAPP



State of Idaho
Department of Water Resources



WATER RIGHT LICENSE

WATER RIGHT NO. 65-12309

Department of Water Resources
Western Area Office
6.3 AFA

Priority: March 14, 1980 Amount: 0.04 CFS

This is to certify, that EUGENE GEIGER
DANN GEIGER
ALICE GEIGER

RT. 1 BOX 72

MC CALL, ID 83638

has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated March 11, 1980, and has submitted proof to the Department of Water Resources on June 4, 1985, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of .070 cfs of water from:

CAMP CREEK tributary to RAPID CREEK

source and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
IRRIGATION	04/15 to 10/15	0.04 CFS	5.1 AFA
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AFA
	Totals	0.04 CFS	6.3 AFA

LOCATION OF POINT OF DIVERSION(S):

SENEW, Sec. 34, Township 17N, Range 04E
VALLEY County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
17N	04E	34	SENEW	1.7		1.7

Total number of acres irrigated: 1.7

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The right to the use of water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE
WATER RIGHT NO. 65-12309

CONDITIONS/REMARKS:

4. Use of water under this water right is subject to control by the watermaster of State Water District No. 65
5. Domestic use is for 2 homes.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 17th
day of FEBRUARY, 1989.

Acting for the Director



Staff Analysis Sheet
for
Beneficial Use Field Report

65-12309
Permit No.

Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
☒ Copy of Permit
☒ Copies of any Amendments
☐ Computer Data Proof Report
☒ Copy of U.S.G.S. Quad
☒ ^{check of Govt. Lots} Check of P/D index BD 9/25/86 (Initials, date)

SE NW Sec. 34
17 N 4 E

Overlap? ☐ yes ☒ no ☐ If yes, copy attached?

Check of P/U index BD 9/25/86 (Initials, date)

Overlap? ☐ yes ☒ no ☐ If yes, copy attached?

Aerial Photo

Required? ☐ yes ☒ no ☐ If yes, copy attached?

Scheduling Letter sent? NY 7-23-87 (Initials, date)

☒ Appointment made and telephone conversation memo attached?

After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
☒ Photographs of Point of Diversion and Place of Use
☐ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

Review and Processing

Exam Completed Steven Lester 9/1/87 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent BD 1/11/88 (Initial and date)

Exam Reviewed by Manager of Regional Office Don 1/10/88 (Initial and date)

Exam Date Entered in Computer ✓ (Initial and date)

Exam sent to State Office Q 2/2/88 (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original Refiled in White File _____ (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 65-12309

1. Owner: Eugene and/or Dawn and/or Alice Gerga

Phone No. NONE

Current Address: R.R. 1 Box 72 McCall ID 83638

2. Accompanied by: NO ONE AVAILABLE

EXAM. DATE: 9/1/87

Address: —

Phone No. —

Relationship to Permit Holder: —

3. Source: Camp Creek tributary to Rapid Creek

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE

☐ Copies Attached


2. Other water rights with same point of diversion: NONE

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NOT TO SCALE

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
NONE						

2. Measurements:

NONE POSSIBLE, PORTABLE PUMP SYSTEM NOT ON SITE.						
DETERMINING ACRES:						
AREA APPROXIMATES						$A_1 = \frac{1}{2}bh = (\frac{1}{2})(210)(320) = 33600 \text{ ft}^2$
A RECTANGLE AND						$A_2 = bh = (120)(320) = 38400 \text{ ft}^2$
RT. TRIANGLE						TOTAL = 72000 ft^2
						$\frac{72000}{43560} = 1.65 = 1.7 \text{ Ac.}$

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: NONE AVAILABLE BUT TOTAL RIGHT LIMITED TO .04 cfs (NO FEE SUBMITTED).
FOR IRRIGATION, ASSUME .03 cfs/acre x 1.7 AC = .05 cfs, RESTRICT TO .04 cfs.

2. Alternate Method for Checking Purposes:

ASSUME PSI = 20 (SMALL SYSTEM, MORE OR LESS DOMESTIC OPERATION)
 $\frac{2}{5} = \frac{5}{8}$

$$Q = \frac{(8.8)(.8)(.5)}{(2.31 \times 20) + 5} = \frac{3.52}{46.6} = .07 \text{ cfs}$$

F. PUMP EFFICIENCY DATA (Optional) N/A

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (1.7)(3.0) = 5.1$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (.04 \times 214) \times (1.9835) = 17.0$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 5.1$$

2. Volume Calculations for Other Uses:

Domestic, 2 units, int. only

$$2 \times .6 = 1.2$$

System Description (continued)

on Camp Creek

3. Narrative: Description (As operating) at time of measurement. Indicate pressure, number of sprinklers, etc.)

A small checkdam allows placement of a portable pump to provide irrigation and domestic use. Two homes are present and approx. 2 acres of lawn/pasture are found. A single hose applies water to the described use on Paddy Flat Ranch Subdiv, Lot 17.

See my letter of 12/16/87 and Geiger's response of 12/26/87. Note that creek is not diverted into ditches to irrigate directly.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Portable system	1/2	Unknown Brand		No #'s; 5/8" hose for delivery

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE	NW	34	17N	4E	1/4 Hwy	USGS 7 1/2' Quad

6. Place(s) of Use:

Indicate Method of Determination USGS 7 1/2' Quad

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
17N	4E	34								1.7									1.7
										D									-

Do not use this space

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Change nature of use to include domestic with associated period of use.

Lockable device requirement should be removed since this area is not in a water district.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	4/1	11/1	.04	5.1
Domestic	1/1	12/31	.04	1.2
Totals:			.04	6.3

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☒ Other

change nature of use

J. AUTHENTICATION

Field Examiner's Name

Steve Lester

Signature

Steve Lester

Certification Date

BD

1/11/88


Field Report Preparation Date

9/1/87

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.







Mapped, edited, and published by the Geological Survey
in cooperation with the U. S. Forest Service

Control by USGS, NOS/NOAA, and USFS

Topography by photogrammetric methods from aerial
photographs taken 1965 and 1972 Field checked 1973

Projection and 10,000 foot grid ticks. Idaho coordinate
system, west zone (transverse Mercator)



CONTOUR INTERVAL 40 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929

65-12309-34

RECEIVED
DEC 30 1987

Department of Water Resources
Western Regional Office

26 Dec. 87
6600 Peppermint Dr.
Reno, NV. 89506

Dept. of Water Resources

Re: Permint #65-12309

Sir;

In regard to your letter of 16 Dec. 87.

The questions you have starting with paragraph two (2), No sign of pump, sprinklers, valves, etc.

Our system is totally portable for a number of reasons.

- A) Due to a deep frost line we have not placed a permint line in the ground.
- B) When we are gone, we remove the pump, hose, and power cord.

This is so we will not have these items stolen, our shot at.

- C) System is removed during spring floods, so that it won't float off.

Yes sir the ditch system is very old. Most likely this was placed in the mid 20's

by the Loomis family. We do not use this system, only during spring run off is it used.

Questions in paragraph Three (3) Water delivery system.

We are using a ditch pump for delivery.

- A) 1/2 HP. - 110 V AC
- B) 1 1/2" inlet / Reduced too 5/8" outlet
- C) Brand name - Unknowned
- D) Pump has about 8" dia. impeller
- E) Using a 5/8" id. garden hose for delivery, (about 350' long)

*Runoff flowing
towards creek; creek
water is not used in
ditches.*

With this system we deliver water too the house, and also the water can cover the lawn, with a sprinkler attached too the hose.

The pump is mounted on a rough cut 2"x12"x20' plank. This is then layed out on the up side of the checkdam too draw water.

I would like to close with the following thoughts,

- A) We are not in residents at this time, do too sickness with in the famly.
The heading adress is temporary, please use the McCall address.
WE should be home in June of 88.
- B) This fileing was only too keep outhers from closeing or deverting the water. Our use of the water has been domestic, Iam sorry we've had you go through so much troble over so little and amount of water.

Eugene Geiger

NOT 50 - some thing occurs,

Although it's for large

*lawn/pasture that could
be assumed to be domestic in nature*

*Eugene Geiger
5-12/3/87*



State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

CECIL D. ANDRUS
Governor

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

R. KEITH HIGGINSON
Director

Alice, Dann, or Eugene Geiger
R.R. 1, Box 72
McCall, ID. 83638
Re: Permit 65-12309

Dec. 16, 1987

Dear Geigers:

On Sept. 1, 1987 I visited your property on Camp Creek to conduct a field exam of the above water right permit. The permit is for irrigation using water from the creek. The exam fee sheet that you submitted in September of last year describes domestic use for three households and irrigation of 4.9 acres, with a total diversion of 0.04 cubic feet per second. It is possible to change a water right to include other uses as in your case.


However, my examination produced some questions. I found no signs of pumps, pipes, hoses, valves, sprinkler equipment, and so forth. I did locate a checkdam on the creek about midway along the property line. Also, several ditches were noted crisscrossing the acreage. The ditches appeared somewhat old and run uphill from the creek. No evidence could be found to verify gravity flow irrigation from the creek through ditches to the acres; ditch patterns were incomplete and did not lead to one or more points of diversion from the creek.

I need more information from you to understand how domestic and irrigation water is delivered and used. If any pumps or other such equipment are involved, please include brand names, horsepower, size of intake and outflow lines, and a short description of how you irrigate and provide domestic water.


Please respond within 30 days to avoid jeopardizing your water right. With adequate information the Permit can be advanced to a License as required by Idaho statutes. Please contact me at this office if I can help you.

Sincerely,

Steve Lester
Water Resource Agent



Checkdam on Camp
Creek. Approx. 1/2
mile SW of Paddy
Flat Forest Service
Station. Portable pump
used here.



Looking East from
checkdam. Houses,
trailer, and pasture
are seen
(Trailer among trees to
right of picture).