



IDAHO DEPARTMENT OF WATER RESOURCES

T09N, R05W, S26



1987 NAPP PHOTO

● POINT OF DIVERSION

□ PLACE OF USE

□ 1/4 1/4 LINES

□ SECTION LINES

6 ACRES

6 SECTION NUMBERS

CLAIM(S): 65-12687

OWNER(S): KING



DATE: DECEMBER 20, 2000

By: Mel Schulte



IDAHO DEPARTMENT OF WATER RESOURCES

T09N, R05W, S26



1987 NAPP PHOTO

● POINT OF DIVERSION

▭ PLACE OF USE

▭ 1/4 1/4 LINES

▭ SECTION LINES

6 ACRES

6 SECTION NUMBERS


CLAIM(S): 65-12687

OWNER(S): KING

DATE: DECEMBER 20, 2000

By: Mel Schulte

0 0.25 0.5 0.75 1 Miles



\$59

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

RECEIVED
APR 17 1990

Ident. Number: A65-12687
Date Received: ~~4/13/1990~~ 4/17/90
Receipt No: WCC-32078
Received By: _____

Department of Water Resources
Western Regional Office

**NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW**

1. Name: ROBERT E. KING 208-642-3811
Address: 2610 N.E. 19TH AVE.
PAYETTE, ID 83661

OR

Name: PAT R. KING 208-642-3811
Address: 2610 N.E. 19TH AVE.
PAYETTE, ID 83661

2. Date of Priority: JUL 06, 1983

3. Source: GROUNDWATER Trib. to:

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4	Lot	County
09N	05W	26	SE	NE			PAYETTE

5. Description of diverting works:
WELL, 8" CSING, 10 HP MOTOR, 3" MAIN PIPE, SPRINKLERS

6. Water is used for the following purposes:

Purpose	From	To	C.F.S.	(or)	A.F.A.
IRRIGATION	05/01	10/31	0.150		

7. Total Quantity Appropriated is:
0.150 C.F.S. (and/or) A.F.A.

8. Total consumptive use is 31.5 Acre Feet Per Annum.

9. Non-irrigation uses:

A65-12687

Page 1

Date: 04/13/90

MICROFILMED
SEP 24 1992

10. Place of Use:

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
09N	05W	26	SE	NE		IRR	9.0
Section Acres							9.0
Total Acres							9.0

11. Place of use in counties: PAYETTE

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:
NONE

14. Remarks:

15. Basis of Claim: LICENSE

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do _____ do not _____ wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: _____

For Individuals:

I/We do solemnly swear or affirm that the statements contained in the foregoing document are true and correct.

Signature of Claimant(s): X Robert E. King Date: X 4-13-90

Date: _____

State of Idaho)
County of Payette) SS.

Subscribed and sworn (or affirmed) before me this 13th day
of April 1990
Helen Harrington
Notary Public

Seal

Residing at Helen Harrington, Notary Public
Residing at _____
My Commission Expires My Commission Expires _____



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

May 4, 2001

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

Dear Basin 65 water user

This letter is to inform you that you may be eligible to file a stockwater claim with the Idaho Department of Water Resources (IDWR) in connection with the Snake River Basin Adjudication (SRBA). IDWR is sending this letter to water users in Basin 65 who might have relied upon the non-irrigation season stockwater provision in the Payette Adjudication. This provision states:

"When stockwater is not a specifically mentioned use for a right that includes irrigation, a reasonable flow is implied and included for the watering of livestock during the non-irrigation season."

In another basin, the Idaho Supreme Court struck down general provisions that contained similar language. The non-irrigation season stockwater language quoted above was not included in the General Provisions for Basin 65 because of the Idaho Supreme Court's ruling.

IDWR recognizes that in reliance on the non-irrigation season stockwater language in the Payette Adjudication, water users might not have filed stockwater claims in the SRBA to cover the non-irrigation season period. Individuals who historically watered livestock during the non-irrigation season without a separate stockwater claim might desire to file a new stockwater claim with IDWR.

To be eligible for a new non-irrigation season stockwater claim:

1. You must have actually and historically watered livestock during the non-irrigation season without a separate stockwater right.
2. You must have filed a surface water irrigation claim in both the Payette Adjudication and the SRBA.
3. You must not have filed a stockwater claim with the surface water irrigation claim.

If you meet these three requirements, you may file a Notice of Claim form for stockwater with IDWR. **To have a timely filing you must file this claim with IDWR by May 25, 2001.** IDWR will waive filing fees for these stockwater claims if filed before this deadline. Failure to file your claim in a timely manner may prevent you from claiming it in the future. Notice of Claim forms are available on IDWR's website at www.idwr.state.id.us/info/water/srba/forms.htm or from any IDWR office. Claimants can call IDWR, Western Region at (208) 334-2190 to make an appointment if they need assistance filling out a Notice of Claim form.

Sincerely,

David R. Tuthill, Jr., P.E.
Adjudication Bureau Chief

12/20/2000

IDAHO DEPARTMENT OF WATER RESOURCES
PRELIMINARY RECOMMENDATION OF WATER RIGHTS ACQUIRED UNDER STATE LAW

RIGHT NUMBER: 65-12687

NAME AND ADDRESS: PAT R KING
ROBERT E KING
2610 NE 19TH AVE
PAYETTE, ID 83661

SOURCE: GROUND WATER

QUANTITY: 0.15 CFS
40.5 AFY

PRIORITY DATE: 07/06/1983

POINT OF DIVERSION: T09N R05W S26 SENE Within PAYETTE County

PURPOSE AND
PERIOD OF USE:

<u>PURPOSE OF USE</u>	<u>PERIOD OF USE</u>	<u>QUANTITY</u>
IRRIGATION	05-01 10-31	0.15 CFS 40.50 AFY

PLACE OF USE:

IRRIGATION Within PAYETTE County
T09N R05W S26 SENE 9

9 ACRES TOTAL

OTHER PROVISIONS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:

THIS PARTIAL DECREE IS SUBJECT TO SUCH GENERAL PROVISIONS
NECESSARY FOR THE DEFINITION OF THE RIGHTS OR FOR THE
EFFICIENT ADMINISTRATION OF THE WATER RIGHTS AS MAY BE
ULTIMATELY DETERMINED BY THE COURT AT A POINT IN TIME NO LATER
THAN THE ENTRY OF A FINAL UNIFIED DECREE. SECTION 42-1412(6),
IDAHO CODE.

EXPLANATORY MATERIAL: BASIS OF CLAIM - License

AJ5809NP
No. A65-12687

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT

DATE: 12/12/00
PAGE: 6

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	ROBERT E KING	07/06/1983	IRRIGATION	05-01 10-31	0.150 CFS	
C	PAT R KING					
	2610 NE 19TH AVE					
	PAYETTE ID 83661					
	(208) 642-3811					
				TOTAL DIVERSION:	0.150 CFS	
				~~CONSUMPTIVE USE:~~		~~34.50 AFA~~

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion:

T09N R05W S26

SENE

PAYETTE County

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE					
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM
09N	05W	26	:																	:	9.0
																				TOTAL ACRES	9.0

POU County: PAYETTE

Other Rights: NONE

Dates: Exam Made Date:

Verified Date:

Objection Filed Date:

Misc: Water District Number:

Field Inspection Flag:
Presumption Flag:

Audit: 04/18/90 MOBILE4 03/30/95 POST-STD

C18

WR5809NP
No. 65-12687

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 01/11/00
PAGE: 60

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	ROBERT E. KING	08/12/1983	IRRIGATION	05/01 10/31	0.150 CFS	40.50 AFA
C	PAT R. KING					
	RT. 1 BOX 265A					
	PAYETTE ID 83661					
TOTAL DIVERSION:					0.150 CFS	40.50 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.150 CFS

Point(s) of Diversion: T09N R05W S26 SENE

PAYETTE County

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE					
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM
09N	05W	26	:																	:	9.0
																				TOTAL ACRES	9.0

Pou County: PAYETTE

Other Water Rights Listing Overlapping Place(s) of use:

65-07189 65-07892

Dates:	App. Received:	07/06/1983	Priority Date:	08/12/1983
	Proof Due Date:	01/01/1985	Proof Made Date:	04/23/1984
	Exam Made Date:	07/21/1987	Exam Sent to S.O.:	
	Licensed Date:	03/09/1989		

Misc: Water District Number: Field Exam Fee: R (Received)

IDWR - WESTERN REGION

CONTRACTOR: Karan Waters

CLAIM #: 65-12687 Date: 1-19-00

Overlapping POU Claim #'s: _____

	TNS	RNG	SEC	NE				NW				SW				SE				Sum
				NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
Claim	9N	5W	26				9													9
GIS							9													9
Claim																				
GIS																				
Claim																				
GIS																				
Claim																				
GIS																				

POU_ID #(s): 170

POD_ID #(s): 117

Total Claimed Acres: 9


Total GIS Acres: 9

COMMENTS:

*No copy of license at the time of creating this claim.
POD placed randomly.
claim located per County Tax data*

IDAHO DEPARTMENT OF WATER RESOURCES

T09N, R05W, S26



1987 NAPP PHOTO

● POINT OF DIVERSION

▭ PLACE OF USE

1/4 1/4 LINES

▭ SECTION LINES

6 ACRES

6 SECTION NUMBERS

CLAIM(S): 65-12687

OWNER(S): KING


DATE: DECEMBER 20, 2000

By: Mel Schulte

0 0.25 0.5 0.75 1 Miles

IDAHO DEPARTMENT OF WATER RESOURCES

T09N, R05W, S26



1987 NAPP PHOTO

● POINT OF DIVERSION

▬ PLACE OF USE

1/4 1/4 LINES

▬ SECTION LINES

6 ACRES

6 SECTION NUMBERS

CLAIM(S): 65-12687

OWNER(S): KING

DATE: DECEMBER 20, 2000

By: Mel Schulte

0 0.25 0.5 0.75 1 Miles



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-12687

Priority: August 12, 1983 Amount: 0.15 CFS 40.5 AFA

This is to certify, that ROBERT E. KING
PAT R. KING

RT. 1 BOX 265A
PAYETTE, ID 83661

has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated July 6, 1983, and has submitted proof to the Department of Water Resources on April 23, 1984, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of .150 cfs of water from a **GROUNDWATER** source and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
IRRIGATION	05/01 to 10/31	0.15 CFS	40.5 AFA

LOCATION OF POINT OF DIVERSION(S): SENE, Sec. 26, Township 09N, Range 05W
PAYETTE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
09N	05W	26	SENE	9		9

Total number of acres irrigated: 9

CONDITIONS/REMARKS:

1. The right to the use of water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 9th day of MARCH, 1989.

Acting for the Director

MICROFILMED

MAR 16 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


1. Owner: ROBERT E. & JOE P. T. ENL Permit No. 65-12687
Current Address: 21010 NORTH EAST 19th AVE PALETTE IDAHO 83661 Phone No. 642-281
2. Accompanied by: ROBERT T. KING EXAM. DATE: 7-21-87
Address: SAME Phone No. _____
Relationship to Permit Holder: _____
3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 65-7892² 65-7189²²⁻⁴², NEIGHBORS IN
SAME 1/4 1/4 ☒ Copies Attached
2. Other water rights with same point of diversion. SAME
☒ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MAR 16 1989

Scale: 1" $\approx$ 1 FT

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☒ Aerial Photo Attached
(required for irrigation of 10 acres or more)
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

8" CASING WITH 7' PLASTIC INNER LINER DOWN ~~200~~ 450 FT
 Pump at ~~150~~ 20 FT WITH 2" DISCHARGE PIPE BERKELEY
 PUMP.
 OWNER SAYS THAT STATIC WATER LEVEL WAS 153
 FT.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	E	10		~~BERKELEY~~	
				BERKELEY	
+ OTHER INFO. UNKNOWN.					

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SE	SE	NE	26	9N	SW	PAYETTE	USGS QUAD + AERIAL PHOTO

6. Place(s) of Use:

Indicate Method of Determination AERIAL PHOTO

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
9N	SW	26				9													9

Do not use this space

ENCLOSURE

MAR 16 1989

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
PRESSURE GAUGE						
(PISTON END)						

2. Measurements:

21 HEADS WITH 30 PSI WITH NELSON HEADS
WITH 7/64 NOZZLES ≈ 67.0 G.P.M. $\approx .15$ cfs

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$10 \text{ HP} \times 8.8 \times .8 = \frac{70.4}{(231 \times 30) + 160} = .307 \text{ cfs} \approx .15 \text{ cfs}$$

O.K. ✓

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: 30 psi x 2.31 = 69.3 ft (1); Dynamic pumping level: _____ ft (2)
Total Head: (1) + (2) = 139.3 (3) : Flow rate: .15 cfs (4)

Water HP: (3) x (4) ÷ 8.8 = 2.37 (5)

Meter Input KW: 3.6 x 28.8 KH x _____ CTR or _____ MULT x _____ PTR x 1 N/ 11 T = 94 (6)

Meter Input HP: (6) x 1.34 = 12.6 (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = 18 %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation.

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 9 \times 4.5 = 40.5 \text{ afa}$ 54.

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .15 \times 184 \text{ days} \times 1.98 = 54.2$

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 40.5 \text{ afa}$

2. Volume Calculations for Other Uses:

MICROFILMED

16 1989

H. REMARKS AND OVERLAP REVIEW ANALYSIS

* THE AMT I AM RECOMMENDING IS
WHAT I MEASURED THROUGH THE SPRINKLES.
~~IF~~ IT IS LESS THAN WHAT HE ~~APPLIED~~ FOR
IS ALLOWED BY .03 cfs.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	5/1	10/31	.15 cfs	40.5 afa
Totals:			.15 cfs	40.5 afa

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION


Field Examiner's Name QUENTIN NESBITT
Signature Quentin Nesbitt
Certification Date _____
Field Report Preparation Date 8-11-87


CONSULTANT SEAL

- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

MAR 16 1989





NOT TO SCALE