

NOTICE OF ERROR
REPLY

02/18/2003

Allen
RECEIVED
APR 09 2003
Department of Water Resources
Eastern Region

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: April 21, 2003

Water right number: 29-328A

KENNETH M WILLIAMS
26132 S DOWNATA RD
DOWNEY ID 83234
Telephone Number: (208)897-5718

DONNA B WILLIAMS
26132 S DOWNATA RD
DOWNEY ID 83234
Telephone Number: (208)897-5718

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

X I AGREE with this proposed recommendation: no changes need to be made.

DATE: FEB 22-2003 SIGNATURE: Kenneth M. & Donna B. Williams
Please print your name: KENNETH M. & DONNA B WILLIAMS

IDWR Regional Office, 900 N Skyline Dr Ste A, Idaho Falls, ID 83402, 2085257161

1/4 06 1/6