

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: October 28, 2005

Water right number: 74-15611

JOHN STEPHENSON
8 STEPHENSON LN
SALMON ID 83467
Telephone Number: (208)756-4109

MARY STEPHENSON
7 STEPHENSON LN
SALMON ID 83467
Telephone Number: (208)756-4109

GORDON STEPHENSON
8 STEPHENSON LN
SALMON ID 83467
Telephone Number: (208)756-4109

CORAL STEPHENSON
8 STEPHENSON LN
SALMON ID 83467
Telephone Number: (208)756-4109

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):
2. Describe the changes you wish to make in the proposed recommendation:
owner has changed
3. Give a brief explanation as to why you disagree with these portions:

 I AGREE with this proposed recommendation: no changes need to be made.

DATE:

Oct 26-05

SIGNATURE:

Mary J. Stephenson

Please print your name:

MARY STEPHENSON

IDWR State Office, 322 E. Front St., Boise, ID 83707