

02/08/2003

NOTICE OF ERROR
REPLY

Dave

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: April 21, 2003

Water right number: 29-401

LLOYD L ARMSTRONG
892 E WINDSOR LN
BOUNTIFUL UT 84010
Telephone Number: (801) 299-1118

LA RUE ARMSTRONG
892 E WINDSOR LN
BOUNTIFUL UT 84010
Telephone Number: (801) 299-1118

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):
2. Describe the changes you wish to make in the proposed recommendation:
3. Give a brief explanation as to why you disagree with these portions:

As far as I know - I agree - Lloyd has had a stroke & can't talk.

I AGREE with this proposed recommendation: no changes need to be made.

DATE: 3-20-03

SIGNATURE: *Lloyd L. Armstrong*

Please print your name: Lloyd L. LaRue Armstrong

IDWR Regional Office, 900 N Skyline Dr Ste A, Idaho Falls, ID 83402, 2085257161