

08/16/2005

**NOTICE OF ERROR
REPLY**

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS:

Water right number: 21-12381

ROBERT DOTSON
6158 162ND PL SE
BELLEVUE WA 98006
Telephone Number: (425)829-1318


KELLI DOTSON
6158 162ND PL SE
BELLEVUE WA 98006
Telephone Number: (425)829-1318

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

~~I~~ I AGREE with this proposed recommendation: no changes need to be made.

DATE: Sept 24, 2005SIGNATURE: Please print your name: Robert Dotson

----- IDWR Regional Office, 900 N Skyline Dr Ste A, Idaho Falls, ID 83402, 2085257161 ..

Received Time Nov. 16. 9:35AM

08/16/2005

IDaho DEPARTMENT OF WATER RESOURCES
PRELIMINARY RECOMMENDATION OF WATER RIGHTS ACQUIRED UNDER STATE LAW

RIGHT NUMBER: 21-12381
NAME AND ADDRESS: ROBERT DOTSON
6158 162ND PL SE
BELLEVUE WA 98006

KELLI DOTSON
6158 162ND PL SE
BELLEVUE WA 98006

SOURCE: COLEMAN CREEK

TRIBUTARY: SNAKE RIVER

QUANTITY:

8.00 AFY

20.00 AF

PRIORITY DATE: 08/01/1931

POINT OF DIVERSION:

T09N R43E S18 SWNESE Within FREMONT County

PURPOSE AND
PERIOD OF USE:PURPOSE OF USEPERIOD OF USEQUANTITY

RECREATION STORAGE

01/01 12/31

8.00 AFY

20.00 AF

PLACE OF USE:

RECREATION STORAGE Within FREMONT County

T09N R43E S18

NESE

OTHER PROVISIONS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:

This partial decree is subject to such general provisions necessary for the definition of the rights or for the efficient administration of the water rights as may be ultimately determined by the Court at a point in time no later than the entry of a final unified decree. Section 42-1412(6), Idaho Code.

EXPLANATORY MATERIAL: BASIS OF CLAIM - Beneficial Use

Received Time Nov. 16. 9:35AM

CERTIFIED MAIL



7004 2870 0003 0633 0706

Robert J. Johnson

RETURN TO SENDER
PROPER USE OF BUSINESS REPLY

BUSINESS REPLY

BOISE ID

POSTAGE WILL BE PAID BY ADDRESSEE


RETURNED TO POSTMASTER
OFFICE SHOWN IN METER LICENSE
FOR RETURN TO METER LICENSEE

STATE OF IDAHO
IDAHO DEPARTMENT OF WATER RESOURCES
PO BOX 83720
BOISE ID 83707-9815

EASTERN



83720+9815



**OSPREY RIDGE**
RANCH**FAX****Date** 11/16/2005**Number of pages including cover sheet****TO:** Ryan Mikesell**Fax:** 208-525-7177
Phone:**FROM:** Robert Dotson
(by Terrie Wilson)**Phone** 425-644-6861
Fax Phone 425-644-6861**Regarding:** Notice of Error Reply**REMARKS:**☐ Urgent☐ For your review☐ Reply ASAP☐ Please Comment

This Notice of Error Reply was "returned to sender", despite having been sent in the envelope provided by the Department of Water Resources. Thank you for your consideration of this unforeseen circumstance that has caused the reply to come to your attention past the stated deadline.

Sincerely,

Robert Dotson

CONFIDENTIAL

Received Time Nov. 16. 9:35AM

October 3, 2005

State of Idaho
Department of Water Resources
322 East Front Street
P.O. Box 83720
Boise, Idaho 83720-0098

To Department of Water Resources:

This letter is in response to the "Notice of Error Reply" submission that was sent to Robert & Kelli Dotson dated 8/16/2005.

Water Right number: 21-12381

Robert & Kelli Dotson
6158 162nd PL SE
Bellevue, WA 98006
425.644.7797

There is one portion of the recommended submission that we would like corrected—Annual Volume. The original Adjudication Claim Report submission initiated by the original owner Karen Lords (number 21-12381), and subsequently transferred under the Dotson's name, stated the annual volume as "20.00 AF". The IDWR preliminary recommendation is for 8.00 AFY.

Given that the pond which has been in existence since 1931 is approximately 6 acres in surface area and 8-10 feet deep the 8.00 AFY will clearly not be enough water to keep it filled through the summer months. (In the Adjudication Claim Report it is also noted that the pond is partially filled by snow melt in the Spring, hence, the difference in the total AF request).

Therefore, we would again propose that the claim of 20.00 AF be reinstated in the submission to the courts.

Sincerely,



Robert Dotson

cc: Doug Lawrence

Received Time Nov. 16. 9:35AM