

10/17/2005

**NOTICE OF ERROR
REPLY**

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS:

Water right number: 21-12949

JOHN R F TOENJES
PO BOX 918
ASHTON ID 83420
Telephone Number: (208)652-3399

PAULA L TOENJES
PO BOX 918
ASHTON ID 83420
Telephone Number: (208)652-3399

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

X I AGREE with this proposed recommendation: no changes need to be made.

DATE:

11/3/05

SIGNATURE:

[Handwritten signatures of John R. F. Toenjes and Paula Toenjes]

Please print your name:

John R. F. Toenjes Paula Toenjes

IDWR Regional Office, 900 N Skyline Dr Ste A, Idaho Falls, ID 83402, 2085257161

RECEIVED
NOV 16 2005
Department of Water Resources
Eastern Region

KMS
11/16