



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190

FAX (208) 334-2348

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

January 2, 2003

TERRY SCANLIN
SCANLIN ENGINEERING
600 E RIVER PARK LN
BOISE ID 83706

RE: Snake River Basin Adjudication (SRBA) recommendation for 29-00604A

Dear Mr. Scanlin,

Enclosed is information regarding how I came to a recommendation for 29-00604A. A paper claim verification report is no longer available, however I am enclosing a copy of the computer generated list of questions that are answered during a review. I am sending a copy of a spread sheet and memo that should help you see how the recommendation for 29-00604A was reached.

Note that 14 acres of irrigated ground was found on Mr. Wells property. The decreed diversion rate for right 29-00604 was then proportioned and divided among the other users of right 29-00604.

Please note that this recommendation is NOT FINALIZED. The preliminary Directors Report will be sent to the Basin 29 water users in the next couple of months. Any new information gained within that time could affect the recommendation. But at this time, I feel this is the recommendation that will be submitted to the SRBA court.

Please feel free to contact me if you have any questions.

Respectfully submitted,

Craig L. Saxton
Sr. Water Resource Agent
Adjudication Bureau