

11/08/2005

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS:

Water right number: 21-7084

DEAN SCHWENDIMAN & SONS INC
PO BOX 57

NEWDALE ID 83436

Telephone Number: (208)458-4314

RECEIVED
DEC 19 2005

Department of Water Resources
Eastern Region

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

Quantity of water, acres served is not correct.

2. Describe the changes you wish to make in the proposed recommendation:

We are pumping double the volume of water as shown on the recommendation. More acres than shown are served by this source.

3. Give a brief explanation as to why you disagree with these portions:

We have been trying for some time to get this corrected, a field examination was done about 4 or 5 years ago, but I've never been able to find out the results.

☐ I AGREE with this proposed recommendation: no changes need to be made.

DATE: Dec. 9, 2005 SIGNATURE: Dean Schwendiman

Please print your name: Dean Schwendiman

IDWR Regional Office, 900 N Skyline Dr Ste A, Idaho Falls, ID 83402, 2085257161