

02/08/2003

Allen

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: April 21, 2003

Water right number: 29-2261

WAYNE AVERY
8888 SUNNYSIDE RD
LAVA HOT SPRINGS ID 83246

PATRICIA AVERY
8888 SUNNYSIDE RD
LAVA HOT SPRINGS ID 83246

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

Quantity 0.080 CFS

2. Describe the changes you wish to make in the proposed recommendation:

Add Stockwater 0.020 CFS
Quantity 0.100 CFS

3. Give a brief explanation as to why you disagree with these portions:

Original Claim lists Stockwater of the above amount. This is our oldest water right and we want it to remain as the original.

I AGREE with this proposed recommendation: no changes need to be made.

DATE: 3-3-03 SIGNATURE: Wayne Avery Patricia Avery
Please print your name: Wayne Avery & Patricia Avery

IDWR Regional Office, 900 N Skyline Dr Ste A, Idaho Falls, ID 83402, 2085257161

Not Licensor w/ Stockwater