



State of Idaho

DEPARTMENT OF WATER RESOURCES

15 West Center Street, Soda Springs, ID 83276

Phone: (208) 547-3993 Fax: (208) 547-3939 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

25 July 2005

COPY

Peggy M. Stolworthy
1525 E. Wolverine Rd
Firth, ID 83236

Re: Snake River Basin Adjudication (SRBA) Claims 27-51A, 27-55A, 27-11918
Lloyd Stolworthy Ltd Family Partnership
Subject: Notice of Errors and Address change

Dear Claimant(s):

Thank you for returning the Notice of Errors for the above referenced claims. However, they were not signed. Therefore, I am returning them to you for the signature of the authorized agent. There is a note in the file that a field exam is needed. During this portion of the adjudication process, it is necessary to have a signed copy of the Notice of Error in the file that contains notations on the portion of the claim that you do not agree with. After we receive the signed Notice of Errors, we can then proceed with setting up a field exam.

Although I am addressing this letter to the Firth address, the address on file is 182 Hartert Dr. in Idaho Falls. If you desire to have the Firth address as the contact address and you as their agent, please make a notation on each of the Notice of Error forms before you return them to this office.

Our agent will be in contact with you to address your disagreements with the claims. If you have any questions, please let me know. Thank you.

Sincerely,

Barbara Payne

Enclosure:

Notice of Error 27-51A
Notice of Error 27-55A
Notice of Error 27-11918

05/16/2005

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS:

Water right number: 27-51A

LLOYD STOLWORTHY LTD FAMILY PARTNERSHIP
182 HARTERT DR
IDAHO FALLS ID 83404
Telephone Number: (208)522-0623

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source): *I do not agree with the amount of water.*

2. Describe the changes you wish to make in the proposed recommendation:
I propose to change the cfs to proper right 87.51 - The sample Orr right.


3. Give a brief explanation as to why you disagree with these portions:
I Disagree because of improper totals from now and former adjudication

 I AGREE with this proposed recommendation: no changes need to be made.

DATE: _____ SIGNATURE: _____

Please print your name: _____

IDWR Regional Office, 900 N Skyline Dr Ste A, Idaho Falls, ID 83402, 2085257161



05/16/2005

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS:

Water right number: 27-51A

LLOYD STOLWORTHY LTD FAMILY PARTNERSHIP

~~102 HARTERT DR~~

~~IDAH0 FALLS ID 83404~~

Telephone Number: (208) ~~522-0623~~

1525 E Wolverine Rd.
Firth, ID 83236

346.6503

9/0 Peggy Stolworthy

Address
Change:

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source): I Do not agree with the amount of water.

2. Describe the changes you wish to make in the proposed recommendation:
I propose to change the cfs to proper right 57.51 - The sample Orr right.

3. Give a brief explanation as to why you disagree with these portions:
I Disagree because of improper totals from now and former adjudication

☐ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 7/26/05

SIGNATURE:

Peggy Stolworthy, general partner

Please print your name:

Peggy Stolworthy

IDWR Regional Office, 900 N Skyline Dr Ste A, Idaho Falls, ID 83402, 2085257161

