

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: April 21, 2003

Water right number: 29-2224K

A GORDON ARMSTRONG
1083 PLAINVIEW DR
TWIN FALLS ID 83301
Telephone Number: (208) 734-1839

ROGER ARMSTRONG
1638 E WYETH
POCATELLO ID 83201

→ (208) 232-3824

RITA BACHMANN
1627 LORREEN CT
SALT LAKE CITY UT 84121

→ (801) 277-1331

HAROLD A ARMSTRONG
621 E 950 S APT A
CLEARFIELD UT 84015

→ (801) 728-4906

CAROL WINTERSTEEN
4948 N FIELDCREST PL
BOISE ID 83704

→ (208) 376-3730

OK - Good

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

*POU question - see provided image.
changes made 3/24/03*

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:



I AGREE with this proposed recommendation: no changes need to be made.

DATE:

3 Mar 03

SIGNATURE:

Harold A. Armstrong

Please print your name:

IDWR Regional Office, 900 N Skyline Dr Ste A, Idaho Falls, ID 83402, 2085257161

Please see addition of phone #'s