

02/08/2003

REC'D
MAY 15 2003
Dave

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: April 21, 2003

Water right number: 29-2326

LEON JENSEN
PO BOX 71
DOWNEY ID 83234
Telephone Number: (208) 897-5218

IVA LOU JENSEN
PO BOX 71
DOWNEY ID 83234
Telephone Number: (208) 897-5218

VESTAL JENSEN
727 E 1550 N
SHELLEY ID 83274
Telephone Number: (208) 357-7497

HELEN JENSEN
727 E 1550 N
SHELLEY ID 83274
Telephone Number: (208) 357-7497

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):
2. Describe the changes you wish to make in the proposed recommendation:
3. Give a brief explanation as to why you disagree with these portions:

X I AGREE with this proposed recommendation: no changes need to be made.

DATE: 3-15-03 SIGNATURE: Helen Jensen
Please print your name: Helen Jensen

IDWR Regional Office, 900 N Skyline Dr Ste A, Idaho Falls, ID 83402, 2085257161