

04/26/2005

**NOTICE OF ERROR
REPLY**

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS:

Water right number: 27-2001

P. Thomas Blotter Family LTD PTN
% P. Thomas Blotter
3250 North 1200 East
Logan, UT 84321
Telephone Number: (435) 753-3008

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

Quantity 1.040 cfs

2. Describe the changes you wish to make in the proposed recommendation:

1.040 cfs to 2.50 cfs

3. Give a brief explanation as to why you disagree with these portions:

Your data came from a drought year. Typically the creek sub irrigates SENW and more of SWNW. Roughly 125 acres are irrigated

☒ I AGREE with this proposed recommendation: no changes need to be made.

Disagree

DATE: 22 July 05

SIGNATURE:

P. Thomas Blotter

Please print your name:

P. Thomas Blotter

IDWR Regional Office, 900 N Skyline Dr. Ste A, Idaho Falls, ID 83402, (208) 525-7161

9/30/05 - Modified PDR - agreed to by Claimant. Enc.

RECEIVED

JUL 27 2005

Department of Water Resources
Eastern Region

KMO
7/27