



State of Idaho

DEPARTMENT OF WATER RESOURCES

900 N. SKYLINE DR., SUITE A, IDAHO FALLS, ID 83402-1718

PHONE: (208) 525-7161 FAX: (208) 525-7177 WEB SITE: www.idwr.state.id.us

EASTERN REGION

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

August 18, 2005

RE: Reply of Notice of Error: 27-2019A

Franklin D Wright
607 W 225 S
Blackfoot, ID 83221
Telephone Number: (208) 785-0399

Dear Franklin,

Enclosed for your review is a new recommendation reflecting the revisions you requested in the Notice of Error for 27-2019A. Once you have reviewed the recommendation please complete the Notice of Error Reply and return it to this office.

Respectfully Submitted,

Ernest Carlsen
Water Rights Supervisor

Enclosures: 1

exhibit

08/18/2005

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS:

Water right number: 27-2019A

FRANKLIN D WRIGHT

607 W 225 S

BLACKFOOT ID 83221

Telephone Number: (208)785-0399

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

X I AGREE with this proposed recommendation: no changes need to be made.

DATE: 8-24-05 SIGNATURE: Franklin D Wright

Please print your name: FRANKLIN D WRIGHT

IDWR Regional Office, 900 N Skyline Dr Ste A, Idaho Falls, ID 83402, 2085257161

RECEIVED
SEP - 2 2005
Department of Water Resources
Eastern Region

RWD
8/24/05

05/16/2005

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS:

Water right number: 27-2019A

PHYLLIS E WRIGHT
607 W 225 S
BLACKFOOT ID 83221
Telephone Number: (208)785-0399

FRANKLIN D WRIGHT
607 W 225 S
BLACKFOOT ID 83221
Telephone Number: (208)785-0399

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

EXPLANATORY MATERIALS IN ERROR.

2. Describe the changes you wish to make in the proposed recommendation:

PHYLLIS E WRIGHT DECEASED 8/19/2002 FRANKLIN D WRIGHT OWNER

WATER USED IN STEVENS DITCH.

I HAVE NO BLACKFOOT IRRIGATION Co. Water.

3. Give a brief explanation as to why you disagree with these portions:

SEE 2 ABOVE.

☐ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 6-3-05

SIGNATURE:

Franklin D Wright

Please print your name:

FRANKLIN D WRIGHT

IDWR Regional Office, 900 N Skyline Dr Ste A, Idaho Falls, ID 83402, 2085257161

KMT
6/19