

Paul

02/08/2003

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: April 21, 2003

Water right number: 29-2611

NANCY L ANDERSON
3202 ZARING RD
AMERICAN FALLS ID 83211
Telephone Number: (208)226-2085

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

APR 23 2003

For more information, contact the
Regional Office

☒ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 4-14-03 SIGNATURE: Nancy Anderson
Please print your name: Nancy Anderson

IDWR Regional Office, 900 N Skyline Dr Ste A, Idaho Falls, ID 83402, 2085257161

Parcel has 3 water rights 29-2611, 29-7648 +
29-7769. - Right # 29-7769 was issued later and
as explained by Paul Myer is already included in ~~adjudication~~
adjudication.