

Contacts Data Entry Form

29-4060

STA 42 243

Owner Type	Full Name	Address	City	State	Zip	Phone
Current Owner	Portnowt Marsh Valley Canal Co.					
Name connector: and	_____, or	_____, and/or				
Current Owner	16 Ellis Gilbert					
Current Owner						

Representing Attorney: _____ Phone Number: _____

Accompanied By: _____ Phone Number: _____

Relationship to Claimant: _____

Date of Field Exam: _____ Time: _____

Directions to Property (if different from above) and/or update owner information:

243 claim

THIS CLAIM IS FOR STORAGE BASED UPON A TIME WHEN THE CHOSTORFIELD DAM WAS RAISED. ACCORDING TO DAM SAFETY RECORDS FOR THE DAM IT WAS RAISED IN 1949 THEREBY INCREASING THE CAPACITY AS: $23,695 - 16,410 (\text{DEERWOOD}) = 7,285 \text{ AK}$ SEE DAM SAFETY SUMMARY SHEET ATTACHED.

Reviewer: _____

Date: _____

Priority Date Data Entry Form

Claim Number: _____

Water Right Priority Date: _____ Water Right Basis: _____

Claimed Priority Date: MAR 7, 1912 Claimed Basis: BURecommended Priority Date: 4/1/1949 Recommended Basis: BU☐ Use Claimed Priority Date and Basis as Recommended Priority Date and Basis

Document the evidence submitted/reviewed for the priority date claimed, include your analysis of the evidence:

DAM RAISED IN 1949 ASSUMED BEGINNING OF 1949
SEASON AS PRIORITY FOR THE INCREASED CAPACITY.

23695 (1949 RAISED)
16410 (DECREASED) AR

7285 ARE INCREASE IN CAPACITY

Reviewer: _____

Date: _____

Point of Diversion and Source Data Entry Form

Claim Number: _____

Water Right Point of Diversion: T____, R____, Sec.____,____,____,____. County: _____

Source: _____ Tributary: _____

Claimed Point of Diversion: T 6S, R 39E, Sec. 19, 24, SW, SW. County: CARIBOUSource: Portneut River Tributary: Snake Riv.

Recommended Point of Diversion: T____, R____, Sec.____,____,____,____. County: _____

Source: _____ Tributary: _____

☐ Use Claimed POD and Source as Recommended POD and Source

Twp	Rge	Sec	Gov	Lot	QQQ of QQ of Q	County	Source	
6S	39E	19	4		SWSWSW	CARIBOU	Port Riv.	POD
GPS Coordinates: _____								
6S	39E	19	4		SWSWSW	CARIBOU	Port Riv.	POI
GPS Coordinates: _____								
9S	37E	22	3		NWNBW	BANNOCK	Portneut Riv.	POI
GPS Coordinates: _____								
GPS Coordinates: _____								
GPS Coordinates: _____								
GPS Coordinates: _____								
GPS Coordinates: _____								

Other rights from this POD? _____

Document how the POD and Source were verified and/or Pump and Motor data:

Recommended POD is THE DAM. Mapping
shows DIVERSION TO 'CANAL' but is ACTUALLY Portneut
RIVER (POI/POD), WATERS ARE CONVEYED 'LOSS
FREE' - BY DECREE - TO A POINT OF REDIV. AS ABOVE

Transfers Changing POD _____

Reviewer: _____

Date: _____

Place Of Use Data Entry Form

Claim Number: _____

_____ Use Claimed POU as Recommended POU

Claimed Place of Use

Twp	Rge	Sec	QQ	Q	County	Lot Num	Acres	Purpose of Use

Total Acres _____

Recommended Place of Use

Twp	Rge	Sec	QQ	Q	County	Lot Num	Acres	Purpose of Use

Total Acres _____

Document how the POU was verified:

506 GPS ILLUSTRATION OF POU AND TABULAR
INDEX OF RECOMMENDED POU ACRES.

CLAIMS 5066 AC

→ Limited to 4136 AC BY GPS w/ALL T&S

PERMISSIBLE POU = 52,53,589,4060.

13318 & 13319.

145

Transfers Changing POU _____

Reviewer: _____

Date: _____

Period of Use and Quantity Data Entry Form

Claim Number: _____

☐ Use Claimed Period of Use and Quantity as Recommended Period of Use and Quantity

Water Right Period of Use and Diversion Rate

Water Use	Start	End	Rate	Volume
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____

Overall Diversion Rate _____

Overall Diversion Volume _____

Claimed Period of Use and Diversion Rate

Water Use	Start	End	Rate	Volume
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____

Overall Diversion Rate _____

Overall Diversion Volume _____

Recommended Period of Use and Diversion Rate

Water Use	Start	End	Rate	Volume
Pring Stor	1/1	12/31		7285
Pring From Stor	1/1	10/31		7285
_____	_____	_____	_____	_____

Overall Diversion Rate _____

Overall Diversion Volume 7285

Document how the Period of Use and/or Diversion Rate were verified:

This Rt when used w/ 29-53 AND 29-589
CAN STORE A TOTAL OF 23695 AF.
THIS Rt IS LIMITED TO 7285 AF

Remarks

Reviewer: _____

Date: _____