

02/17/2006

NOTICE OF ERROR

REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: Mar. 3, 2006

Water right number: 69-4103A

EVEA H POWERS
7680 APPALOOSA LN
EMMETT ID 83617
Telephone Number: (208)365-3776

HAROLD A POWERS
7680 APPALOOSA LN
EMMETT ID 83617
Telephone Number: (208)365-3776

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

The description of the location of the Diversion Point on the NENE of Section 15.

2. Describe the changes you wish to make in the proposed recommendation:

The description of the diversion Point location should be NENE and/or NWNE of Section 15.

3. Give a brief explanation as to why you disagree with these portions:

The point of Diversion is so close to the line that only an accurate survey would determine on which side of the line the Diversion Point is located.

☐ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 02-24-06

SIGNATURE:

Harold A. Powers

Please print your name:

Harold A. Powers

IDWR Regional Office, 322 E Front St
PO Box 83720, Boise, ID 83720-0098, 2082874800