

**NOTICE OF ERROR
REPLY**

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: March 3, 2006

Water right number: 77-4169A

DONALD K STRITZKE
16247 LONKEY LN
CALDWELL ID 83607
Telephone Number: (208)454-7817

JACLYNN M STRITZKE
16247 LONKEY LN
CALDWELL ID 83607
Telephone Number: (208)454-7817

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

The site marked on the map is not where the domestic water will be used.

2. Describe the changes you wish to make in the proposed recommendation:

The proper site is immediately south of the marked ~~site~~ area on the map. The correct site has been marked in red. This was confirmed with Kenneth Knoblock by phone on 3/2/06

3. Give a brief explanation as to why you disagree with these portions:

wrong location

Donald K. Stritzke
Donald K. Stritzke


☐ I AGREE with this proposed recommendation: no changes need to be made.

DATE: _____ SIGNATURE: _____

Please print your name: _____

IDWR State Office, 322 E Front St
PO Box 83720, Boise, ID 83720-0098, (208) 287-4800

77-4169A



0 300 600 Feet

Section 2
T21N R7E

● Point of Diversion

□ Place of Use

Map prepared on April 8, 2005
By Kenneth Knoblock
Idaho Department of Water Resources