

Contacts Data Entry Form

Owner Type	Full Name	Address	City	State	Zip	Phone
Current Owner	J. Ransom Hatch	1424 N. Hatch Loop.	Bancroft	ID	83212	

Name connector: and ____, or ____, and/or ____

Current Owner _____

Current Owner _____

Representing Attorney: _____ Phone Number: _____

Accompanied By: _____ Phone Number: _____

Relationship to Claimant: _____

Date of Field Exam: _____ Time: _____

Directions to Property (if different from above) and/or update owner information:

No field exam, desk top review only.
- Used 1984 Platt book
- Current phone book to verify address & phone
1987/88 NAPP Photography

Reviewer: CBDate: 11/12/02

Priority Date Data Entry Form

Claim Number: 29-4211Water Right Priority Date: 4-2-1883Water Right Basis: S.C.Claimed Priority Date: 4-2-1883Claimed Basis: S.C.Recommended Priority Date: 4-1-1889Recommended Basis: B.U.☐ Use Claimed Priority Date and Basis as Recommended Priority Date and Basis

Document the evidence submitted/reviewed for the priority date claimed, include your analysis of the evidence:

Homestead document # 730Reviewer: CBDate: 11/12/02

Point of Diversion and Source Data Entry Form

Claim Number: 29-4211Water Right Point of Diversion: T 7S, R 39E, Sec. 12, NE SE, County: CaribouSource: 18mi Tributary: SinksClaimed Point of Diversion: T 7S, R 39E, Sec. 12, NE SE, County: CaribouSource: 18mi Tributary: SinksRecommended Point of Diversion: T , R , Sec. , , County: Source: Tributary: ☒ Use Claimed POD and Source as Recommended POD and Source

Twp	Rge	Sec	Gov Lot	QQQ of QQ of Q	County	Source
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
GPS Coordinates: <u> </u>						
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
GPS Coordinates: <u> </u>						
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
GPS Coordinates: <u> </u>						
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
GPS Coordinates: <u> </u>						
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
GPS Coordinates: <u> </u>						
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
GPS Coordinates: <u> </u>						

Other rights from this POD? 29-4210

Document how the POD and Source were verified and/or Pump and Motor data:

1987/88 NAPP PHOTOGRAPHY
Orthoquad

Transfers Changing POD Reviewer: CBDate: 11/12/02

Place Of Use Data Entry Form

Claim Number: 29-4211☒ Use Claimed POU as Recommended POU

Claimed Place of Use

Twp	Rge	Sec	QQ	Q	County	Lot Num	Acres	Purpose of Use

Total Acres _____

Recommended Place of Use

Twp	Rge	Sec	QQ	Q	County	Lot Num	Acres	Purpose of Use
75	31E	13	NW	NW	Cambria		38	Irrigation
		13	SW	NW	"		36	"
		14	NENE		"		39	
		14	SENE		"		40	

Total Acres 153

Document how the POU was verified:

Homestead document
1987/88 NAPP Photography

Transfers Changing POU _____

Reviewer: CBDate: 11/12/02

Purpose of Use Data Entry Form

Claim Number: 29-4211☒ Use Claimed Purpose of Use as Recommended Purpose of Use

Water Right Purpose of Use

Water Use	Number of Homes	Number of Stock	Acre Limit	Number of Other
Irrigation			160	
Stock		75		

Claimed Purpose of Use

Water Use	Number of Homes	Number of Stock	Acre Limit	Number of Other
Irrigation			160	
Stock		75		

Recommended Purpose of Use

Water Use	Number of Homes	Number of Stock	Acre Limit	Number of Other

Document how the Purpose of Use was verified:

1987/88 NAPP Photography
homestead document

Transfers Changing Purpose of Use _____

Reviewer: CBDate: 11/12/02

Period of Use and Quantity Data Entry Form

Claim Number: 29-4211☒ Use Claimed Period of Use and Quantity as Recommended Period of Use and Quantity

Water Right Period of Use and Diversion Rate

Water Use	Start	End	Rate	Volume
Irrigation	4/1	11/1	1.11	
Stock	4/1	12/31	0.03	

Overall Diversion Rate 1.11 Overall Diversion Volume _____

Claimed Period of Use and Diversion Rate

Water Use	Start	End	Rate	Volume
Irrigation	4/1	11/1	1.11	
Stock	1/1	12/31	0.03	

Overall Diversion Rate 1.11 Overall Diversion Volume _____

Recommended Period of Use and Diversion Rate

Water Use	Start	End	Rate	Volume

Overall Diversion Rate _____ Overall Diversion Volume _____

Document how the Period of Use and/or Diversion Rate were verified:

Used Standard 304

Reviewer: CBDate: 11/12/02

Claim No.: _____

Summary Data Entry Form

Remarks and Conditions (Include Type, Category and Code if applicable):

C18

N08 - Gen. Cond

~~N05 - 29-4510 Is also divided through PCD~~

J02 730 - Homestead Gen. Remark

N05 Qty Cond

Split or Combined Right Analysis:

X10

Attached Field Notes or Other Documents:

Desk top review only

Claim No.: 29-4211

Reviewer

CB

Date

11/12/02

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There is no handwriting or other markings on the paper.

Ransom Hatch



IDAHO DEPARTMENT OF WATER RESOURCES

SNAKE RIVER BASIN ADJUDICATION - BASIN 29



RIGHT ID 29 4211
POD ID 193699
Quad Hatch
Claim Type L
Easting 676443
Northing 194605
GPSID A0012509

Diversion Description

DIVERSION FROM EIGHTEEN MILE CREEK, REDIVERTED FROM MOSES CREEK. Placed GPS ID on steel fence post 40' North of POD. POD is a series of 2' wide by 3' deep dry ditches. One would normally flow North to Fields, the other East to Moses creek. Similar to POD ID No. 193697, but without an additional drainage ditch or board slats.

Assumptions

Ditches not used simultaneously. Assume diversion is used for seasonal irrigation/stock water. Assume water depth during irrigation season is

Invoice #

Phase-0 (No Attention)
Phase-I (Ready to Go to Field)
Phase-II (Site Visit - Data Missing)
Phase-III (Complete w/ issues)
Phase-IV (Total Complete)

Linked

POD ID 193699 01.jpg

Photos

POD ID 193699 02.jpg

EPE (ft)

Date (M/D/Y)

Time

Flow Rate (CFS)

8.51347410806766

Open Channel Flow

☒ Complete one box from both Area and Calculation sections

Cross Sectional Area

☐ Circular Channel

- ☐ Less than half full
☐ Half full
☐ More than half full
☐ Full

Diameter 0

Depth 1.5

☒ Rectangular Channel

Width 2

Depth 1.5

Flow Calculation

☒ Continuity

Velocity

2

☐ Orifice

(Use only for head over a pipe flowing full with free discharge)

Depth of Water
above orifice
centerline

☐ Weir

(Use only for water flowing freely over weir)

Height of water
above nappe

Width of weir

☒ Manning (If used, include photo of representative channel section)

Channel Slope 0.001

Channel Description

Concrete lined	.016
Smooth earth	.025
Earth	.033
Rough bed, weeds on sides	.04
Smooth natural stream	.033
Rough natural stream	.1

Pumped System

HP

Pressure Head (psi)

Elevation Head (ft)

Motor Mfg

Motor Serial #

Pump Type

Pump Mfg

Pump Serial#

New Contact Information

New Contact Comments

This Form and the associated query are the exclusive intellectual property of Intrepid Engineering Services, and may not be copied, modified, or distributed without the express written consent of Intrepid Engineering Services, Inc.



INTREPID

Engineering Services, Inc. (IES)
Enabling People and Solutions



IDAHO DEPARTMENT OF WATER RESOURCES

SNAKE RIVER BASIN ADJUDICATION - BASIN 29

RIGHT ID
POD ID
Quad
Claim Type
Easting
Northing
GPSID

Diversion Description

DIVERSION FROM EIGHTEEN MILE CREEK, REDIVERTED FROM MOSES CREEK. GPS ID tag wired to steel post in stream bed. Stream is approximately 10' across by 3' deep with 2 inches of flowing water across stream bed. Water diverted to field and dry ditch which normally flows towards Moses creek.

Assumptions

Enough water is diverted to fill field ditch 3/4 full. Field ditch slope = 1%. Velocities are non-eroding.

Invoice #

Phase-0 (No Attention)
Phase-I (Ready to Go to Field)
Phase-II (Site Visit - Data Missin)
Phase-III (Complete w/issues)
Phase-IV (Total Complete)

Linked

Photos

EPE (ft)

Date (M/D/Y)

Time

Flow Rate (CFS)

Open Channel Flow

☒ Complete one box from both Area and Calculation sections

Cross Sectional Area

☐ Circular Channel

- ☐ Less than half full
☐ Half full
☐ More than half full
☐ Full

Diameter

Depth

☒ Rectangular Channel

Width

Depth

Flow Calculation

☐ Continuity

Velocity

☐ Orifice

(Use only for head over a pipe flowing full with free discharge)

Depth of Water
above orifice
centerline

☐ Weir

(Use only for water flowing freely over weir)

Height of water
above nappe

Width of weir

☒ Manning (If used, include photo of representative channel section)

Channel Slope

Channel
Description

Concrete lined	.016
Smooth earth	.025
Earth	.033
Rough bed, weeds on sides	.04
Smooth natural stream	.033
Rough natural stream	.1

Pumped System

HP

Pressure Head (psi)

Elevation Head (ft)

Motor Mfg

Motor Serial #

Pump Type

Pump Mfg

Pump Serial#

New Contact Information

New Contact Comments

This Form and the associated query are the exclusive intellectual property of Intrepid Engineering Services, and may not be copied, modified, or distributed without the express written consent of Intrepid Engineering Serviv, Inc.



INTREPID

Engineering Services, Inc. (IES)

Enabling People and Solutions



IDAHO DEPARTMENT OF WATER RESOURCES

SNAKE RIVER BASIN ADJUDICATION - BASIN 29



RIGHT ID 29 4211
POD ID 193697
Quad Hatch
Claim Type L
Easting 676426
Northing 194584
GPSID A0012507

Diversion Description

DIVERSION FROM EIGHTEEN MILE CREEK, REDIRECTED FROM MOSES CREEK. GPS ID tag placed on nearest "erect" wooden fence post approximately 40' South of POD. POD is a series of 2' wide by 3'deep ditches (dry). One ditch flows north to fields, the other ditch flows Southeast into another drainage ditch (also dry) which flows towards Moses creek. Old board slats were used to dam water, no evidence of headstructure.

Assumptions

Ditches not used simultaneously. Assume diversion is used for seasonal irrigation/stock water. Assume water depth during irrigation season is

Invoice #

Phase-0 (No Attention)
Phase-I (Ready to Go to Field)
Phase-II (Site Visit - Data Missin
Phase-III (Complete w/issues)
Phase-IV (Total Complete)

Linked

POD ID 193697 01.jpg

Photos

POD ID 193697 02.jpg

EPE (ft)

Date (M/D/Y)

Time

Flow Rate (CFS)

2.51347410806766

Open Channel Flow

☒ Complete one box from both Area and Calculation sections

Cross Sectional Area

☐ Circular Channel

- ☐ Less than half full
☐ Half full
☐ More than half full
☐ Full

Diameter 0

Depth 1.5

☒ Rectangular Channel

Width 2

Depth 1.5

Flow Calculation

☐ Continuity

Velocity 0

☐ Orifice

(Use only for head over a pipe flowing full with free discharge)

Depth of Water above orifice centerline

☐ Weir

(Use only for water flowing freely over weir)

Height of water above nappe

Width of weir

☒ Manning (If used, include photo of representative channel section)

Channel Slope 0.001

Channel Description	Concrete lined	.016
	Smooth earth	.025
	Earth	.033
	Rough bed, weeds on sides	.04
	Smooth natural stream	.033
	Rough natural stream	.1

Pumped System

HP

Pressure Head (psi)

Elevation Head (ft)

Motor Mfg

Motor Serial #

Pump Type

Pump Mfg

Pump Serial#

New Contact Information

New Contact Comments

This Form and the associated query are the exclusive intellectual property of Intrepid Engineering Services, and may not be copied, modified, or distributed without the express written consent of Intrepid Engineering Service, Inc.

