

02/18/2003

Allen

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: April 21, 2003

Water right number: 29-4322

E D SAXTON
3527 E NEIGH AND BRAY LANE
DOWNEY ID 83234
Telephone Number: (208) 897-5007

EVA M SAXTON
3527 E NEIGH AND BRAY LANE
DOWNEY ID 83234
Telephone Number: (208) 897-5007

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

Priority Date 03/20/1913
Period of use irrigation 04/01-10/31 0.040
stock water 01/01-12/31 0.020 (source=yaso creek)

2. Describe the changes you wish to make in the proposed recommendation:

change unnamed stream to yaso creek tributary to peck creek

3. Give a brief explanation as to why you disagree with these portions:

I AGREE with this proposed recommendation: no changes need to be made.

DATE: 5-12-03


SIGNATURE:

E D Saxton

Please print your name:

IDWR Regional Office, 900 N Skyline Dr Ste A, Idaho Falls, ID 83402, 2085257161

Carol A. Flores



This is THE NOB
FOR BRAY SP...
DO NOT CHANGE
Anything

These ABOVE COMMENTS
Apply to 29-4321
NOT 29-4322 AS
INDICATED.

APR 16/03
SOURCE CHM 300 and
29-4321 (only)
5/05/03 DWR



State of Idaho

DEPARTMENT OF WATER RESOURCES

900 N. Skyline Dr., Suite A, Idaho Falls, ID 83402-1718 • Phone: (208) 525-7161 FAX: (208) 525-7177

EASTERN REGION

June 4, 2003

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

Mr. and Mrs. E. Saxton
3527 E. Neigh and Bray Lane
Downey ID 83234

Dear Mr. & Mrs. Saxton

I received your letter of complaint about water availability in Yago Creek. I also checked all of the Snake River Basin recommendations for rights on Yago Creek. Those recommendations are included for your information.

As you can see, you are not listed as a claimant of water on Yago Creek. I have advised you before that if you feel you have a valid claim you must take steps to come in and correct any errors on that claim.

As it is there is approximately 9.00 cfs already recommended to other users. In this short water year, there may not be enough water in Yago Creek for existing users.

If you do not take steps to file a notice of error and/or correct existing claims you have, then no recommendation will be made on Yago Creek in your name.

Sincerely,

Harold W Jones
Water Right Supervisor

HWJ:sc