

Paul

02/18/2003

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: April 21, 2003

Water right number: 29-4338

WARM CREEK IRRIGATION CO

~~3207 HEDSTROM LN~~

AMERICAN FALLS ID 83211

Telephone Number: (208)226-~~5817~~

3298 So. Isaak Lp.
2618

RECEIVED
APR 17 2003
Department of Water Resources
Eastern Region

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

place of water - adjustments

2. Describe the changes you wish to make in the proposed recommendation:

some places have water - some don't

3. Give a brief explanation as to why you disagree with these portions:

they aren't correct

___ I AGREE with this proposed recommendation: no changes need to be made.

DATE:

4-10-03

SIGNATURE:

Violet Isaak

Secy. Warm Cr.

Please print your name:

Violet Isaak

Irrig. Co.

226 - 2618

IDWR Regional Office, 900 N Skyline Dr Ste A, Idaho Falls, ID 83402, 2085257161