

02/18/2003

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: April 21, 2003

Water right number: 29-4405

STMB WATER ASSN
C/O HOMER SEMMONS
PO BOX 902

POCATELLO ID 83204

Telephone Number: (208)232-7128

RECEIVED

MAY 07 2003

WATER RESOURCES
WESTERN REGION

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

We believe the domestic use should be .1 cfs, not .08. This well serves four separate households.

2. Describe the changes you wish to make in the proposed recommendation:

Change domestic to .1 cfs, consistent with our prior filings.

3. Give a brief explanation as to why you disagree with these portions:

The department advised us in 1983, based upon the pump having a capacity of 25,344 gallons per day and serving four households, watering approximately 7 horses and irrigating up to 13 acres of land that we were using approximately .1 cfs domestic, .1 for irrigation and .02 for stockwater.

DATE: 4-18-03

SIGNATURE:

Homer Semmons

Please print your name: HOMER SEMMONS

IDWR Regional Office, 900 N Skyline Dr Ste A, Idaho Falls, ID 83402, 2085257161

RECEIVED

APR 24 2003

Department of Water Resources
Cody, Idaho