

Cindy

02/08/2003

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: April 21, 2003

Water right number: 29-4431

AVADNA SHIPLEY HANSEN

PO BOX 74

LAVA HOT SPRINGS ID 83246

Telephone Number: (208) 776-9862

*Change of Mailing Address
to this 429 W Elm St.*

from this

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

☐ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 4-14-03

SIGNATURE:

Vadna Hansen

Please print your name:

VADNA HANSEN

IDWR Regional Office, 900 N Skyline Dr Ste A, Idaho Falls, ID 83402, 2085257161

Vadna Hansen
429 W Elm
Lava Hot Springs, ID 83246

New Address

APR 23 2003

REGIONAL OFFICE
IDaho Falls