

04/27/2005

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS:

Water right number: 27-2124

VAUNA WHEATLEY
10053 S MARSH CRK RD
MCCAMMON ID 83250

RALPH O WHEATLEY
10053 S MARSH CREEK RD
MC CAMMON ID 83250
Telephone Number: (208) 254-3186

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

Place of use

2. Describe the changes you wish to make in the proposed recommendation:

needed to be 390 ac.

3. Give a brief explanation as to why you disagree with these portions:

 I AGREE with this proposed recommendation: no changes need to be made.

DATE: 7-18-05 SIGNATURE: *Ralph Wheatley*
Please print your name: _____

IDWR Regional Office, 900 N Skyline Dr Ste A, Idaho Falls, ID 83402, 2085257161

15 West Center
Soda Springs, ID 83276
Phone (208) 547-3993
FAX (208) 547-3939

Idaho Department of Water Resources

Fax

To: Katy Jackson **From:** Barbara Payne

Fax: 525-7177 **Pages:** 6

Phone: **Date:** 7/18/2005

Re: Basin 27 NOEs **CC:**

Hi Katy,

This FAX contains a copy of the following NOEs:

27-11314	Ralph Wheatley	Agree
27-4008	Ralph Wheatley	Disagree POU
27-2124	Ralph Wheatley	Disagree POU
27-4010	Ralph Wheatley	Disagree Usage
27-4009	Ralph Wheatley	Disagree POU

Barbara

FAXED
7-18-05