

APR 05 2006

SCANNED

Month of		Name or Number of Right as Shown in Decree		Priority Date	Amount Sec. Feet	Total Right Sec. Feet	NOTE — Figures to be given in cubic feet per second for 24-hour periods, or 24-hour second feet. Give name					Acres Utilized	Sec.	Twp.	Rge.
Name of Present Owner		Address					1	2	3	4	5				
Measured May 30 1978		10 AM		7 1/4"	3.16 cfs		July 25	unlocked headgate							
1" 31		9 PM 2			3.67 cfs		1" 28	9"	4.37						
Turned water out June 2		9:00 PM						9"	4.37	6:00 AM					
Turned water on June 4		4 PM 4			3.84 cfs		Beavers working in weir head to measure								
May 5		7:30 AM 9:24			4.95 cfs		29	8 3/4"		6:00 AM					
May ditch with head		5		7:45 PM 10:42	5.47 cfs		Aug 4	7"	7:00 PM	worked on dam					
closed down to		8"			3.67 cfs		4	9 1/2"	7:30 PM						
June 6		7:50 PM 9 1/2"			3.75 cfs		Changed weir to 36"								
June 15		1:30 PM 7 1/2"			3.23 cfs		June 8	6 1/2"	4:02	9:00 AM					
raised 4"		9 3/4"			4.19 cfs		July 19	cleared ditch put water in 5" 2:22 PM							
June 22		7:15 PM 8 7/8"			4.29 cfs		1" 24	put more water in	6 1/2"	4:14	9:24				
June 25		7:15 PM 9 3/8"			4.37 cfs		25		7"	4:50	4:14 PM				
June 27		9:30 AM 9 3/4"			4.71 cfs		Aug 2		6 3/4"	4:26	8:50 PM				
July 19		8:30		8	3.67 cfs		2		6 1/4"	3:20	6:30 PM				
worked on head		9:00		8 1/2"	4.01 cfs		4		6 1/2"	3:28	9:14 PM				
29		worked on head 30					14	Put more in	6 1/2"	4:02	3:30 PM				
Aug 8		worked on head 9-7					started irrigating May 21, 1983								
15		turning Turned down 9 1/2"					river extremely high ran over bank								
May 18 1979		Turned water on					washed weir out June 6 replaced								
18		7:00 PM		8 3/4"	4.19 cfs		weir set water at 7 3/4 5:24 PM								
20		8:00 PM		9 1/2"	4.73		June 7		7 1/2"	4:49	7 PM				
June 21 1981		9:00 PM		9 1/2"	4.73		June 10		7 1/2"	4:49	7 AM				
June 24 1981		8:00 PM		3 3/4"	1.17		June 14		7 1/2"	4:49	4 PM				
headgate		locked down					June 15		7 1/2"	4:49	7 AM				
							June 24	8 1/2"	turned down to						

DEPARTMENT OF
WATER RESOURCES

APR 05 2006


RECEIVED

67-4069


67-4176

[illegible]

To convert discharge to miner's inches, multiply discharge in cubic feet per second by 50.



THE CIPPOLETTI WEIR



6	7	8	9	10	11	12	13	14	15	Acres culti- ated	Sec.	Twp.	Rge.
June 25		7 1/2	4.99	8 PM									
July 19	started irr.	6 1/2	4.03	4 PM									
Aug 3	8:00 PM	7	put more in	4.5									
1984													
June 18	11 AM	7 3/4	started irr	5.24									
July 13	put water	back in ditch											
14	7 AM	7 1/2	raised to 8 PM										
16	6 PM	7 3/4	put more in										
19	1 5 PM	6 1/2	Put more in										
2	8 PM	8											
Started irrigation	May 6 1985												
well not in box													
June 15	Put well in box												
15	4 PM	7 3/4	river dropping										
30	10 AM	6 1/2											
July 2	2 PM	7 1/4	put more water in										
May 18, 1986	started irrigating												
May 30	10:30 AM	6 1/2	river running over										
"	31 2:00 PM	6 1/2	Put more in										
June 16	6 PM	6	Put more in										
July 6	2 PM	5 1/2	Put more in										
"	7 1 PM	6 1/4	found wheel need gate										
"	15 3 PM	6	Put more in										
April 24 1987	Started irrigation												

SCANNED

APR 06 2006