



Water Right No. 31-07559A

T06N, R34E, Section 31
SW Quarter



Log for claim A31-07559A



Spatial Dynamics MWY

3/7/00

T	R	SEC	QQ	Acres Claimed	Acres Found	COMMENT
06	34	31	NESW	40	40	
06	34	31	NWSW	40	40	
06	34	31	SWSW	40	34	
06	34	31	SESW	40	34	
Totals:				160	148	

Water Right Claim Number A31-07559A

Township , 6N34E



RECEIVED

APR -3 2001

Department of Water Resources

01/25/2001

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: March 9, 2001

Water right number: 31-7559A

LYNN WOOD
1014 E 1500 N
TERRETON ID 83450
Telephone Number: (208)663-4448

JANET WOOD
1014 E 1500 N
TERRETON ID 83450
Telephone Number: (208)663-4448

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

X I AGREE with this proposed recommendation: no changes need to be made.

DATE:

3-7-01

SIGNATURE:

Lynn Wood
LYNN WOOD

Please print your name:

IDWR Regional Office, 900 N Skyline, Idaho Falls, ID 83402, 2085257161

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIMS PROOF READING REPORT
(REGIONAL)

AJ0743NP
(00-124)

VERIFIED BY *R. McElrath*
6-21-94

Water Right Number - R31-07559A Prefix Translation: RESEARCH Old (D) Number - Address -

*** C - CURRENT OWNER ***
WOOD JANET 1 - 1014 E. 1500 N.
2 -
3 -

State- ID Zip- 83435
City- MONTEVIEW
Phone - 208-663-4448

DEE LYNN 1 - 1014 E. 1500 N.
2 -
3 -

State- ID Zip- 83435
City- MONTEVIEW
Phone - 208-663-4448

*** O - ORIGINAL OWNER ***
MORTENSEN ZELDA R. 1 -
2 -
3 -

State- ID Zip- 00000
City- N/A
Phone - 208-000-0000

JOHN HANCOCK MUTUAL LIFE INSURANCE CO. 1 - 200 BERKELEY
2 -
3 -

State- MA Zip- 021000000
City- BOSTON
Phone - 208-000-0000

MORTENSEN JAMES M. 1 -
2 -
3 -

State- ID Zip- 00000
City- N/A
Phone - 208-000-0000

+ - - Priority Date - - + + - - Region - - - + + - - Stage - - - + + - - Status - - - +
05/01/1982 15 EASTERN L - LICENSE

+ - - Source - - - - - + + - - Tributary - - - - - + + - -

+ - - Point of Diversion - - - - - + + - -

TwN Rng Sec Tract Lot RFlg County (51) JEFFERSON

06N 34E 31 SW NE SW Water Use Diversion Rate Diversion Volume

+ - - Description Period From Period To 04/15 10/15 2.590 462.00

01 - IRRIGATION 01 - IRRIGATION 2.590 462.00

+ - - Total Div. Rate - + + - - Total Div. Volume - + + - - Total Consumptive Use - + + - - KW Usage - +
2.590 462.00 330.0

Court Report Filing	- 00/00/0000	Field Inspection Made	- 00/00/0000	Civil Case Number	- 39576
Objection Filed Date	- 00/00/0000	Field Inspection Flag	-	Old Case Number	-
Response Filed Date	- 00/00/0000	Verified Date	- 06/21/1994	Old Judicial District	-
Claim Received Date	- 11/30/1988	Last Amended Date	- 00/00/0000	Temporary Right	- P
		Receipt Number	- E004750	Water District	-
		POU Ownership Flag	- Y	Federal/State Indicator	- S
		Name Connector	- AND	Presumption Flag	- C
				Notice of Error Flag	-

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM VERIFICATION REPORT

02:49:07
09/07/90

PAGE: 1
GENERAL INFORMATION

Remumbered A31-07559 A
CLAIM NUMBER: 434-07291A

LAST: MORTENSEN
ADDRESS:
CITY: N/A
PHONE NUMBER: 208-000-0000
OWNER CODE: 0

FIRST: ZELDA R.
STATE: ID ZIP: 00000

LAST: JOHN HANCOCK MUTUAL LIFE INSURANCE CO.
ADDRESS: 200 BERKELEY
CITY: BOSTON
PHONE NUMBER: 208-000-0000
OWNER CODE: 0

FIRST:
STATE: MA ZIP: 0210000000

LAST: WOOD
ADDRESS: 1014 E. 1500 N.
CITY: MONTEVIEW
PHONE NUMBER: 208-663-4448
OWNER CODE: C

FIRST: DEE LYNN
STATE: ID ZIP: 83435

LAST: WOOD
ADDRESS: 1014 E. 1500 N.
CITY: MONTEVIEW
PHONE NUMBER: 208-663-4448
OWNER CODE: C

FIRST: JANET
STATE: ID ZIP: 83435

LAST: MORTENSEN
ADDRESS:
CITY: N/A
PHONE NUMBER: 208-000-0000
OWNER CODE: 0

FIRST: JAMES M.
STATE: ID ZIP: 00000

FIELD EXAM REQUIRED?
VERIFICATION REQUIRED DUE TO REMARKS?
CLAIM REMARKS: SPLIT DE 34-07291.

DATABASE
Y

FIELD
EXAMINER

~~NOT RECORDED~~
~~NOV 25 1992~~

CONTACT PERSON: _____
DATE OF FIELD EXAM: 10/15/90
APPOINTMENT MADE: Y() NY()
PHONE NUMBER: () _____
TIME: : A() P()
PHONE NUMBER: () _____

RELATIONSHIP TO CLAIMANT: _____
DIRECTIONS TO PROPERTY / REMARKS: _____

IN-OFFICE REVIEW

MICROFILMED
NOV 25 1992

CLAIM NUMBER: 431-07559A

A. AJ CLAIM: # A34-07291A PRIORITY DATE: 01-20-1981 STAGE: ~~P~~
B. WR RECORD: # 34-07291 PRIORITY DATE: 01-20-1981 STAGE: P

C. FIELD EXAM REQUIRED?
DUE TO PRIORITY DATE DISCREPANCY? (Y/N) N

ARE THERE OBVIOUS REASONS TO QUESTION THE PRIORITY DATE CLAIMED? Y(X) N()
IF YES EXPLAIN.

REMARKS: LICENSED PRIORITY DATE IS 5-1-1982 - PERMIT LICENSED IN 5/90

RECOMMENDED PRIORITY DATE: 01-20-1981 5-1-1982

REVIEWED BY ~~SP~~ DATE 3-7-91

MICROFILMED
NOV 25 1992

A. AJ CLAIM POINT OF DIVERSION AND SOURCE:

RIGHT	TWP.	RGE.	SEC.	1/4	1/4	1/4	LOT	CNTY
A34-07291A	06N	34E	31	SW	NE	SW		JEFFERSON

OTHER AJ CLAIMS WITH SAME AJ POD
A PREFIX R PREFIX
NONE NONE
? WK RECORDS IN SAME 40 ACRE TRACT
L34-07291A

SOURCE: GROUNDWATER

TRIB:

B. WR POINT OF DIVERSION AND SOURCE:

RIGHT	TWP.	RGE.	SEC.	1/4	1/4	1/4	LOT	CNTY
34-07291	06N	34E	31		NE	NW		JEFFERSON
34-07291	06N	34E	31		NE	SW		JEFFERSON
34-07291	06N	34E	31		SE	NW		JEFFERSON
34-07291A	06N	34E	31		NE	SW		JEFFERSON

AJ CLAIMS IN SAME 40 ACRE TRACT
A PREFIX R PREFIX

L34-07291B
L34-07291A

A34-07291B NONE

SOURCE: GROUNDWATER

TRIB:

C. FIELD EXAM REQUIRED?

FIELD EXAM REQUIRED?	DUE TO POD DISCREPANCY? (Y/N)	DUE TO SOURCE DISCREPANCY? (Y/N)	DATABASE	FIELD EXAMINER
			Y	N
			N	N

REMARKS:

Official use EXAM 9-87 - NO CHARGE

~~MICROFILMED~~
NOV 25 1992

RECOMMENDED POINT(S) OF DIVERSION AND SOURCE:
TWP. RGE. SEC. 1/4 1/4 1/4

COUNTY

LOT

1/4

n/c

SOURCE: GROUNDWATER

TRIB:

EGW

REVIEWED BY:

DATE:

10-15-90

MICROFILMED
NOV 25 1992

A. ROOT WATER RIGHT NUMBERS: A34-07291A
A34-07291B

B. POU LISTING

TWP RNS SEC 1/4 1/4 LOT NAME

POU	SEC	LOT	NAME	AJ #ACRES	WR #ACRES	LANDSAT DATA	FIELD EXAM.	RECOMM. ACRES
06N 34E 31	NE	SW	WOOD, DEE LYNN WOOD, JANET JOHN HANCOCK MUTUAL LIFE INSUR	A34-07291A A34-07291B A34-07291C	740.0 740.0 740.0	734.0 734.0 734.0	Y	34
06N 34E 31	NE	SW	WOOD, DEE LYNN JOHN HANCOCK MUTUAL LIFE INSUR	A34-07291A A34-07291B	740.0 740.0	734.0 734.0	Y	33
06N 34E 31	SW	SW	WOOD, DEE LYNN JOHN HANCOCK MUTUAL LIFE INSUR	A34-07291A A34-07291B	740.0 740.0	734.0 734.0	Y	32
06N 34E 31	SE	SW	WOOD, DEE LYNN JOHN HANCOCK MUTUAL LIFE INSUR	A34-07291A A34-07291B	740.0 740.0	734.0 734.0	Y	33
TOTAL ACRES						160.00	66.00	132

ARE IRRIGATED ACRES FOUND IN TRACTS OTHER THAN INDICATED ABOVE, Y () N (X)
IF YES SEE ATTACHED SHEET:

C. FIELD EXAM REQUIRED?

DUE TO POU DISCREPANCY? (Y/N)

PRESUMPTION FLAG: C

REMARKS:

Per B.U. Exam Done 9/87

RECOMMENDATIONS:

TOTAL ACRES: 132

REVIEWED BY: E81

DATE: 10-15-90

MICROFILMED
NOV 25 1992

A. AJ CLAIMED USES:

PURPOSES
A34-07291A IRRIGATION

MONTH/DAY
FROM 04-01 TO 11-01
TOTAL DIVERSION RATE/VOLUME CLAIMED

DIVERSION QUANTITY
~~3,400 CFS~~
3,200 CFS licensed w/ 2.59 cfs

B. WR RECORDED USES:

PURPOSES
34-07291 IRRIGATION
34-07291 DOMESTIC

MONTH/DAY
FROM 04-01 TO 11-01
FROM 01-01 TO 12-31
TOTAL DIVERSION RATE/VOLUME CLAIMED

DIVERSION QUANTITY
~~6,400 CFS~~
~~1,040 CFS~~ 2.59 cfs
~~6,400 CFS~~

PRESUMPTION FLAG: F

C. FIELD EXAM REQUIRED?

DUE TO WATER-USE DISCREPANCY? (Y/N)
DUE TO DIVERSION RATE DISCREPANCY? (Y/N)
DUE TO PERIOD FROM/TO DISCREPANCY? (Y/N)

FIELD EXAMINER
DATABASE Y Y Y
P Y N

D. PERIOD OF USE:

RECOMMEND AS CLAIMED?

RECOMMEND TO WR STANDARDS OR OTHER?

Y(☒) N(☐)
Y(☐) N(☐)

Explain in remarks, below.

REMARKS:

licensed w/ 5/90 w/ DIVERSION RATE OF 2.59 cfs.

MICROFILMED
NOV 23 1992

A. DOES DIVERSION RATE CLAIMED AGREE WITH EXISTING RECORDS? Y(P) N(X)

AJ TOTAL CLAIMED DIVERSION RATE: 3.200 CFS
WR ROOT RIGHT TOTAL DIVERSION RATE: 6.440 CFS

*** IF NO or IF STATUTORY CLAIM or BENEFICIAL USE then flow measurement required. ***
** If an amount smaller than the original diversion rate is **
** claimed and an exam is NOT required, explain in remarks. **

FLOW MEASUREMENT REQUIRED?

FIELD
DATABASE EXAMINER
Y D

DUE TO STAGE OR DIVERSION RATE DISCREPANCY? (Y/N)

B.

FLOW MEASUREMENT

MEASUREMENT METHOD Not Done - See 8/6/emo?, SEE ATTACHED CALCULATIONS.

C. ARE OTHER WATER RIGHTS USED? Y() N(Y) IF YES COMPLETE OVERLAP REVIEW.

OTHER RIGHTS LISTED IN CLAIM: A34-07291B

NO CLAIMS FOUND WITH SAME POU AND IRRIGATION USAGE

NO RIGHTS WITH SAME POU BUT NOT USED FOR IRRIGATION

~~MICROFILMED~~
~~NOV 25 1997~~

D.

RATE/VOLUME CALCULATIONS: (IRRIGATION)

1a. IRRIGATION RATE
ACRES 132.0 $\times$ 0.02 CFS/ACRE = 2.64 CFS
(Taken from p/u review)

1b. CALCULATIONS

DOES AMOUNT CLAIMED EXCEED 0.02 CFS/ACRE? Y() N(X)

*** IF YES ADDITIONAL WATER USE FORM FILED AND ATTACHED? Y() N(X) ***

2. IRRIGATION CONSUMPTIVE USE

CLAIMED CONSUMPTIVE USE = 400.0 AE/A

ACRES 132 $\times$ CONSUMPTIVE VOL. AE/A FOR AREA 2.5 =

TOTAL CONSUMPTIVE USE 330.0 AE/A

3. IRRIGATION DIVERSION VOLUME

CLAIMED DIVERSION VOLUME = AE/A

ACRES 132 $\times$ DIVERSION VOL. AE/A FOR AREA 3.5 =

TOTAL DIVERSION VOLUME 396.0 AE/A 462.0 ~~AE/A~~ LICENSED FOR 396 AE/A

corrected 6-21-94 RME

4. CALCULATIONS FOR USES OTHER THAN IRRIGATION:

SEE ATTACHED SHEET? Y() N(X)

REMARKS: (Include limitations on CONSUMPTIVE USE for combined rights.)

MICROFILMED

NOV 23 1992

RECOMMENDATIONS:

REC. PURPOSES	REC. PERIOD FROM TO	REC. DIV RATE CFS	REC. DIV VOL. AE/A	REC. CONS. USE
1 RR.	4-1 11-1	2.59	396.0	330.0
TOTAL FOR THIS RIGHT		2.59	396.0	330.0

REVIEWED BY: *SA*

DATE: 3-7-91

~~MICROFILMED~~
NOV 25 1992

A. CHECK ONLY THE FOLLOWING THAT APPLY:

OWNERSHIP
FORFEIT/ABANDON
ADDITIONAL DIV. AMOUNT

ACCEPTED
AS CLAIMED
()
()
()

NEEDS
REVIEW
()
()
()

B. SPLIT WATER RIGHT REVIEW

ROOT WATER RIGHT NUMBER: 34-07291

TOTAL DIVERSION RATE OF WR SPLITS

SPLITS:

OLD RIGHT NUMBERS	CURRENT CLAIM NUMBERS	DIVERSION RATE
-	A34-07291A	3.200
-	A34-07291B	3.200
-	-	-
-	-	-

DATABASE
11.550

EXAMINER

CFS

CURRENT "R"
CLAIM NUM.

"R" DIV.
RATE

WR RIGHT
NUMBERS

DIVERSION
RATE

34-07291 6.440
L34-07291A 2.590
L34-07291B 2.520

No SPLITS.

2.59

TOTAL CFS 6.400

11.550

DIVERSION RATE REVIEW

DO THE SUM CFS RATE OF THE SPLITS EQUAL THE ROOT RIGHT CFS RATE? (Y/N)
IF NO, is the written review sheet attached? (Y/N)

DATABASE
N

FIELD
EXAMINER

REMARKS:

CHARGE RATE PER LICENSE ISSUED 5/90

MICROFILMED
NOV 23 1992

AUTHENTICATION:

SIGNATURE:



NAME OF FIELD EXAMINER:

Eric S. Verwer

DATE:

3-7-91

TITLE:

Sr. WATER AGENT

MICROFILMED
NOT 23 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM VERIFICATION REPORT

02:49:07
09/07/90

PAGE: 13
QUICKLOOK INFORMATION

CLAIM NUMBER: 434-07559A
434-07559A

WR ELEMENT	FIELD EXAM Y/N	CORRESPONDENCE SENT/RECEIVED BY WHOM/DATE	FIELD EXAM BY WHOM/DATE	CHANGE CLAIM Y/N	VERIFIED BY CODE	COMPLETED REVIEW WHOM/DATE	COMPLETED DATA ENTRY WHOM/DATE	VERIFIED DATE WHOM/DATE
PRIORITY DATE				Y	6	ESV 3-7-91	ESV 3-7-91	HEA/HLA 2/21/94
POINT OF DIV	Y		Kew 9-10-87	N	5,6	"	"	
SOURCE								
PLACE OF USE	Y		Kew 9-10-87	Y	5,6	"	"	
DIV. AMOUNT CES/VOLUME	Y		"	Y	5,6	"	"	
CONSUMPTIVE USE	-			Y	6	"	"	
PURPOSES	Y			N	6	"	"	
PERIOD OF USE	Y			2	6	"	"	
BASIS OF CLAIM	Y			N	6	"	"	
REMARKS	Y							

"VERIFIED BY" CODES

TOPO MAP/ORTHO-PQ = 1
ASCS MAP = 2
WATERMASTER RECORDS = 3
NAPP PHOTOS = 4
FIELD EXAM = 5
OTHER (SEE REMARKS) = 6

THESE CODES ARE USED TO INDICATE HOW THE FIELD EXAMINER VERIFIED THE INFORMATION
USED FOR THIS FIELD EXAMINATION. INDICATED ARE ALL CODES WHICH APPLY.

MICROFILMED
NOV 25 1992

BENEFICIAL USE FIELD REPORT


STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

A. GENERAL INFORMATION

1. Owner: Dee Lynn & Janet Wood
 Current Address: HC 63 Box 2620 Montpelier ID 83435
 Phone No. 663-4448
 2. Accompanied by: Mr Wood
 Address: _____
 Relationship to Permit Holder: _____
 3. Source: Groundwater tributary to _____
 B. OVERLAP REVIEW
 1. Other water rights with same place of use: NONE
 2. Other water rights with same point of diversion: NONE
 Copies Attached ☐ Copies of Field Exam's Attached ☐

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



2. ☒ Copy of U.S.G.S. Quadrangle Attached
 Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached
 (required for all but single household domestic groundwater, and stockwater).
☒ Aerial Photo Attached
 (required for irrigation of 10 acres or more).

POOR ORIGINAL

POOR ORIGINAL

Well #5 max/min to Center Point (Zinnhardt 7-Tube w/eyes given)

corners for flood imaging

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
1A Swall #5	NEWMAN	125	S1340 901	Johnston	8"
	Westinghouse	125	N/A	Johnston	8"

Ident. No.	Gov't. Lot	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
#5		SW	NE SW	31	6N	34E	Jefferson	USGS MAP/ON SITE INSPECTION
#6			NE NW	31	6N	34E	Jefferson	USGS MAP/ON SITE INSPECTION

[illegible]

MICROFILMED
 Nov 23 1992

2. Volume Calculations for Other Uses:

$$\begin{aligned}
 V &= \text{Smaller of } V_{iR} \text{ and } V_{dR} = 396 \text{ af} \\
 V_{dR} &= [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (2.59 \text{ cfs})(1.9835)(2144) = 1099.4 \\
 V_{iR} &= (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (132 \text{ acres})(3.0 \text{ cfs}) = 396 \text{ ac}
 \end{aligned}$$

1. Volume Calculations for Irrigation:

G. VOLUME CALCULATIONS

$$\begin{aligned}
 \text{Water HP: } (3) \times (4) \div 8.8 &= (5) \\
 \text{Meter Input KW: } 3.6 \times \text{KH} \times \text{CTR or MULT} \times \text{PTR} \times \text{N} / \text{T} &= (6) \\
 \text{Meter Input HP: } (6) \times 1.34 &= (7) \\
 \text{Panel Input KW: Ave PF} \times \text{Ave Volts} \times \text{Ave Amps} \times .001732 &= (6) \\
 \text{Efficiency: } (5) / (7) \times 100 &= \%
 \end{aligned}$$

F. PUMP EFFICIENCY DATA (Optional)

$$\begin{aligned}
 \text{Discharge Pressure: } \text{psi} \times 2.31 &= \text{ft (1); Dynamic pumping level: ft (2)} \\
 \text{Total Head: } (1) + (2) &= (3) \\
 \text{Flow rate: } &= \text{cfs (4)}
 \end{aligned}$$

2. Alternate Method for Checking Purposes:

$$\begin{aligned}
 Q &= \frac{\text{hp (ft)} \times \text{eff}}{\text{head} + \text{friction}} @ 80\% \text{ } Q = 2.79 \text{ cfs} \\
 Q &= 2.59 \text{ cfs} \text{ } Q \text{ limited by system capacity } Q = 2.59 \text{ cfs}
 \end{aligned}$$

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

Measurements: 34-7291A	7.85" ID	7.85" ID
"A" SW Well (#5) (34.8) - (10.8) = 24'	psi (33 psi)	
Static Water Level 2nd		
NEW Well (#6) (32.4) - (14.6) =		

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Flow Meter Station	Pitot	Cox/Bell		#120387	8"	
Manometer					57"	

Do not use this space

POOR ORIGINAL

MICROFILMED
NOV 25 1992

REMARKS AND OVERLAP REVIEW ANALYSIS

Recommend licensing 34-7291 in two parts A & B because of separate systems

NO DOMESTIC USE OBSERVED

Blank lines for remarks and overlap review analysis.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use		Period of Use		Rate of Diversion		Annual Volume	
IRIGATION		From	To	Q (cfs)	V (afa)		
		4/1	11/1	2.59	396		

2. Recommended Amendments

- ☐ Change P.D. as reflected above
- ☐ Change P.U. as reflected above
- ☒ Add P.D. as reflected above
- ☐ Add P.U. as reflected above
- ☒ None
- ☐ Other

J. AUTHENTICATION

Field Examiner's Name KATH C. WILSON

Signature KATH C. WILSON

Certification Date 11 Jan 1987


Field Report Preparation Date 29 Dec 1987

CONSULTANT SEAL

[Handwritten Signature]

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

~~NOT RECORDED~~
NOT 25 1992



ORIGINAL

- ☒ SYSTEM #1 - 34-7292A
- ☒ SYSTEM #2 - 34-7292B
- ☒ SYSTEM #3 - 34-7289A
- ☒ SYSTEM #4 - 34-7289B
- ☒ SYSTEM #5 - 34-7291A
- ☒ SYSTEM #6 - 34-7291B

A34-07291A
A31-07559A

COPY FROM 9/19/80 BY EPM BY NEW

07.0 (D) Number -

[illegible]

1 - 1014 E. 1500 N.

State- IN Zip- 83435

City- MONTEVIEW
Phone - 208-663-4448

TABLE 4

+	-	-	-	Stage	-	-	-	+
+	-	-	-	LICENSE	-	-	-	+

+ - - - - - Tributary

Stream Index (Blank if no Index Code)

----- Diversion Rate ----- Diversion Volume

11/01

iv. Vol. 396.00

Volume - + + - Total Div. Capacity - + +

+ - Total	Consumptive	Use	- +
		330-0	

+ - KW Usage - +

~~MICROFILMED~~
~~NOV 23 1992~~

