



Water Right No. 31-07563

T06N, R34E, Section 9
NE and SE Quarters



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM VERIFICATION REPORT

02:49:07
09/07/90

Renumbered: A31-07563
CLAIM NUMBER: ~~A34-07404~~

PAGE: 1
GENERAL INFORMATION

LAST: CALAWAY
ADDRESS: RT. 2 BOX 207
CITY: REXBURG
PHONE NUMBER: 208-356-6291

FIRST: BLAIR
STATE: ID ZIP: 83440

OWNER CODE: C

LAST: CALAWAY
ADDRESS: RT. 2 BOX 207
CITY: REXBURG
PHONE NUMBER: 208-356-6291

FIRST: VELMA
STATE: ID ZIP: 83440

OWNER CODE: C

FIELD EXAM REQUIRED?

FIELD
EXAMINER

DATABASE
Y

VERIFICATION REQUIRED DUE TO REMARKS?

CLAIM REMARKS:

PERMIT WAS LAPSED FOR FAILURE TO PAY EXAMINATION FEE. THE
CLAIMANT HAS PAID THE EXAM FEE (SEE RECEIPT E010928) AND IS
REQUESTING THE THAT PERMIT BE REINSTATED BY THE DEPARTMENT.

~~MICROFILMED~~
NOV 25 1992

CONTACT PERSON: BLAIR CALAWAY PHONE NUMBER: () - - -

DATE OF FIELD EXAM: 10/20/90 APPOINTMENT MADE: Y() N(X) TIME: : A() P()

ACCOMPANIED BY: KEVIN CALAWAY PHONE NUMBER: () - - -

RELATIONSHIP TO CLAIMANT: Son/Operator

DIRECTIONS TO PROPERTY / REMARKS:

SEE B/U EXAM, 10-30-90

MICROFILMED
NOV 23 1990

A. AJ CLAIM: # A34-07404 PRIORITY DATE: 09-01-1981 STAGE: P

B. WR RECORD: # 34-07404 PRIORITY DATE: - - STAGE:

C. FIELD EXAM REQUIRED?

DUE TO PRIORITY DATE DISCREPANCY? (Y/N) DATABASE Y FIELD EXAMINER

ARE THERE OBVIOUS REASONS TO QUESTION THE PRIORITY DATE CLAIMED? Y() N()

REMARKS: Lapsed Permit - Expect Priority Date to be Adjusted by Reinstatement -
Needs More Review

RECOMMENDED PRIORITY DATE: ?

REVIEWED BY CAV DATE 12-4-90

MICROFILMED
NOV 23 1990

A. AJ CLAIM POINT OF DIVERSION AND SOURCE:

RIGHT	TWP.	RGE.	SEC.	1/4	1/4	1/4	LOT	CNTY
A34-07404	06N	34E	19	SE SW SE	SE SW SE	NE SE		JEFFERSON

OTHER AJ CLAIMS WITH SAME AJ POD
A PREFIX
R PREFIX
NONE
WK RECORDS IN SAME 40 ACRES TRACT
NONE

SOURCE: GROUNDWATER

TRIB:

B. WR POINT OF DIVERSION AND SOURCE:

3407404 THERE IS NO POD ASSOCIATED WITH THIS WATER RIGHT NUMBER
(LAPSED PERMIT)

C. FIELD EXAM REQUIRED?

DUE TO POD DISCREPANCY? DUE TO SOURCE DISCREPANCY?	(Y/N) (Y/N)	DATABASE Y Y	FIELD EXAMINER SE
---	----------------	--------------------	-------------------------

REMARKS:

SEE R/W FIELD BOOK

FILE: 34-07290

RECOMMENDED POINT(S) OF DIVERSION AND SOURCE:

TWP.	RGE.	SEC.	1/4	1/4	LOT	COUNTY
6N	34E	19	SE	SE	---	JEFFERSON
6N	34E	19	SE	SE	---	JEFFERSON

SOURCE: Groundwater

TRIB:

DATE: 10-20-90

MICROFILMED
NOV 25 1992

CLAIM NUMBER: A34-07404

A. ROOT WATER RIGHT NUMBERS: A34-07404

B. POU LISTING

TWP RNS SEC 1/4 1/4 LOT NAME

TWP	RNS	SEC	1/4	1/4	LOT	NAME	AJ #/ACRES	WR #/ACRES	LANDSAT DATA	FIELD EXAM.	RECOMM. ACRES
06N	34E	19	NE	NE		CALADAY, BLAIR	A34-07404	740.0	40.0	Y	10.0 32
06N	34E	19	NW	NE		CALADAY, BLAIR	A34-07404	740.0	34.0	Y	32
06N	34E	19	SW	NE		CALADAY, BLAIR	A34-07404	740.0	40.0	Y	10.0 32
06N	34E	19	SE	NE		CALADAY, BLAIR	A34-07404	740.0	40.0	Y	10.0 39
06N	34E	19	NW	SE		CALADAY, BLAIR	A34-07404	740.0	40.0	Y	10.0 39
06N	34E	19	SW	SE		CALADAY, BLAIR	A34-07404	740.0	42.0	Y	32
06N	34E	19	SE	SE		CALADAY, BLAIR	A34-07404	740.0	40.0	Y	10.0 32
06N	34E	19	SE	SE		CALADAY, BLAIR	A34-07404	740.0	38.0	Y	32
TOTAL ACRES							A34-07404	320.00	314.00		270

ARE IRRIGATED ACRES FOUND IN TRACTS OTHER THAN INDICATED ABOVE, Y() N(X)
IF YES SEE ATTACHED SHEET:

C. FIELD EXAM REQUIRED?

DUE TO POU DISCREPANCY? (Y/N)

PRESUMPTION FLAG:

REMARKS:

CHECK CORRESPONDENCE FOR IRRIGATION - CORRESPONDENCE IS SE SE DE ? WE USE SE ARE 18R. NOTE
OTHERS ARE.

RECOMMENDATIONS:

TOTAL ACRES: 270

REVIEWED BY: SEV

DATE: 10-30-90

MICROFILMED
NOV 23 1992

- OVERGROW RATE MEASURED $\frac{1}{3}$ RECOMMENDED TO BE 4.93 cfs, SEE 310 GRAM
- PERIOD OF USE TO WR. STAGNATE

Y() N()
Y() N() Explain in remarks, below.

~~MICROFILMED~~
NOV 25 1982

A. DOES DIVERSION RATE CLAIMED AGREE WITH EXISTING RECORDS? Y() N(☒)

AJ TOTAL CLAIMED DIVERSION RATE: 6.400 CFS
WR ROOT RIGHT TOTAL DIVERSION RATE: CFS

*** IF NO or IF STATUTORY CLAIM or BENEFICIAL USE then flow measurement required. ***
** If an amount smaller than the original diversion rate is **
** claimed and an exam is NOT required, explain in remarks. **

FLOW MEASUREMENT REQUIRED?

FIELD
EXAMINER
DATABASE Y

DUE TO STAGE OR DIVERSION RATE DISCREPANCY? (Y/N)

B.

FLOW MEASUREMENT

MEASUREMENT METHOD THEORETICAL, SEE ATTACHED CALCULATIONS.

C. ARE OTHER WATER RIGHTS USED? Y() N(☒) IF YES COMPLETE OVERLAP REVIEW.

OTHER RIGHTS LISTED IN CLAIM: NONE

NO CLAIMS FOUND WITH SAME POU AND IRRIGATION USAGE

NO RIGHTS WITH SAME POU BUT NOT USED FOR IRRIGATION

MICROFILMED
NOV 25 1992

D.

RATE/VOLUME CALCULATIONS: (IRRIGATION)

1b. CALCULATIONS

1a. IRRIGATION RATE
ACRES 270 $\times$ 0.02 CFS/ACR = 5.4 CFS
(Taken from p/u review)

DOES AMOUNT CLAIMED EXCEED 0.02 CFS/ACRE? Y() N(X)

*** IF YES ADDITIONAL WATER USE FORM FILED AND ATTACHED? Y() N() ***

2. IRRIGATION CONSUMPTIVE USE

CLAIMED CONSUMPTIVE USE = 800.0 AE/A

ACRES 270 $\times$ CONSUMPTIVE VOL. AE/A FOR AREA 2.5 =

TOTAL CONSUMPTIVE USE 675 AE/A

3. IRRIGATION DIVERSION VOLUME

CLAIMED DIVERSION VOLUME = AE/A

ACRES 270 $\times$ DIVERSION VOL. AE/A FOR AREA 3.5 =

TOTAL DIVERSION VOLUME 945.0 AE/A

4. CALCULATIONS FOR USES OTHER THAN IRRIGATION:

SEE ATTACHED SHEET? Y() N(X)

REMARKS: (Include limitations on CONSUMPTIVE USE for combined rights.)

MICROFILMED
NOV 25 1982

RECOMMENDATIONS:

REC.
PURPOSES

REC. PERIOD
FROM TO

REC. DIV
RATE CES

REC. VOL.
VOL. AE/A

REC. CONS.
USE

DATABASE EXAMINER DATABASE EXAMINER DATABASE EXAMINER

4/1 11/1

4933.31

810.0

945.0

675.0

TOTAL FOR THIS RIGHT

See

DATE: 11-12-4-90

REVIEWED BY:

* As Licensed

MICROFILMED
NOV 25 1990

A. CHECK ONLY THE FOLLOWING THAT APPLY:

OWNERSHIP
FORFEIT/ABANDON
ADDITIONAL DIV. AMOUNT

ACCEPTED
AS CLAIMED
()
()
()

NEEDS
REVIEW
()
()
()

B. SPLIT WATER RIGHT REVIEW

ROOT WATER RIGHT NUMBER: 34-07404

TOTAL DIVERSION RATE OF WR SPLITS

SPLITS:

OLD RIGHT NUMBERS	CURRENT CLAIM NUMBERS	DIVERSION RATE	CURRENT "R" CLAIM NUM.	"R" DIV. RATE	WR RIGHT NUMBERS	DIVERSION RATE
----------------------	--------------------------	-------------------	---------------------------	------------------	---------------------	-------------------

A34-07404

6.400

TOTAL CFS

6.400

NO SPLIT

DIVERSION RATE REVIEW

DO THE SUM CFS RATE OF THE SPLITS EQUAL THE ROOT RIGHT CFS RATE? (Y/N)
IF NO, is the written review sheet attached? (Y/N)

DATABASE
N

FIELD
EXAMINER

REMARKS:

ENTIRE RIGHT CLAIMED

~~CONDITION A01~~ ~~DELETE~~ LICENSED 10/28/91

AUTHENTICATION:

SIGNATURE:

NAME OF FIELD EXAMINER:

DATE: 4-11-91

TITLE: Sr. WATER AGENT

MICROFILMED
NOV 25 1992

03:49:07
09/07/90

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM VERIFICATION REPORT

PAGE: 11
QUICKLOOK INFORMATION

CLAIM NUMBER: A34-07404

WR ELEMENT	FIELD EXAM Y/N	CORRESPONDENCE SENT/RECEIVED BY WHOM/DATE	FIELD EXAM BY WHOM/DATE	CHANGE CLAIM Y/N	VERIFIED BY CODE	COMPLETED REVIEW WHOM/DATE	COMPLETED DATA ENTRY WHOM/DATE	VERIFIED DATE WHOM/DATE
PRIORITY DATE	Y		8/12-4-90	Y	6			
POINT OF DTD	Y		8/10-30-90	Y	5,2,4		8/4-11-91	
SOURCE	Y		8/10-30-90	N	5			
PLACE OF USE	Y		8/10-30-90	Y	5,2,4		"	
DIV. AMOUNT CFS/VOLUME	Y		8/10-30-90	Y	5,6		"	
CONSUMPTIVE USE	-			Y	6	8/4-11-91	"	
PURPOSES	Y		8/10-30-90	N	6,5			
PERIOD OF USE	Y		8/10-30-90	N	6			
BASIS OF CLAIM	Y		8/10-30-90	N	6			
REMARKS	Y			N	6			

VERIFIED BY CODES

TOPO MAP/ORTHO-PQ = 1
ASCS MAP = 2
WATERMASTER RECORDS = 3
NAPP PHOTOS = 4
FIELD EXAM = 5
OTHER (SEE REMARKS) = 6

THESE CODES ARE USED TO INDICATE HOW THE FIELD EXAMINER VERIFIED THE INFORMATION
USED FOR THIS FIELD EXAMINATION. INDICATED ARE ALL CODES WHICH APPLY.

MICROFILMED
NOV 25 1992

NAPP PHOTO W88NE
@ 200%

T
6
N
R34E


POINT OF DIVERSION

POINT OF DIVERSION

A34-07404

+++++ = MAINLINE (BURIED)

MICROFILMED
NOV 25 1996



~~MICROFILMED~~
NOV 25 1992

POINT OF DIVERSION

POINT OF DIVERSION

T-6

R 34 E

R 33 E

Lion's den

Old (N) Number

1 - RT 2 BOX 207

City- REXBURG

State- ID Zip- 83440

City- REXBURG

06N 19 SE SE NW (51) JEFFERSON (51)
34E 19 SE NW SE (51) JEFFERSON (51)
06N 19 SE NW SE (51) JEFFERSON (51)

11/01

3.310

+ - Total Div. Rate	- +	+ - Total Div. Volume	- +	+ - Total Div. Capacity	- +	+ - Total Consumptive Use	- +	+ - KW Usage
3.310		810.00				675.0		

Total Acres: 270.0

+ - - Diversion Means - TWO INTERCONNECTED DEEP WELLS TO CENTER PIVOTS/OPEN DISCHARGE

+ - - Non-Irrigation Use -

+ - - Other Rights for Same Use - NONE

MICROFILMED
NOV 25 1992

