



Water Right Claim Number A31-07567

Township , 6N34E



Log for claim A31-07567

Spatial Dynamics MWY

3/8/00

T	R	SEC	QQ	Acres Claimed	Acres Found	COMMENT
06	34	30	NENW	39	40	No apparent use
06	34	30	NWNW	40	37	No apparent use
06	34	30	SWNW	40	37	No apparent use
06	34	30	SEnw	40	40	No apparent use/ POD?
06	34	30	NESW	39	40	No apparent use/ POD?
06	34	30	NWSW	40	38	No apparent use
06	34	30	SWSW	40	38	No apparent use
06	34	30	SESW	40	40	No apparent use
Totals:				318	310	

RECEIVED

APR -3 2001

03/07/2001

Department of Water Resources

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: March 9, 2001

Water right number: 31-7567

LYNN WOOD
1014 E 1500 N
TERRETON ID 83450
Telephone Number: (208)663-4448

JANET WOOD
1014 E 1500 N
TERRETON ID 83450
Telephone Number: (208)663-4448

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

☒ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 3-7-01

SIGNATURE: Lynn Wood

Please print your name: LYNN WOOD

IDWR Regional Office, 900 N Skyline Dr Ste A, Idaho Falls, ID 83402, 2085257161

T
6
N

R33E R34E

Place of
Use

Point of
Diversion

LABORATORY

ENGINEERING

NATIONAL

IDAHO

S T A T I O N


T06N

T05N

31-07567

EXPRESS

**T
6
N**



R34E

-  Theme2.shp
-  Sections.shp
-  T06n34e.shp

31-07567