

12/18/2003

**NOTICE OF ERROR
REPLY**

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS:

Water right number: 27-4119

RAYMOND GRANT CHRISTENSEN
822 N 1100 E
SHELLEY ID 83274
Telephone Number: (208) 357-3243

LEINA S CHRISTENSEN
822 N 1100 E
SHELLEY ID 83274
Telephone Number: (208) 357-3243

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

Place of use

2. Describe the changes you wish to make in the proposed recommendation:

9.0 Acres instead of 7.5 Acres

3. Give a brief explanation as to why you disagree with these portions:

On the original application it was listed as 9.0 Acres

☐ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 1-3-05 SIGNATURE: *LeIna Christensen*
Please print your name: LeIna Christensen

IDWR Regional Office, 900 N Skyline Dr Ste A, Idaho Falls, ID 83402, 2085257161

*KMB
6/9
enault*

08/18/2005

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS:

Water right number: 27-4119

RAYMOND GRANT CHRISTENSEN

822 N 1100 E

SHELLEY ID 83274

Telephone Number: (208)357-3243

LEINA S CHRISTENSEN

822 N 1100 E

SHELLEY ID 83274

Telephone Number: (208)357-3243

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

☒ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 8-20-05 SIGNATURE: LeIna Christensen

Please print your name: LeIna Christensen

IDWR Regional Office, 900 N Skyline Dr Ste A, Idaho Falls, ID 83402, 2085257161

RECEIVED

AUG 29 2005

Department of Water Resources
Eastern Region

evault



State of Idaho

DEPARTMENT OF WATER RESOURCES

900 N. SKYLINE DR., SUITE A, IDAHO FALLS, ID 83402-1718

PHONE: (208) 525-7161 FAX: (208) 525-7177 WEB SITE: www.idwr.state.id.us

EASTERN REGION

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

August 18, 2005

Raymond G & LeIna S Christensen
822 N 1100 E
Shelley, ID 83274

RE: Reply to Notice of Error

Dear Raymond and LeIna,
Enclosed for your review is a new Preliminary Director's Report (PDR) for 27-4119 along with an aerial photo illustrating the irrigated acres.

This new report is in response to the Notice of Error Reply you submitted stating the irrigated acres was incorrect. After increasing your place of use by the addition of the yard and extending to the west edge of the field, the irrigated land shown on the illustration totals 8.2 acres. With the increase in acreage there was a corresponding increase in the diversion rate and volume of water for irrigation.

Once you have reviewed the new PDR please complete and return the Notice of Error Reply.

Respectfully submitted,

Ernest Carlsen
Water Rights Supervisor

Enclosures: 2