

04/27/2005

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS:

Water right number: 27-4075

P THOMAS BLOTTER FAMILY LTD PARTNERSHIP

C/O P THOMAS BLOTTER

3250 N 1200 E

LOGAN UT 84321

Telephone Number: (435) 753-3008

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

Quantity .020 CFS
Explanatory Material

2. Describe the changes you wish to make in the proposed recommendation:

0.020 CFS TO 0.670

3. Give a brief explanation as to why you disagree with these portions:

Prior claim dated 10 Jan 83 to Terrell N. Beckwith et al. 0.670 cfs. I purchased property. Your data does not reflect long term water volumes.

☐ I AGREE with this proposed recommendation: no changes need to be made.

DATE: _____ SIGNATURE: _____

Please print your name: _____

IDWR Regional Office, 900 N Skyline Dr Ste A, Idaho Falls, ID 83402, 2085257161

Disagree 22 July 05

Paul Thomas Blotter

7/30/05 - Discussed recommendation as instream stockwater.
Claimant will investigate possibly adding irrigation.
Ernie.

RECEIVED

JUL 27 2005

Department of Water Resources
Eastern Region

KMO
4/27