

09/21/2005

**NOTICE OF ERROR
REPLY**

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS:

Water right number: 27-4078

GEORGE OLESON
363 E 200 N
BLACKFOOT ID 83221
Telephone Number: (208)785-2414

STEVEN OLESON
359 E 200 N
BLACKFOOT ID 83221
Telephone Number: (208)785-2414

LILA OLESON
363 E 200 N
BLACKFOOT ID 83221
Telephone Number: (208)327-7953

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

☒ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 9/21/05

SIGNATURE:

George Oleson

Please print your name:

George Oleson

IDWR Regional Office, 900 N Skyline Dr Ste A, Idaho Falls, ID 83402, 2085257161

04/22/2005

**NOTICE OF ERROR
REPLY**

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS:

Water right number: 27-4078

George Oleson
363 East 200 North
Blackfoot, ID 83221
Telephone Number: (208) 785-2414

317 E RICH LANE

Steven Oleson
359 East 200 North
Blackfoot, ID 83221
Telephone Number: (208) 785-2414

785-4479

Lila Oleson
363 East 200 North
Blackfoot, ID 83221
Telephone Number: (208) 327-7953

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):
2. Describe the changes you wish to make in the proposed recommendation:
3. Give a brief explanation as to why you disagree with these portions:

*should be more acres and area describe may
be incorrect Can't Tell by Map enclosed*

RECEIVED

AUG 04 2005

Department of Water Resources
Eastern Region

____ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 7/25/05

SIGNATURE: *George Oleson*

Please print your name: George Oleson

IDWR Regional Office, 900 N Skyline Dr. Ste A, Idaho Falls, ID 83402, (208) 525-7161

*8/4
KMT*