

VED

005

Resources
on

NOTICE OF ERROR
REPLY

RECEIVED

06/28/2005

JUL 22 2005

Department of Water Resources
Eastern Region

Dep. Eastern

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS:

Water right number: 27-12085

RONALD SHARP

3100 W 142 ST

LEAWOOD KS 66224

Telephone Number: (913)897-2845

DIANE SHARP

3100 W 142 ST

LEAWOOD KS 66224

Telephone Number: (913)897-2845

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

☒ I AGREE with this proposed recommendation: no changes need to be made.

DATE:

13 July 05

SIGNATURE:

[Signature]

Please print your name:

Ronald J. Sharp

IDWR Regional Office, 900 N Skyline Dr Ste A, Idaho Falls, ID 83402, 2085257161



10/12/2