

WIXOM

03/05/2004

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS:

Water right number: 27-11730

~~BRENT STEFFLER~~

625 N 800 E

FIRTH ID 83236

Telephone Number: (208) 346-6713

NAOMI CHRISTENSEN

% RENN CHRISTENSEN

909 EAST 1000 NORTH

SHELLEY ID 83274

Telephone Number: (208) 357-7830

KEN J WIXOM

260 W 300 N

BLACKFOOT ID 83221

Telephone Number: (208) 785-0407

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):
2. Describe the changes you wish to make in the proposed recommendation:
3. Give a brief explanation as to why you disagree with these portions:

☒ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 6-13-05

SIGNATURE: Brent Steffler

Please print your name: Brent Steffler

IDWR Regional Office, 900 N Skyline Dr Ste A, Idaho Falls, ID 83402, 2085257161

RECEIVED

JUN 24 2005

Department of Water Resources
Eastern Region

KMT
6/27