

04/20/2005

**NOTICE OF ERROR
REPLY**

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS:

Water right number: 27-11901

P. Thomas Blotter Family LTD PTN
% P. Thomas Blotter
3250 North 1200 East
Logan, UT 84321
Telephone Number: (435) 753-3008

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

Quantity:

2. Describe the changes you wish to make in the proposed recommendation:


change 0.020 cfs to 0.110 cfs as in 27-4127

3. Give a brief explanation as to why you disagree with these portions:

near barn area to require significant stockwater

~~I AGREE~~ with this proposed recommendation: no changes need to be made.

DATE: 22 July 05

SIGNATURE: 

Please print your name:

P. Thomas Blotter

IDWR Regional Office, 900 N Skyline Dr. Ste A, Idaho Falls, ID 83402, (208) 525-7161

RECEIVED

JUL 27 2005

Department of Water Resources
Eastern Region

KMO
4/27