

11/28/2005

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS:

Water right number: 22-7256

K L B INC
DBA BROWN CO
PO BOX 579
REXBURG ID 83440
Telephone Number: (208)359-2605

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source): *We disagree only with the total combined annual diversion volume of 93761.6 AF in regards to the ~~aff~~ of right # 22-13329. P.S. Descriptions not complete in affect*
Section 14
2. Describe the changes you wish to make in the proposed recommendation:
Change the total according to the result of the review of right # 22-13329.
3. Give a brief explanation as to why you disagree with these portions:
see notice of error reply for right # 22-13329

 I AGREE with this proposed recommendation: no changes need to be made.

DATE: 1-13-2006 SIGNATURE: John M. Brown
Please print your name: John M. Brown

IDWR Regional Office, 900 N Skyline Dr Ste A, Idaho Falls, ID 83402, 2085257161

Correction for ACS data

2/9/06
ABH