ADMINISTRATOR'S MEMORANDUM

Application Processing Memo # 60
Adjudication Memo # 44

To: Water Management Division
Adjudication Bureau

From: Norman C. Young NCY

Re: Irrigation Diversion Rate for Turf Grass in Public Areas

Date: August 15, 1996

Irrigation of turf grass in public areas such as golf courses, parks, schools, and cemeteries often requires that the irrigation occur during the night or early morning hours. Since water cannot be applied continuously over a 24-hour period, the irrigation diversion rate is often higher than the statutory standard of 0.02 cfs per acre.

In some cases, a holding pond or regulation pond may eliminate the necessity of diverting a higher rate from the source. A holding pond is used to store the daily requirements of the irrigation system. The diversion rate from the source to the holding pond is based on the continuous-use irrigation requirement and the diversion rate from the pond to the irrigation system is based on the actual hours of operation of the system.

In situations where a holding pond is not practical, a higher rate is considered reasonable and necessary. The diversion rate for a new water right should be based on the requirements of a modern irrigation system with proper management. In an adjudication of water rights, the diversion rate recommended cannot exceed the historical diversion rate nor the amount determined to be reasonably necessary using acceptable irrigation practices. In both cases, a condition is required that limits the daily volume of water diverted.

To calculate the irrigation diversion rate for turf grass for irrigation systems that can not apply water continuously, divide the diversion rate based on continuous operation by the ratio of actual hours of operation per day to 24 hours per day.

Example: A golf course irrigates every day from 10 p.m. to 6 a.m. (eight hours per day). Based on an analysis of the irrigation diversion requirements, the irrigation diversion rate is calculated to be 0.02 cfs per acre under continuous operation. The diversion rate based on the reduced operation time would be 0.06 cfs per acre (0.02 divided by 8/24). The diversion rate of 0.06 cfs per acre is considered reasonable and necessary due to the operation time limitations of the system. This water right must include a condition which limits the daily volume of water diverted.

Sept 9
~~Sept Aug~~ 9 1934

Minutes Cem. Dist # 4 at E J Rudd Home all members Present.

E J Rudd was charged $9.00 for Wire fencing taking from Cem. lot.

A levie of one mill for 1934–35 was Called for and Secl was asked to notify County Commissioners.

After some discussion, Motion by A C McFarland that we apply for a Cem. Project from F.E.R.A. Second Chairman E. Bradshaw Mot. carried.

E J Rudd Clerk.

Chai Ernest Bradshaw

A C McFarland Sept 17 1934

Minutes of Cem. Dist # 4 E J Rudd Resd. Board met with ~~Dudoto~~ Geo. Vernon Tisch from local office of F.E.R.A. St Anthony and made application for Cem. Project, application Called for 5,000 project see app for details

Chairman Bradshaw said he would arrange a meeting with Mr Wright of C. W. M. Company having in mind the furnishing of material for Cem. Project.

E J Rudd Clerk.

No regular meeting of Board was held, but Project was approved by I.E.R.A. and work started about Dec. 1. 1934 E J Rudd appointed ~~Chairman~~ Forman, ground was leveled and Pipes for Water system layed. Entire Pumping system was furnished by C. W. M. Co. under Contract. Well was dug during winter or in spring about But not finished on account of sub. rising in spring. Work was delayed some during year I E R A shutting down.

About Aug 1 1935 worke was closed down Board meet on cem. grounds and ordered that E J Rudd continue with Project and hire what help necessary. Ira Beck was hired & and worked about one month.

Minutes of Directors meeting held May 15, 19[illegible]
at the home of Lawrence Miller

for the purpose of selecting a caretaker from bids submitted and looking over the cemetery. All members of board were present and received $8.00 each, for two board meetings and allowed Lawrence Miller $25 as overseer. Secretary was paid $50.00. John Roberts was selected as caretaker at $200 a month. to be paid twice during month. He is to move all dirt in cemetery, water and mow grass and dig graves. Board decided to put new top on well and padlock it. Loyd Wilkins was called in to repair pump motor and get it ready to run. Hereafter a charge of $10 will be made for digging graves which will be paid to the cemetery in summer & to the caretaker during months not employed regularly by cemetery.

Minutes of board meeting held May [illegible]

All board members present. It was decided John Roberts would continue as caretaker at $180 a month to be paid on the 1st & 15th of every month. It was also decided to raise the price of lots from $20 to $50 or $25 for ½ lot. This was necessary to help raise funds necessary to keep the cemetery going.

Minutes of Board of Parker Cemetery April 19, 1953. At Parker Cemetery. For the purpose of selecting a caretaker. Oakley Hunter, Ernest Bradshaw and Lawrence Miller present. Looking over payment found one check of $29.00 was not cashed. Opened bids. John Roberts bid $225.00
[illegible] $911.00

September 20, 2004

To Whom It May Concern:

We the undersigned state that there has never been a deep well on the property of the Parker Cemetery. There was a Sand Point well that water was pumped when the Sub-irrigation was being used.

Signed:

Boyd Josephson
Boyd Josephson 624-4272

Lowell Orgill
Lowell Orgill 624-7192

Wayne Swensen
Wayne Swensen 624-7535

Douglas Hanks 624-4522

Gary D Bidwell
Gary Bidwell 624-7177
Sec. 1978-2002

Rulon Powell
Rulon Powell 458-4509

LaVoy Bergeson
LaVoy Bergeson 356-3406

Gayle Rumsey
Gayl Rumsey 624-7748

DEBBIE S. HAMMOND

State of Idaho)
County of Fremont) S.S.

On this 19th day of September, in the year 2004, before me Debbie S. Hamond a notary public, personaley appeard the aboe persons, whose names are subscribed to the within instrument, and acknowledged to me that they excuted the same.

Debbie S. Hamond
My Comission Expires on 2/14/2009

IDAHO DEPARTMENT OF WATER RESOURCES

21-12889

T7N, R40E sec 5



POINT OF DIVERSION ☒

PLACE OF USE ☐

1987 NAPP PHOTO
DAVE CARLSON

WELL #1, 2


SWSE
SESE
SWSW
SESW
NWNE
NENE
NWNW
NENW
SWNE
SENE
SWNW
SENW
NWSE
NESE
NWSW
NESW
SWSE
SESE
SWSW
SESW
NWNE
NENE
NWNW
NENW