



State of Idaho

DEPARTMENT OF WATER RESOURCES

900 N. SKYLINE DR., SUITE A, IDAHO FALLS, ID 83402-1718

PHONE: (208) 525-7161 FAX: (208) 525-7177 WEB SITE: www.idwr.state.id.us

EASTERN REGION

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

September 28, 2005

Leon J Gardner
400 N 469 E
Blackfoot ID 83221

RE: Notices of Error

Dear Leon,

Enclosed is the most recent Preliminary Director's Report (PDR) for water rights 27-10028 and 27-12013, the associated layout, and a layout from a field inspection.

At the end of July, we received your reply to the Notice of Error we sent to you. As a response to that reply, Harold Jones went out to inspect the property you irrigate to ensure that we have the correct place of use in our database. Accompanied by yourself, Harold traced on an aerial photo your irrigated land, which only totaled 60.6 acres. Also, we have included in your water right files a note that you discussed with Ernie Carlsen the diversion rate and combined acreage of these two rights on August 15, 2005. However, the recommendation is limited to the information obtained in the field inspection. Therefore, I cannot recommend 70.2 acres of irrigated land as the place of use as you requested in your phone conversation with Ernie. The combined diversion limit you requested is consistent with the two rights. I did not add a total of 2.81 cfs to each right because each is allowed what is recommended. However, the sum of the two diversion rates totals 2.81 cfs.

Please review the PDRs enclosed and return the Notice of Error reply. If you have any questions, please feel free to contact Ernie Carlsen or myself at (208) 525-7161.

Respectfully yours,

Kristin Moore
GIS Specialist

08/24/2005

**NOTICE OF ERROR
REPLY**

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS:

Water right number: 27-10028

LEON J GARDNER
400 N 469 E
BLACKFOOT ID 83221
Telephone Number: (208)785-2040

BONNIE P GARDNER
469 E 400 N
BLACKFOOT ID 83221
Telephone Number: (208)785-1688

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):
2. Describe the changes you wish to make in the proposed recommendation:
3. Give a brief explanation as to why you disagree with these portions:

☒ I AGREE with this proposed recommendation: no changes need to be made.

DATE:

10/3/05

SIGNATURE:

Leon J. Gardner

Please print your name:

LEON J. GARDNER

IDWR Regional Office, 900 N Skyline Dr Ste A, Idaho Falls, ID 83402, 2085257161

Kristen

08/03/2005

**NOTICE OF ERROR
REPLY**

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: August 31, 2005

Water right number: 27-10028

LEON J GARDNER
400 N 469 E
BLACKFOOT ID 83221
Telephone Number: (208)785-2040

BONNIE P GARDNER
469 E 400 N
BLACKFOOT ID 83221
Telephone Number: (208)785-1688

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):
2. Describe the changes you wish to make in the proposed recommendation:
3. Give a brief explanation as to why you disagree with these portions:

 I AGREE with this proposed recommendation, no changes need to be made. - see below
DATE: 8/15/05 SIGNATURE: Leon J Gardner

Please print your name: _____

IDWR Regional Office, 900 N Skyline Dr Ste A, Idaho Falls, ID 83402, 2085257161

Per 8/15/05 @ 1:15 P.M., call to Ernie Carlson the combined diversion limit is corrected to 2.81 CFS and the P.O.U. combined total is corrected to 70.2 acres.

RECEIVED
AUG 24 2005
Department of Water Services
Eastern Region

04/27/2005

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS:

Water right number: 27-10028

LEON J GARDNER
400 N 469 E
BLACKFOOT ID 83221
Telephone Number: (208)785-2040

BONNIE P GARDNER
469 E 400 N
BLACKFOOT ID 83221
Telephone Number: (208)785-1688

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

POU

2. Describe the changes you wish to make in the proposed recommendation:

INCREASE # OF IRRIGATED ACRES

3. Give a brief explanation as to why you disagree with these portions:

PER DRAWING

☐ I AGREE with this proposed recommendation: no changes need to be made.

DATE:

7/22/05

SIGNATURE:

Leon J. Gardner

Please print your name:

LEON J. GARDNER

IDWR Regional Office, 900 N Skyline Dr Ste A, Idaho Falls, ID 83402, 2085257161

Cindy has the file and will do the changes.

*YACOT
7/22*