



State of Idaho

DEPARTMENT OF WATER RESOURCES

900 N. SKYLINE DR., SUITE A, IDAHO FALLS, ID 83402-1718

PHONE: (208) 525-7161 FAX: (208) 525-7177 WEB SITE: www.idwr.state.id.us

EASTERN REGION

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

October 26, 2005

Quinton Gneiting & Mikala Gneiting
216 S 550 W
Blackfoot ID 83221

RE: Notice of Error Reply 27-10357

Dear Quinton & Mikala:

In response to the Notice of Error you submitted after the initial mailing of the Preliminary Director's Report in May 2005, enclosed for your records is a revised Preliminary Director's Report for the above listed water right and a map of the place of use. This report is based on information obtained subsequent to the initial mailing and replaces the previous Preliminary Director's Reports.

The Department expects to submit to the Snake River Basin Adjudication Court all recommendations for the Blackfoot Drainage, Basin 27, in November 2005. At that time you will receive a Director's Report for your water right, which should mirror this revised preliminary recommendation. The Director's Report mailing will not include a map.

Naturally if you have questions please call me at the above phone number.

Respectfully Submitted,

Ernest Carlsen
Water Right Supervisor

Enclosures (1)
emc

03/15/2005

**NOTICE OF ERROR
REPLY**

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS:

Water right number: 27-10357

Quinton Gneiting
216 South 550 West
Blackfoot, ID 83221
Telephone Number: (208) 785-0613

Mikala Gneiting
216 South 550 West
Blackfoot, ID 83221
Telephone Number: (208) 785-0613

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

0.8 acres total

2. Describe the changes you wish to make in the proposed recommendation:

1.8 acres total

3. Give a brief explanation as to why you disagree with these portions:

When we bought the property, the property description was "just under 2 acres." This would be consistent with 1.8 acres total.

☒ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 7/15/05 SIGNATURE: Mikala Gneiting

Please print your name: Mikala Gneiting

IDWR Regional Office, 900 N Skyline Dr. Ste A, Idaho Falls, ID 83402, (208) 525-7161

RECEIVED
JUL 28 2005
Department of Water Resources
Eastern Region

2
7/15/05