

RECEIVED

057 - 7 2006

08/31/2006

DEPARTMENT OF
WATER RESOURCES

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: September 29, 2006

Water right number: 73-2163

JUDITH MADSEN

248 PAHSIMEROI RD

ELLIS ID 83235

Telephone Number: (208) 876-4218

KENNETH MADSEN

248 PAHSIMEROI RD

ELLIS ID 83235

Telephone Number: (208) 876-4218

daytime 879-2439

deceased

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

X I AGREE with this proposed recommendation: no changes need to be made.

DATE: 9/28/06

SIGNATURE:

Judith Madsen

Please print your name:

Judith Madsen

IDWR Regional Office, 322 E Front St
PO Box 83720, Boise, ID 83720-0098, 2082874800




Idaho Department of Water Resources

SRBA Recommendation:


73-2163

Legend

-  Point of Diversion
-  Place of Use
-  Townships
-  PLS Sections
-  Quarter Quarters



Lemhi County
IDWR Basin 73



0 0.3 0.6 Miles



Prepared by R. Brown
On Monday, July 10, 2006
1987/88 Aerial Photography