

09/21/2006

NOTICE OF ERROR
REPLY

OCT 27 2006

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: See cover letter

Water right number: 47-13581

DARLENE SIEVERS PETERSEN

2733 PAINTBRUSH DR

TWIN FALLS ID 83301

Telephone Number: (208)734-4372

PAUL MAXWELL

2919 E 3400 N

TWIN FALLS ID 83301

LISA MAXWELL

2919 E 3400 N

TWIN FALLS ID 83301

Telephone Number: (208)735-8974

GLADYS GRIFFIN

3397 N 2900 E

TWIN FALLS ID 83301

Telephone Number: (208)734-2010

NO LONGER OWN
DON'T KNOW WHO DOES

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

☐ I AGREE with this proposed recommendation: no changes need to be made.

DATE: _____ SIGNATURE: _____

Please print your name: _____

IDWR Regional Office, 1341 Fillmore St, Suite 200, Twin Falls, ID 83301, 2087363033