

11/05/2004

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: See cover letter

Water right number: 47-7319

MAXINE M NELSON

2895 E 3300 N

TWIN FALLS ID 83301

~~CHRISTINE~~

~~ROBERT A MOLYNEUX~~

~~2895 E 3300 N~~

TWIN FALLS ID 83301

Telephone Number: (208) 733-8746

CHARLES THOMPSON

~~2895 E 3300 N~~

TWIN FALLS ID 83301

Telephone Number: (208) 733-8746

- Deceased 7/99

- Robert Deceased 3/03

Farm name: MIT NELSON FARMS

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):
2. Describe the changes you wish to make in the proposed recommendation:
3. Give a brief explanation as to why you disagree with these portions:

☒ I AGREE with this proposed recommendation: no changes need to be made.

DATE: Nov. 3, 2006 SIGNATURE: Charles W. Thompson

Please print your name: CHARLES W. THOMPSON

IDWR Regional Office, 1341 Fillmore St, Suite 200, Twin Falls, ID 83301, 2087363033