

11/21/2006

NOTICE OF ERROR
REPLY

RECEIVED

NOV 29 2006

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: 12/13/2006

Water right number: 37-7037

MARILYN R PLOTT
25 LOWER BROADFORD RD
BELLEVUE ID 83313
Telephone Number: (208)788-7892

LARRY B PLOTT
25 LOWER BROADFORD RD
BELLEVUE ID 83312
Telephone Number: (208)788-7892

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

Quantity

2. Describe the changes you wish to make in the proposed recommendation:

Diversion rate should be 0.14 cfs

3. Give a brief explanation as to why you disagree with these portions:

☐ I AGREE with this proposed recommendation: no changes need to be made.

DATE: Nov 27, 2006

SIGNATURE:

Larry B. Plott

Please print your name: Larry B. Plott

IDWR Regional Office, 322 E Front St
PO Box 83720, Boise, ID 83720-0098, 2082874800

Please refer to the information submitted to IDWR on November 15, 2006. This right was originally licensed for 0.14 cfs, appurtenant to our original property which contained 11.39 gross acres. Although a 3.73 acre parcel was split off and sold, none of the water right was intended to be conveyed with this land. We retained the well and diversion system, and all of the water right including the diversion rate remained appurtenant to and has been utilized on the 7.66-acre parcel which we retained. Further, the water right has been used on this parcel continuously, and no water has been used on the 3.73 acre parcel.

Therefore, a reduction of the diversion rate is not warranted, and the recommendation should reflect the full licensed rate of 0.14 cfs. pursuant to License of Water Right #37-7037.

BP