

11-27-06

RECEIVED

NOV 29 2006

DEPARTMENT OF
WATER RESOURCES

Dear Sir;

Sorry I made such a mess of the form. The only change on the form is that we never developed the spring. It was in a poor location, and there was not enough water. That is the only thing that should be changed.

Thank you.

Anna Peterson

11/14/2006

RECEIVED

NOV 29 2006

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

DEPARTMENT OF
WATER RESOURCES

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: December 8, 2006

Water right number: 67-7499

ANNA PETERSEN

PO BOX G

COUNCIL ID 83612

Telephone Number: (208)253-4761

ROBERT A PETERSEN - Deceased

PO BOX G

COUNCIL ID 83612

Telephone Number: (208)253-4761

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

~~Date 02-23-75 never developed Spring~~
Spring never developed

2. Describe the changes you wish to make in the proposed recommendation:

~~Spring never developed~~
Spring was never developed

3. Give a brief explanation as to why you disagree with these portions:

 I AGREE with this proposed recommendation: no changes need to be made.

DATE: 11-27-06

SIGNATURE: Anna Petersen

Please print your name: Anna Petersen

IDWR Regional Office, 322 E Front St
PO Box 83720, Boise, ID 83720-0098, 2082874800